

# WIII

Jakarta Soekarno-Hatta Intl


# PGUM

Guam Intl

2024/05/18 0154Z

WIII LEPAS **W15** MWB 200N12600E DULON 300N12700E 400N12800E SADAN 400N12900E 500N13000E SHREE  
600N13200E 700N13300E AIBIE **M756** ROR 700N13500E 700N13600E TNUGE **A450** BUCAT PGUM

2661.24 nm / 4928.62 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
WIII APT	-	-6.11981 106.65700	0 ft 0 m	-	Jakarta Soekarno-Hatta Intl
LEPAS FIX	-	-5.43288 107.78900	28,200 ft 8,595 m	79	-
ALAMO FIX	W15 AWY-HI	-4.71243 108.81500	35,000 ft 10,668 m	75	-
TAVIP FIX	W15 AWY-HI	-3.96431 110.38300	35,000 ft 10,668 m	104	-
LAMUD FIX	W15 AWY-HI	-3.04032 112.30900	35,000 ft 10,668 m	128	-
PKY VOR	W15 AWY-HI	-2.24348 113.94900	35,000 ft 10,668 m	109	PALANGKARAYA
HAMOL FIX	W15 AWY-HI	-1.77046 115.34000	35,000 ft 10,668 m	88	-
BPN VOR	W15 AWY-HI	-1.24569 116.94000	35,000 ft 10,668 m	101	BALIKPAPAN
LADOP FIX	W15 AWY-HI	0.02843 119.51100	35,000 ft 10,668 m	172	-
TOSTY FIX	W15 AWY-HI	0.93875 123.33500	35,000 ft 10,668 m	236	-
MWB VOR	W15 AWY-HI	1.32325 124.95500	35,000 ft 10,668 m	99	MANADO
200N12600E LATLON	-	2.00000 126.00000	35,000 ft 10,668 m	74	-
DULON FIX	-	2.00000 126.01200	35,000 ft 10,668 m	0	-
300N12700E LATLON	-	3.00000 127.00000	35,000 ft 10,668 m	84	-
400N12800E LATLON	-	4.00000 128.00000	35,000 ft 10,668 m	84	-
SADAN FIX	-	4.00000 128.08300	35,000 ft 10,668 m	4	-
400N12900E LATLON	-	4.00000 129.00000	35,000 ft 10,668 m	54	-
500N13000E LATLON	-	5.00000 130.00000	35,000 ft 10,668 m	84	-
SHREE FIX	-	5.65000 131.15700	35,000 ft 10,668 m	79	-
600N13200E LATLON	-	6.00000 132.00000	35,000 ft 10,668 m	54	-
700N13300E LATLON	-	7.00000 133.00000	35,000 ft 10,668 m	84	-
AIBIE FIX	-	7.34722 133.39200	35,000 ft 10,668 m	31	-
ROR NDB	M756 AWY-LO	7.36876 134.55000	35,000 ft 10,668 m	68	KOROR
700N13500E LATLON	-	7.00000 135.00000	35,000 ft 10,668 m	34	-
700N13600E LATLON	-	7.00000 136.00000	35,000 ft 10,668 m	59	-
TNUGE FIX	-	7.00000 137.00000	35,000 ft 10,668 m	59	-
PIGFA	A450	11.12500	35,000 ft	360	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	141.41200	10,668 m		
LOEBB	A450	12.24200	31,000 ft	100	-
FIX	AWY-HI	142.67800	9,449 m		
BUCAT	A450	12.59330	22,300 ft	40	-
FIX	AWY-HI	143.26700	6,797 m		
PGUM	-	13.48400	0 ft	104	Guam Intl
APT	-	144.79700	0 m		

## WIII

Region: INDONESIA  
Timezone: ASIA/JAKARTA  
Runways: 3

Elevation: 34 ft / 10 m  
Location: -6.119810 106.657000  
Magnetic Var: 0.529 E

## METAR

WIII 180130Z VRB05KT 4000 HZ FEW020 30/23 Q1010 NOSIG

## TAF

TAF WIII 172300Z 1800/1906 VRB02KT 5000 HZ FEW020 BECMG 1801/1803 05010KT 9000 NSW BECMG 1813/1815 19005KT 5000 HZ

## Frequencies

REC - 126.85 MHz - ATIS	CLD - 121.95 MHz -
CLD - 124.25 MHz -	SOEKARNO-HATTA CLEARANCE DELIVERY
SOEKARNO-HATTA CLEARANCE DELIVERY	CLD - 125.15 MHz -
GND - 121.60 MHz - SOEKARNO-HATTA GROUND	SOEKARNO-HATTA CLEARANCE DELIVERY
GND - 128.85 MHz - SOEKARNO-HATTA GROUND	GND - 121.00 MHz - SOEKARNO-HATTA GROUND
TWR - 118.20 MHz - SOEKARNO-HATTA TOWER	GND - 128.95 MHz - SOEKARNO-HATTA GROUND
TWR - 119.30 MHz - SOEKARNO-HATTA TOWER	TWR - 118.75 MHz - SOEKARNO-HATTA TOWER
APP - 124.20 MHz - JAKARTA ARRIVAL	TWR - 120.25 MHz - SOEKARNO-HATTA TOWER
APP - 119.75 MHz - JAKARTA DIRECTOR	APP - 125.45 MHz - JAKARTA ARRIVAL
APP - 124.55 MHz - JAKARTA DIRECTOR	APP - 123.75 MHz - JAKARTA DIRECTOR
APP - 125.05 MHz - JAKARTA DIRECTOR	APP - 124.95 MHz - JAKARTA DIRECTOR
APP - 124.15 MHz - JAKARTA RADAR	APP - 127.90 MHz - JAKARTA DIRECTOR
APP - 125.35 MHz - JAKARTA RADAR	APP - 124.35 MHz - JAKARTA RADAR
APP - 127.95 MHz - JAKARTA RADAR	APP - 126.45 MHz - JAKARTA RADAR
	APP - 130.10 MHz - JAKARTA RADAR

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	150 ft	8,202 ft	68.13	ASPHALT	328 ft	846 ft
	46 m	2,500 m	67.61		100 m	258 m
24	150 ft	8,202 ft	248.13	ASPHALT	0 ft	0 ft
	46 m	2,500 m	247.60		0 m	0 m
07L	197 ft	11,820 ft	68.15	ASPHALT	0 ft	0 ft
	60 m	3,603 m	67.62		0 m	0 m
25R	197 ft	11,820 ft	248.15	ASPHALT	0 ft	0 ft
	60 m	3,603 m	247.62		0 m	0 m
07R	197 ft	12,015 ft	68.12	ASPHALT	0 ft	0 ft
	60 m	3,662 m	67.59		0 m	0 m
25L	197 ft	12,015 ft	248.12	ASPHALT	0 ft	0 ft
	60 m	3,662 m	247.59		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07L	LOC-ILS	ICHL	111.50 MHz	18 nm	68.13	-	21 ft
				33 km	67.60		21 m
07R	LOC-ILS	ICHR	110.50 MHz	18 nm	68.13	-	27 ft
				33 km	67.60		27 m
25L	LOC-ILS	ICGL	111.10 MHz	18 nm	248.12	-	34 ft
				33 km	247.59		34 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
25R	LOC-ILS	ICGR	110.90 MHz	18 nm	248.13	-	29 ft
				33 km	247.60		29 m
07L	GS	ICHL	111.50 MHz	10 nm	68.25	3.00	29 ft
				19 km	67.72		29 m
07R	GS	ICHR	110.50 MHz	10 nm	68.24	3.00	34 ft
				19 km	67.71		34 m
25L	GS	ICGL	111.10 MHz	10 nm	248.24	3.00	27 ft
				19 km	247.71		27 m
25R	GS	ICGR	110.90 MHz	10 nm	248.25	3.00	21 ft
				19 km	247.72		21 m

## PGUM

Region: USA (GUAM, NORTHERN MARIANA ISLANDS)  
Timezone: PACIFIC/GUAM  
Runways: 2

Elevation: 305 ft / 93 m  
Location: 13.484000 144.797000  
Magnetic Var: 0.309 E

## METAR

PGUM 180054Z 08012G22KT 10SM FEW026 31/24 A2984 RMK A02 SLP098 T03110239

## TAF

TAF TAF PGUM 172325Z 1800/1906 08013G23KT P6SM VCSH FEW022 SCT035 FM180900 07010KT P6SM VCSH SCT022

## Frequencies

REC - 119.00 MHz - ATIS  
TWR - 118.10 MHz - AGANA TWR

GND - 121.90 MHz -  
APP - 118.70 MHz - APP/DEP

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06L	150 ft	12,020 ft	64.81	ASPHALT	1,014 ft	397 ft
	46 m	3,664 m	64.50		309 m	121 m
24R	150 ft	12,020 ft	244.82	ASPHALT	0 ft	397 ft
	46 m	3,664 m	244.51		0 m	121 m
06R	151 ft	10,019 ft	64.83	ASPHALT	0 ft	400 ft
	46 m	3,054 m	64.52		0 m	122 m
24L	151 ft	10,019 ft	244.84	ASPHALT	1,010 ft	394 ft
	46 m	3,054 m	244.53		308 m	120 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06L	DME	IGUM	110.30 MHz	18 nm	-	-	317 ft
				33 km	-		317 m
06R	DME	IAWD	110.90 MHz	18 nm	-	-	298 ft
				33 km	-		298 m
06L	LOC-ILS	IGUM	110.30 MHz	18 nm	64.81	-	305 ft
				33 km	64.50		305 m
06R	LOC-ILS	IAWD	110.90 MHz	18 nm	64.82	-	305 ft
				33 km	64.51		305 m
06L	GS	IGUM	110.30 MHz	10 nm	64.81	3.00	305 ft
				19 km	64.50		305 m
06R	GS	IAWD	110.90 MHz	10 nm	64.82	3.00	305 ft
				19 km	64.51		305 m