

# SAWH

Ushuaia Intl


# EGYP

Mount Pleasant

2024/05/16 0454Z

SAWH BONTA 5500S06600W 5500S06500W 5500S06400W 5400S06200W EGYP

424.39 nm / 785.96 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: no
- Use low airways: yes
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
SAWH	-	-54.84330	0 ft	-	Ushuaia Intl
APT	-	-68.29480	0 m	-	
BONTA	-	-55.00000	18,300 ft	51	-
FIX	-	-66.83330	5,578 m	-	
5500S06600W	-	-55.00000	28,500 ft	28	-
LATLON	-	-66.00000	8,687 m	-	
5500S06500W	-	-55.00000	35,000 ft	34	-
LATLON	-	-65.00000	10,668 m	-	
5500S06400W	-	-55.00000	35,000 ft	34	-
LATLON	-	-64.00000	10,668 m	-	
5400S06200W	-	-54.00000	35,000 ft	92	-
LATLON	-	-62.00000	10,668 m	-	
EGYP	-	-51.82280	0 ft	183	Mount Pleasant
APT	-	-58.44610	0 m	-	

## SAWH

Region: ARGENTINA  
Timezone: AMERICA/ARGENTINA/USHUAIA  
Runways: 1

Elevation: 102 ft / 31 m  
Location: -54.843300 -68.294800  
Magnetic Var: 11.945 E

## METAR

SAWH 160400Z 24017KT 9999 BKN035 06/04 Q1008

## TAF

TAF SAWH 152300Z 1600/1624 23020G30KT 9999 SCT030 OVC040 TX05/1618Z TN00/1611Z BECMG 1601/1603 19005KT 8000 DZ SC

## Frequencies

REC - 127.80 MHz - USHUAIA ATIS  
APP - 118.10 MHz - USHUAIA APPROACH

TWR - 118.10 MHz - USHUAIA TOWER

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07	148 ft	9,534 ft	86.15	CONCRETE	591 ft	295 ft
	45 m	2,906 m	74.20		180 m	90 m
25	148 ft	9,534 ft	266.11	CONCRETE	899 ft	95 ft
	45 m	2,906 m	254.17		274 m	29 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
25	DME	US	111.30 MHz	18 nm	-	-	92 ft
				33 km	-		92 m
25	LOC-ILS	US	111.30 MHz	18 nm	266.19	-	54 ft
				33 km	254.24		54 m
25	GS	US	111.30 MHz	10 nm	266.19	3.50	91 ft
				19 km	254.25		91 m

## EGYP

Region: UNITED KINGDOM  
Timezone: ATLANTIC/STANLEY  
Runways: 2

Elevation: 244 ft / 74 m  
Location: -51.822800 -58.446100  
Magnetic Var: 2.787 E

## METAR

EGYP 160350Z 19008KT 9999 BKN026 01/M02 Q1002

## TAF

TAF EGYP 160130Z 1603/1621 18008KT 9999 BKN025 PROB30 TEMPO 1603/1606 SCT020 TEMPO 1606/1621 4000 -SHSN SCT020 PR

## Frequencies

APP - 132.50 MHz - ISLAND RADAR  
TWR - 133.35 MHz - TOWER  
APP - 125.95 MHz - TALKDOWN

APP - 118.50 MHz - APPROACH  
GND - 130.30 MHz - GROUND  
REC - 128.80 MHz - INFORMATION

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	151 ft	8,482 ft	105.30	ASPHALT	0 ft	591 ft
	46 m	2,585 m	102.52		0 m	180 m
28	151 ft	8,482 ft	285.27	ASPHALT	0 ft	591 ft
	46 m	2,585 m	282.49		0 m	180 m
05	75 ft	4,985 ft	55.18	ASPHALT	0 ft	591 ft
	23 m	1,519 m	52.39		0 m	180 m
23	75 ft	4,985 ft	235.16	ASPHALT	0 ft	79 ft
	23 m	1,519 m	232.38		0 m	24 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
28	LOC-ILS	MP	111.90 MHz	18 nm	285.67	-	244 ft
				33 km	282.89		244 m
28	GS	MP	111.90 MHz	10 nm	285.86	3.00	244 ft
				19 km	283.08		244 m