

SBGR

Guarulhos-Andre Franco Montoro Intl


FACT

Cape Town Intl

2024/05/21 1543Z

SBGR ADA ROKAD 2400S04100W 2500S03900W 2600S03700W 2700S03500W 2800S03300W 2900S03100W
3000S02900W 3100S02700W 3200S02500W 3300S01300W ITGIV GERAM ETULA ITMEK APKIN FACT

3504.07 nm / 6489.54 km



Notes

Requested: SBGR ADA ROKAD CIDER 2400S/04100W 2500S/03900W 2600S/03700W 2700S/03500W 2800S/03300W 2900S/03100W 3000S/02900W 3100S/02700W 3200S/02500W 3300S/01300W ITGIV GERAM ETULA ITMEK APKIN FACT

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
SBGR	-	-23.43230	0 ft	-	Guarulhos-Andre Franco Montoro Intl
APT	-	-46.46950	0 m		
ADA	-	-22.82290	0 ft	244	ALDEIA (SAO PEDRO DA.)
NDB	-	-42.09650	0 m		
ROKAD	-	-23.03700	0 ft	21	-
FIX	-	-41.79000	0 m		
2400S04100W	-	-24.00000	0 ft	72	-
LATLON	-	-41.00000	0 m		
2500S03900W	-	-25.00000	0 ft	124	-
LATLON	-	-39.00000	0 m		
2600S03700W	-	-26.00000	0 ft	123	-
LATLON	-	-37.00000	0 m		
2700S03500W	-	-27.00000	0 ft	123	-
LATLON	-	-35.00000	0 m		
2800S03300W	-	-28.00000	0 ft	122	-
LATLON	-	-33.00000	0 m		
2900S03100W	-	-29.00000	0 ft	121	-
LATLON	-	-31.00000	0 m		
3000S02900W	-	-30.00000	0 ft	120	-
LATLON	-	-29.00000	0 m		
3100S02700W	-	-31.00000	0 ft	119	-
LATLON	-	-27.00000	0 m		
3200S02500W	-	-32.00000	0 ft	118	-
LATLON	-	-25.00000	0 m		
3300S01300W	-	-33.00000	0 ft	610	-
LATLON	-	-13.00000	0 m		
ITGIV	-	-32.93330	0 ft	151	-
FIX	-	-10.00000	0 m		
GERAM	-	-34.05000	0 ft	505	-
FIX	-	0.00000	0 m		
ETULA	-	-34.35000	0 ft	496	-
FIX	-	10.00000	0 m		
ITMEK	-	-34.20000	0 ft	248	-
FIX	-	15.00000	0 m		
APKIN	-	-34.08350	0 ft	100	-
FIX	-	17.01650	0 m		
FACT	-	-33.97030	0 ft	79	Cape Town Intl
APT	-	18.60420	0 m		

SBGR

Region: BRAZIL
Timezone: AMERICA/SAO_PAULO
Runways: 2

Elevation: 2,461 ft / 750 m
Location: -23.432300 -46.469500
Magnetic Var: 22.213 W

METAR

SBGR 211500Z 09005KT 9000 OVC017 21/17 Q1024

TAF

TAF SBGR 210900Z 2112/2218 13008KT 8000 OVC010 TN16/2208Z TX28/2217Z BECMG 2112/2114 8000 BKN015 BECMG 2114/2116

Frequencies

REC - 127.75 MHz - GUARULHOS ATIS	CLD - 121.00 MHz - GUARULHOS CLEARANCE
GND - 121.70 MHz - GUARULHOS GROUND	GND - 126.90 MHz - GUARULHOS GROUND
TWR - 118.40 MHz - GUARULHOS TOWER	TWR - 132.75 MHz - GUARULHOS TOWER
TWR - 135.20 MHz - GUARULHOS TOWER	APP - 129.75 MHz - SAO PAULO APPROACH
APP - 119.15 MHz - SAO PAULO APPROACH	APP - 120.45 MHz - SAO PAULO APPROACH
APP - 120.85 MHz - SAO PAULO APPROACH	APP - 133.85 MHz - SAO PAULO APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09L	148 ft	12,131 ft	73.60	ASPHALT	295 ft	190 ft
	45 m	3,698 m	95.81		90 m	58 m
27R	148 ft	12,131 ft	253.59	ASPHALT	200 ft	194 ft
	45 m	3,698 m	275.80		61 m	59 m
09R	148 ft	9,832 ft	73.60	ASPHALT	0 ft	194 ft
	45 m	2,997 m	95.81		0 m	59 m
27L	148 ft	9,832 ft	253.59	ASPHALT	0 ft	194 ft
	45 m	2,997 m	275.80		0 m	59 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09L	LOC-ILS	IUC	110.70 MHz	18 nm	73.59	-	2,461 ft
				33 km	95.80		2,461 m
09R	LOC-ILS	IGR	111.50 MHz	18 nm	73.60	-	2,461 ft
				33 km	95.81		2,461 m
27L	LOC-ILS	IBC	111.10 MHz	18 nm	253.60	-	2,459 ft
				33 km	275.81		2,459 m
27R	LOC-ILS	IGS	111.90 MHz	18 nm	253.59	-	2,459 ft
				33 km	275.80		2,459 m
09L	GS	IUC	110.70 MHz	10 nm	73.59	3.00	2,461 ft
				19 km	95.80		2,461 m
09R	GS	IGR	111.50 MHz	10 nm	73.60	2.92	2,461 ft
				19 km	95.81		2,461 m
27L	GS	IBC	111.10 MHz	10 nm	253.60	3.00	2,459 ft
				19 km	275.81		2,459 m
27R	GS	IGS	111.90 MHz	10 nm	253.59	3.00	2,458 ft
				19 km	275.80		2,458 m

FACT

Region: SOUTH AFRICA

Timezone: AFRICA/JOHANNESBURG

Runways: 2

Elevation: 147 ft / 45 m

Location: -33.970300 18.604200

Magnetic Var: 26.082 W

METAR

FACT 211500Z 30007KT 9999 BKN040 17/14 Q1021 NOSIG

TAF

TAF FACT 211000Z 2112/2218 35015KT 9999 BKN025 TX22/2212Z TN13/2205Z BECMG 2118/2120 VRB03KT PROB30 TEMPO 2202/2218

Frequencies

REC - 127.00 MHz - ATIS

TWR - 118.10 MHz - CAPE TOWN TOWER

GND - 121.90 MHz - CAPE TOWN GROUND

APP - 119.70 MHz - ARSA RDR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16	151 ft	5,586 ft	135.31	ASPHALT	0 ft	164 ft
	46 m	1,703 m	161.39		0 m	50 m
34	151 ft	5,586 ft	315.30	ASPHALT	0 ft	0 ft
	46 m	1,703 m	341.38		0 m	0 m
01	200 ft	10,512 ft	345.30	ASPHALT	0 ft	200 ft
	61 m	3,204 m	11.38		0 m	61 m
19	200 ft	10,512 ft	165.30	ASPHALT	0 ft	194 ft
	61 m	3,204 m	191.38		0 m	59 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
01	DME	CTI	110.30 MHz	18 nm	-	-	151 ft
				33 km	-		151 m
19	DME	KSI	109.10 MHz	18 nm	-	-	151 ft
				33 km	-		151 m
01	LOC-ILS	CTI	110.30 MHz	18 nm	345.30	-	147 ft
				33 km	11.38		147 m
19	LOC-ILS	KSI	109.10 MHz	18 nm	165.30	-	147 ft
				33 km	191.38		147 m
01	GS	CTI	110.30 MHz	10 nm	345.30	3.00	147 ft
				19 km	11.38		147 m
19	GS	KSI	109.10 MHz	10 nm	165.30	3.20	147 ft
				19 km	191.38		147 m