


2024/06/15 1337Z

CYEG TAVPO **Q860** NADPI MALPY CYKA

299.13 nm / 553.98 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
CYEG	-	53.30870	0 ft	-	Edmonton Intl
APT	-	-113.58100	0 m		
TAVPO	-	52.98670	12,400 ft	34	-
FIX	-	-114.38700	3,780 m		
NADPI	Q860	51.71440	28,200 ft	132	-
FIX	AWY-HI	-117.34000	8,595 m		
MALPY	-	51.22170	13,800 ft	67	-
FIX	-	-118.95100	4,206 m		
CYKA	-	50.70220	0 ft	64	Kamloops
APT	-	-120.44500	0 m		

## CYEG

Region: CANADA  
Timezone: AMERICA/EDMONTON  
Runways: 2

Elevation: 2,373 ft / 723 m  
Location: 53.308700 -113.581000  
Magnetic Var: 13.288 E

## METAR

CYEG 151300Z 20007KT 20SM FEW120 SCT240 07/06 A2980 RMK AC1CI4 AC TR CC ASOCTD SLP105

## TAF

TAF CYEG 151140Z 1512/1612 26005KT P6SM FEW120 FM151700 28008KT P6SM FEW050 SCT120 FM152000 32012KT P6SM SCT060 B

## Frequencies

REC - 128.00 MHz - ATIS  
GND - 121.70 MHz - EDMONTON GROUND  
COM - 122.37 MHz - EDMONTON UNICOM  
DEP - 133.65 MHz - EDMONTON DEPARTURE  
CLD - 124.10 MHz - EDMONTON CLEARANCE  
TWR - 118.30 MHz - EDMONTON TOWER  
APP - 120.50 MHz - EDMONTON ARRIVAL

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	200 ft	10,191 ft	135.02	ASPHALT	0 ft	95 ft
	61 m	3,106 m	121.73		0 m	29 m
30	200 ft	10,191 ft	315.04	ASPHALT	0 ft	92 ft
	61 m	3,106 m	301.75		0 m	28 m
02	200 ft	10,988 ft	34.87	ASPHALT	0 ft	98 ft
	61 m	3,349 m	21.58		0 m	30 m
20	200 ft	10,988 ft	214.89	ASPHALT	0 ft	98 ft
	61 m	3,349 m	201.60		0 m	30 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
02	LOC-ILS	IEG	110.30 MHz	18 nm	34.89	-	2,373 ft
				33 km	21.60		2,373 m
12	LOC-ILS	IFP	109.90 MHz	18 nm	135.04	-	2,373 ft
				33 km	121.75		2,373 m
30	LOC-ILS	IKB	109.10 MHz	18 nm	315.04	-	2,373 ft
				33 km	301.75		2,373 m
02	GS	IEG	110.30 MHz	10 nm	34.89	3.00	2,373 ft
				19 km	21.60		2,373 m
12	GS	IFP	109.90 MHz	10 nm	135.04	3.00	2,373 ft
				19 km	121.75		2,373 m
30	GS	IKB	109.10 MHz	10 nm	315.04	3.00	2,373 ft
				19 km	301.75		2,373 m

## CYKA

Region: CANADA

Timezone: AMERICA/VANCOUVER

Runways: 2

Elevation: 1,131 ft / 345 m

Location: 50.702200 -120.445000

Magnetic Var: 15.027 E

## METAR

CYKA 151300Z 26003KT 40SM SCT085 BKN100 BKN200 10/02 A2986 RMK AC3AC2CI2 SLP116

## TAF

TAF TAF CYKA 151240Z 1513/1601 VRB03KT P6SM SCT060 BKN100 TEMPO 1513/1517 P6SM -SHRA BKN050 OVC100 FM151700 28010

## Frequencies

TWR - 123.00 MHz - SHELL AERO CNTR

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	148 ft	7,967 ft	103.28	ASPHALT	0 ft	102 ft
	45 m	2,429 m	88.25		0 m	31 m
27	148 ft	7,967 ft	283.31	ASPHALT	0 ft	0 ft
	45 m	2,429 m	268.28		0 m	0 m
04	49 ft	2,779 ft	61.01	ASPHALT	686 ft	0 ft
	15 m	847 m	45.99		209 m	0 m
22	49 ft	2,779 ft	241.02	ASPHALT	0 ft	0 ft
	15 m	847 m	226.00		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09	LOC-ILS	IKA	109.30 MHz	18 nm	103.29	-	1,131 ft
				33 km	88.26		1,131 m
27	LOC-LOC	XPP	109.90 MHz	18 nm	283.29	-	1,131 ft
				33 km	268.26		1,131 m
09	GS	IKA	109.30 MHz	10 nm	103.29	3.10	1,131 ft
				19 km	88.26		1,131 m