


2024/06/05 1229Z

VHHH OCEAN SAN RPLL RPVA RPMS RPMD T13 EML EAGLE Y177 BN J208 SCOTT A464 AA NZAA

17365.66 nm / 32161.20 km



Notes

Requested: VHHH OCEAN OCEAN SAN RPLL RPVA RPMS RPMD SELSO/M082F330 B472 TIRAM/M083F350 B472 NTN T13 DOLIB/M083F370
Unmatched points: SELSO/M082F330 B472 TIRAM/M083F350 B472 DOLIB/M083F370

Route

Ident Type		Via	Lat Lon	Alt	Dist (nm)	Name
VHHH	-	22.30899	0 ft	-		Hong Kong Intl
APT	-	113.91461	0 m			
OCEAN	-	21.81194	0 ft	58	-	
FIX	-	114.81333	0 m			
SAN	-	16.72837	0 ft	438		SAN FERNANDO VOR
VOR	-	120.35811	0 m			
RPLL	-	14.51151	0 ft	138		Ninoy Aquino International Airport
APT	-	121.01272	0 m			
RPVA	-	11.22763	0 ft	306		Tacloban Daniel Z Romualdez
APT	-	125.02776	0 m			
RPMS	-	9.75757	0 ft	92		SURIGAO
APT	-	125.47933	0 m			
RPMD	-	7.12552	0 ft	158		FRANCISCO BANGOY INTL
APT	-	125.64578	0 m			
T13	-	29.81689	0 ft	7378		Lewis Ranch
APT	-	-99.78784	0 m			
EML	-	-23.56750	0 ft	7195		EMERALD NDB
NDB	-	148.17111	0 m			
EAGLE	-	-25.74444	0 ft	223	-	
FIX	-	151.49167	0 m			
SMOKA	Y177	-26.87583	0 ft	91	-	
FIX	AWY-LO	152.63222	0 m			
BN	Y177	-27.40639	0 ft	40		BRISBANE NDB
NDB	AWY-LO	153.09806	0 m			
POODL	J208	-27.52028	0 ft	14	-	
FIX	AWY-LO	153.33889	0 m			
SCOTT	J208	-27.86833	0 ft	32	-	
FIX	AWY-LO	153.80000	0 m			
DRUMO	A464	-29.50528	0 ft	223	-	
FIX	AWY-HI	157.61139	0 m			
RIGMI	A464	-32.20142	0 ft	321	-	
FIX	AWY-HI	163.00000	0 m			
PAPTI	A464	-35.56533	0 ft	451	-	
FIX	AWY-LO	171.09314	0 m			
AA	A464	-37.00464	0 ft	199		AUCKLAND VOR-DME
VOR	AWY-LO	174.81364	0 m			
NZAA	-	-37.01079	0 ft	1		Auckland International
APT	-	174.78733	0 m			

VHHH

Region: HONG KONG
Timezone: UNKNOWN
Runways: 2

Elevation: 27 ft / 8 m
Location: 22.308900 113.915000
Magnetic Var: 3.242 W

METAR

VHHH 051200Z 09008KT 9999 FEW008 SCT020 26/23 Q1009 NOSIG

TAF

TAF VHHH 051100Z 0512/0618 12010KT 9999 FEW010 SCT020 TX29/0606Z TN25/0522Z TEMPO 0522/0603 3000 SHRA FEW010CB SC

Frequencies

REC - 128.20 MHz - D-ATIS	REC - 127.05 MHz - D-ATIS
GND - 121.60 MHz - HONG KONG GROUND	GND - 122.55 MHz - HONG KONG GROUND
GND - 121.87 MHz - HONG KONG GROUND	TWR - 118.20 MHz - HONG KONG TOWER
TWR - 118.40 MHz - HONG KONG TOWER	TWR - 118.70 MHz - HONG KONG TOWER
CLD - 124.65 MHz - HONG KONG CLEARANCE DELIVERY	CLD - 129.90 MHz - HONG KONG CLEARANCE DELIVERY
DEP - 122.00 MHz - HONG KONG DEPARTURE	DEP - 123.80 MHz - HONG KONG DEPARTURE
DEP - 124.05 MHz - HONG KONG DEPARTURE	APP - 119.10 MHz - HONG KONG APPROACH
APP - 119.35 MHz - HONG KONG APPROACH	APP - 119.55 MHz - HONG KONG DIRECT

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07L	197 ft	12,462 ft	70.77	ASPHALT	554 ft	974 ft
	60 m	3,799 m	74.02		169 m	297 m
25R	197 ft	12,462 ft	250.79	ASPHALT	571 ft	978 ft
	60 m	3,799 m	254.03		174 m	298 m
07R	197 ft	12,463 ft	70.79	ASPHALT	518 ft	886 ft
	60 m	3,799 m	74.03		158 m	270 m
25L	197 ft	12,463 ft	250.80	ASPHALT	0 ft	981 ft
	60 m	3,799 m	254.04		0 m	299 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07L	DME	IZSL	111.10 MHz	18 nm	-	-	18 ft
				33 km	-		18 m
07R	DME	ISR	109.30 MHz	18 nm	-	-	19 ft
				33 km	-		19 m
25L	DME	IFL	108.90 MHz	18 nm	-	-	19 ft
				33 km	-		19 m
25R	DME	ITFR	110.90 MHz	18 nm	-	-	19 ft
				33 km	-		19 m
07L	LOC-ILS	IZSL	111.10 MHz	18 nm	70.78	-	27 ft
				33 km	74.02		27 m
07R	LOC-ILS	ISR	109.30 MHz	18 nm	70.79	-	27 ft
				33 km	74.03		27 m
25L	LOC-ILS	IFL	108.90 MHz	18 nm	250.79	-	27 ft
				33 km	254.03		27 m
25R	LOC-ILS	ITFR	110.90 MHz	18 nm	250.78	-	27 ft
				33 km	254.02		27 m
07L	GS	IZSL	111.10 MHz	10 nm	70.78	3.00	27 ft
				19 km	74.02		27 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07R	GS	ISR	109.30 MHz	10 nm	70.79	3.00	27 ft
				19 km	74.03		27 m
25L	GS	IFL	108.90 MHz	10 nm	250.79	3.00	27 ft
				19 km	254.03		27 m
25R	GS	ITFR	110.90 MHz	10 nm	250.78	3.00	27 ft
				19 km	254.02		27 m

NZAA

Region: NEW ZEALAND AND ANTARCTICA
Timezone: PACIFIC/AUCKLAND
Runways: 1

Elevation: 23 ft / 7 m
Location: -37.008100 174.792000
Magnetic Var: 20.182 E

METAR

NZAA 051200Z AUTO 06014KT 9999 BKN038/// 14/10 Q1025

TAF

TAF NZAA 051103Z 0512/0618 11005KT 9999 BKN035 BECMG 0521/0523 05010KT BECMG 0610/0612 11005KT

Frequencies

REC - 127.80 MHz - ATIS	REC - 127.00 MHz - ATIS
GND - 121.90 MHz - AUCKLAND GROUND	TWR - 118.70 MHz - AUCKLAND TOWER
TWR - 120.95 MHz - AUCKLAND TOWER	CLD - 128.20 MHz - CLEARANCE DELIVERY
APP - 120.10 MHz - AUCKLAND APPROACH	APP - 124.30 MHz - AUCKLAND APPROACH
APP - 129.50 MHz - AUCKLAND APPROACH	APP - 129.60 MHz - AUCKLAND APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05R	151 ft	12,040 ft	70.92	CONCRETE	1,250 ft	0 ft
	46 m	3,670 m	50.74		381 m	0 m
23L	151 ft	12,040 ft	250.90	CONCRETE	0 ft	131 ft
	46 m	3,670 m	230.72		0 m	40 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05R	DME	IAA	110.30 MHz	18 nm	-	-	23 ft
				33 km	-		23 m
23L	DME	IMG	109.90 MHz	18 nm	-	-	23 ft
				33 km	-		23 m
05R	LOC-ILS	IAA	110.30 MHz	18 nm	70.91	-	23 ft
				33 km	50.73		23 m
23L	LOC-ILS	IMG	109.90 MHz	18 nm	250.91	-	23 ft
				33 km	230.73		23 m
05R	GS	IAA	110.30 MHz	10 nm	70.91	3.00	23 ft
				19 km	50.73		23 m
23L	GS	IMG	109.90 MHz	10 nm	250.91	3.00	23 ft
				19 km	230.73		23 m