

VTBU

Rayon U-Taphao International Airport


VVPB

Phu Bai Intl

2024/05/23 1021Z

VTBU LIPLI **Y16** BUTRA **A1** PAPRA HUTRO VVPB

481.47 nm / 891.69 km



Notes

Requested: VTBU LIPLI Y16 BUTRA A1 PAPRA TORED HUTRO VVPB

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
VTBU APT	- -	12.67980 101.00500	0 ft 0 m	-	Rayon U-Taphao International Airport
LIPLI FIX	- -	14.17430 101.96600	0 ft 0 m	105 -	
XIKMA FIX	Y16 AWY-HI	14.37670 102.60700	0 ft 0 m	39 -	
PEKBA FIX	Y16 AWY-HI	14.80210 103.79200	0 ft 0 m	73 -	
BUTRA FIX	Y16 AWY-HI	15.41830 105.59600	0 ft 0 m	110 -	
PAPRA FIX	A1 AWY-HI	15.76670 107.18300	0 ft 0 m	94 -	
HUTRO FIX	- -	16.41940 107.42300	0 ft 0 m	41 -	
VVPB APT	- -	16.40060 107.70400	0 ft 0 m	16	Phu Bai Intl

VTBU

Region: THAILAND
Timezone: ASIA/BANGKOK
Runways: 1

Elevation: 59 ft / 18 m
Location: 12.679800 101.005000
Magnetic Var: 0.487 W

METAR

VTBU 231000Z 17008KT 9999 FEW020 30/26 Q1005 NOSIG

TAF

TAF VTBU 230500Z 2306/2406 16008KT 9999 FEW020 TEMPO 2318/2400 VRB15KT 4000 TSRA FEW018CB SCT035 BKN100

Frequencies

GND - 121.90 MHz - U-TAPHAO GROUND
APP - 119.70 MHz - U-TAPHAO APPROACH

TWR - 118.10 MHz - U-TAPHAO TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
18	197 ft 60 m	11,510 ft 3,508 m	184.60 185.09	ASPHALT	0 ft 0 m	1,030 ft 314 m
36	197 ft 60 m	11,510 ft 3,508 m	4.60 5.08	ASPHALT	0 ft 0 m	1,053 ft 321 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
18	DME	IBUT	111.10 MHz	18 nm 33 km	- -	-	59 ft 59 m
18	LOC-ILS	IBUT	111.10 MHz	18 nm 33 km	184.62 185.11	-	24 ft 24 m
18	GS	IBUT	111.10 MHz	10 nm 19 km	185.25 185.74	3.00	59 ft 59 m

VVPB

Region: VIETNAM
Timezone: ASIA/HO_CHI_MINH
Runways: 1

Elevation: 48 ft / 15 m
Location: 16.400600 107.704000
Magnetic Var: 1.393 W

METAR

VVPB 231000Z 28006KT 1300 R27/1500 +SHRA SCT003 SCT013 FEW015CB BKN040 25/24 Q1008 BECMG TL1015 2500 +SHRA

TAF

TAF AMD VVPB 230620Z 2306/2406 02007KT 9999 SCT017 TEMPO 2306/2308 1400 +TSRA SCT010 SCT015CB BKN030 TEMPO 2308/2406 1400 +TSRA SCT010 SCT015CB BKN030

Frequencies

TWR - 118.80 MHz - PHU BAI TOWER
APP - 120.45 MHz - DA NANG APPROACH
APP - 125.45 MHz - DA NANG APPROACH SECONDARY
APP - 125.30 MHz - DA NANG APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	148 ft	8,866 ft	93.18	ASPHALT	0 ft	108 ft
	45 m	2,703 m	94.57		0 m	33 m
27	148 ft	8,866 ft	273.18	ASPHALT	0 ft	197 ft
	45 m	2,703 m	274.58		0 m	60 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
27	DME	PBA	109.50 MHz	18 nm	-	-	48 ft
				33 km	-		48 m
27	LOC-ILS	PBA	109.50 MHz	18 nm	271.34	-	48 ft
				33 km	272.73		48 m
27	GS	PBA	109.50 MHz	10 nm	273.34	3.00	48 ft
				19 km	274.74		48 m