

# LFOB

Beauvais Tille


# LIME

Bergamo-Orio Al Serio "Il Caravaggio"

2024/05/18 1038Z

LFOB BUBLI **UG42** LUL **G4** HR **W110** WIL BERSU **Z55** URIGI LIME

391.65 nm / 725.34 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LF0B	-	49.45600	0 ft	-	Beauvais Tille
APT	-	2.11893	0 m		
BUBLI	-	48.77170	32,000 ft	89	-
FIX	-	4.15000	9,754 m		
LUVAL	UG42	48.29390	35,000 ft	49	-
FIX	AWY-HI	5.15361	10,668 m		
PILON	UG42	48.00190	35,000 ft	27	-
FIX	AWY-HI	5.69194	10,668 m		
OKIPO	UG42	47.91060	35,000 ft	8	-
FIX	AWY-HI	5.86889	10,668 m		
LUL	UG42	47.68830	35,000 ft	21	LUXEUIL
VOR	AWY-HI	6.29558	10,668 m		
HR	G4	47.56170	35,000 ft	19	HERICOURT
NDB	AWY-LO	6.73225	10,668 m		
HR12	W110	47.46970	34,900 ft	11	-
FIX	AWY-LO	6.99444	10,638 m		
LUMEL	W110	47.40720	33,300 ft	7	-
FIX	AWY-LO	7.15389	10,150 m		
LEPLA	W110	47.34340	31,200 ft	9	-
FIX	AWY-LO	7.36611	9,510 m		
WIL	W110	47.17830	26,100 ft	24	WILLISAU
VOR	AWY-LO	7.90592	7,955 m		
BERSU	-	47.13550	25,400 ft	2	-
FIX	-	7.94131	7,742 m		
URIGI	Z55	47.05890	21,200 ft	19	-
FIX	AWY-HI	8.41361	6,462 m		
LIME	-	45.67200	0 ft	99	Bergamo-Orio Al Serio "Il Caravaggio"
APT	-	9.70681	0 m		

## LFOB

Region: FRANCE  
Timezone: EUROPE/PARIS  
Runways: 2

Elevation: 359 ft / 109 m  
Location: 49.456000 2.118930  
Magnetic Var: 1.345 E

## METAR

LFOB 181000Z AUTO 33004KT 280V020 9999 FEW020 BKN200 17/11 Q1013 NOSIG

## TAF

TAF LFOB 180500Z 1806/1906 31004KT CAVOK TEMPO 1900/1906 4000 BR OVC002 PROB30 TEMPO 1902/1906 0500 FG VV///

## Frequencies

REC - 120.00 MHz - ATIS	REC - 118.37 MHz - ATIS
TWR - 119.90 MHz - BEAUVAIS TOWER	TWR - 121.40 MHz - BEAUVAIS TOWER
APP - 119.90 MHz - BEAUVAIS APPROACH	APP - 121.40 MHz - BEAUVAIS APPROACH
DEP - 131.20 MHz - DE GAULLE DEPARTURE	DEP - 126.57 MHz - DE GAULLE DEPARTURE
DEP - 124.35 MHz - DE GAULLE DEPARTURE	DEP - 133.35 MHz - DE GAULLE DEPARTURE

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	148 ft	7,952 ft	123.73	ASPHALT	144 ft	0 ft
	45 m	2,424 m	122.39		44 m	0 m
30	148 ft	7,952 ft	303.75	ASPHALT	0 ft	0 ft
	45 m	2,424 m	302.41		0 m	0 m
04	59 ft	2,320 ft	41.41	ASPHALT	0 ft	0 ft
	18 m	707 m	40.06		0 m	0 m
22	59 ft	2,320 ft	221.41	ASPHALT	0 ft	0 ft
	18 m	707 m	220.07		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	DME	BVT	111.15 MHz	18 nm	-	-	344 ft
				33 km	-		344 m
30	DME	BI	109.95 MHz	18 nm	-	-	303 ft
				33 km	-		303 m
12	LOC-ILS	BVT	111.15 MHz	18 nm	123.75	-	359 ft
				33 km	122.41		359 m
30	LOC-LOC	BI	109.95 MHz	18 nm	303.75	-	359 ft
				33 km	302.41		359 m
12	GS	BVT	111.15 MHz	10 nm	123.75	3.00	359 ft
				19 km	122.41		359 m

## LIME

Region: ITALY  
Timezone: EUROPE/ROME  
Runways: 2

Elevation: 776 ft / 237 m  
Location: 45.672000 9.706810  
Magnetic Var: 3.346 E

## METAR

LIME 180950Z 14004KT 080V190 9999 FEW045 20/12 Q1014 NOSIG

## TAF

TAF LIME 180500Z 1806/1906 VRB05KT 9999 FEW045

## Frequencies

GND - 120.50 MHz - ORIO GROUND  
REC - 114.95 MHz - ATIS  
APP - 126.75 MHz - MILANO RADAR

TWR - 125.87 MHz - ORIO TOWER  
APP - 126.30 MHz - MILANO RADAR

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	59 ft	2,670 ft	121.46	ASPHALT	200 ft	0 ft
	18 m	814 m	118.11		61 m	0 m
30	59 ft	2,670 ft	301.47	ASPHALT	312 ft	0 ft
	18 m	814 m	298.12		95 m	0 m
10	148 ft	9,439 ft	104.87	ASPHALT	718 ft	0 ft
	45 m	2,877 m	101.53		219 m	0 m
28	148 ft	9,439 ft	284.90	ASPHALT	443 ft	0 ft
	45 m	2,877 m	281.55		135 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
28	DME	BRM	108.70 MHz	18 nm	-	-	779 ft
				33 km	-		779 m
28	LOC-ILS	BRM	108.70 MHz	18 nm	285.08	-	779 ft
				33 km	281.74		779 m
28	GS	BRM	108.70 MHz	10 nm	285.80	3.00	779 ft
				19 km	282.45		779 m