

KMGE

Dobbins ARB


PHNL

Daniel K. Inouye International Airport

2024/05/15 0217Z

KMGE WODDY **J66** LIT **J14** PNH **J6** DRK **J231** HIPPI **J10** LAX **C1318** ELKEY EDT00 EDSEL 3200N12500W
3100N12700W 3100N12800W 3100N12900W 3100N13000W ETECO 3000N13200W 3000N13300W 3000N13400W
3000N13500W 2900N13700W FLEXX CORTT BILLO **R464** SOMOH PHNL

4063.87 nm / 7526.28 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes

- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KMGE APT	-	33.91440 -84.51420	0 ft 0 m	-	Dobbins ARB
WODDY FIX	-	34.43760 -86.48810	35,000 ft 10,668 m	102	-
DEVAC FIX	J66 AWY-HI	34.61810 -87.43520	35,000 ft 10,668 m	48	-
BEATS FIX	J66 AWY-HI	34.65990 -87.68660	35,000 ft 10,668 m	12	-
MEM VOR	J66 AWY-HI	35.01510 -89.98320	35,000 ft 10,668 m	115	MEMPHIS
GEEYY FIX	J66 AWY-HI	34.83660 -91.17990	35,000 ft 10,668 m	59	-
LIT VOR	J66 AWY-HI	34.67770 -92.18050	35,000 ft 10,668 m	50	LITTLE ROCK
KOMMA FIX	J14 AWY-HI	35.01460 -94.67760	35,000 ft 10,668 m	124	-
KLUBB FIX	J14 AWY-HI	35.12040 -95.46670	35,000 ft 10,668 m	39	-
DWINE FIX	J14 AWY-HI	35.20810 -96.21630	35,000 ft 10,668 m	37	-
IRW VOR	J14 AWY-HI	35.35860 -97.60920	35,000 ft 10,668 m	68	WILL ROGERS (OKLAHOMA CITY)
CRUSR FIX	J14 AWY-HI	35.33540 -98.86620	35,000 ft 10,668 m	61	-
PNH VOR	J14 AWY-HI	35.23510 -101.69900	35,000 ft 10,668 m	139	PANHANDLE
TCC VOR	J6 AWY-HI	35.18220 -103.59900	35,000 ft 10,668 m	93	TUCUMCARI
ABQ VOR	J6 AWY-HI	35.04380 -106.81600	35,000 ft 10,668 m	158	ALBUQUERQUE
ZUN VOR	J6 AWY-HI	34.96580 -109.15500	35,000 ft 10,668 m	115	ZUNI
PYRIT FIX	J6 AWY-HI	34.86960 -110.51100	35,000 ft 10,668 m	67	-
DRK VOR	J6 AWY-HI	34.70260 -112.48000	35,000 ft 10,668 m	97	DRAKE (PRESCOTT)
HIPPI FIX	J231 AWY-HI	34.56230 -113.63900	35,000 ft 10,668 m	57	-
CADEZ FIX	J10 AWY-HI	34.20660 -115.34300	35,000 ft 10,668 m	87	-
TNP VOR	J10 AWY-HI	34.11220 -115.77000	35,000 ft 10,668 m	21	TWENTYNINE PALMS
PIONE FIX	J10 AWY-HI	34.09450 -116.73900	35,000 ft 10,668 m	48	-
RUSTT FIX	J10 AWY-HI	34.04820 -117.24200	35,000 ft 10,668 m	25	-
CIVET FIX	J10 AWY-HI	34.03530 -117.39000	35,000 ft 10,668 m	7	-
JUGLI FIX	J10 AWY-HI	33.99710 -117.79100	35,000 ft 10,668 m	20	-
LAX VOR	J10 AWY-HI	33.93320 -118.43200	35,000 ft 10,668 m	32	LOS ANGELES
ELKEY	C1318	32.68340	35,000 ft	196	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	-122.05100	10,668 m		
EDTOO	-	32.46670	35,000 ft	49	-
FIX	-	-123.00100	10,668 m		
EDSEL	-	32.24230	35,000 ft	57	-
FIX	-	-124.09900	10,668 m		
3200N12500W	-	32.00000	35,000 ft	48	-
LATLON	-	-125.00000	10,668 m		
3100N12700W	-	31.00000	35,000 ft	118	-
LATLON	-	-127.00000	10,668 m		
3100N12800W	-	31.00000	35,000 ft	51	-
LATLON	-	-128.00000	10,668 m		
3100N12900W	-	31.00000	35,000 ft	51	-
LATLON	-	-129.00000	10,668 m		
3100N13000W	-	31.00000	35,000 ft	51	-
LATLON	-	-130.00000	10,668 m		
ETECO	-	30.28580	35,000 ft	94	-
FIX	-	-131.63600	10,668 m		
3000N13200W	-	30.00000	35,000 ft	25	-
LATLON	-	-132.00000	10,668 m		
3000N13300W	-	30.00000	35,000 ft	52	-
LATLON	-	-133.00000	10,668 m		
3000N13400W	-	30.00000	35,000 ft	52	-
LATLON	-	-134.00000	10,668 m		
3000N13500W	-	30.00000	35,000 ft	52	-
LATLON	-	-135.00000	10,668 m		
2900N13700W	-	29.00000	35,000 ft	120	-
LATLON	-	-137.00000	10,668 m		
FLEXX	-	29.95000	35,000 ft	185	-
FIX	-	-140.38300	10,668 m		
CORTT	-	30.40670	35,000 ft	31	-
FIX	-	-140.70000	10,668 m		
BILLO	-	31.17830	35,000 ft	55	-
FIX	-	-141.29000	10,668 m		
BEKME	R464	27.89220	35,000 ft	400	-
FIX	AWY-HI	-147.97000	10,668 m		
BOARD	R464	24.29580	35,000 ft	401	-
FIX	AWY-HI	-154.25000	10,668 m		
BITTA	R464	23.52800	35,000 ft	81	-
FIX	AWY-HI	-155.47900	10,668 m		
SOMOH	R464	22.32150	22,800 ft	86	-
FIX	AWY-HI	-156.34200	6,949 m		
PHNL	-	21.31940	0 ft	106	Daniel K. Inouye International Airport
APT	-	-157.92100	0 m		

KMGE

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 2

Elevation: 1,066 ft / 325 m
Location: 33.914400 -84.514200
Magnetic Var: 5.605 W

METAR

KMGE 150155Z 20002KT 10SM SCT030CB BKN200 22/19 A2973 RMK A02A CB 25S MOV NE SLP062 T02190187

TAF

TAF KMGE 142100Z 1421/1603 16010KT 9999 -SHRA VCTS BKN025CB BKN120 OVC200 QNH2964INS TEMPO 1423/1502 VRB10G20KT 6

Frequencies

GND - 125.30 MHz - GROUND
REC - 269.50 MHz - ATIS

TWR - 120.75 MHz - TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
11L	59 ft	3,504 ft	106.29	CONCRETE	0 ft	0 ft
	18 m	1,068 m	111.89		0 m	0 m
29R	59 ft	3,504 ft	286.30	CONCRETE	0 ft	0 ft
	18 m	1,068 m	291.90		0 m	0 m
11	300 ft	10,009 ft	106.30	CONCRETE	0 ft	1,001 ft
	91 m	3,051 m	111.91		0 m	305 m
29	300 ft	10,009 ft	286.32	CONCRETE	0 ft	1,001 ft
	91 m	3,051 m	291.92		0 m	305 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
11	LOC-ILS	IDJR	109.70 MHz	18 nm	106.32	-	981 ft
				33 km	111.92		981 m
29	LOC-ILS	IVRW	111.35 MHz	18 nm	286.30	-	1,068 ft
				33 km	291.90		1,068 m
11	GS	IDJR	109.70 MHz	10 nm	106.61	3.00	1,046 ft
				19 km	112.22		1,046 m
29	GS	IVRW	111.35 MHz	10 nm	286.61	3.00	1,068 ft
				19 km	292.22		1,068 m

PHNL

Region: USA (HAWAII)
Timezone: PACIFIC/HONOLULU
Runways: 4

Elevation: 13 ft / 4 m
Location: 21.319400 -157.921000
Magnetic Var: 9.259 E

METAR

PHNL 150153Z 19007KT 10SM FEW032 FEW050 27/21 A2996

TAF

TAF PHNL 142320Z 1500/1606 19007KT P6SM VCSH FEW015 SCT035 FM150500 VRB05KT P6SM VCSH FEW015 BKN040 FM151800 2001

Frequencies

REC - 127.90 MHz - ATIS	TWR - 118.10 MHz - HONOLULU TOWER
TWR - 123.90 MHz - HONOLULU TOWER	GND - 121.90 MHz - HONOLULU GROUND
CLD - 121.40 MHz - CLEARANCE DELIVERY	APP - 118.30 MHz - HCF APPROACH
DEP - 124.80 MHz - HCF DEPARTURE	DEP - 124.80 MHz - HCF DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04L	150 ft	6,961 ft	52.84	ASPHALT	0 ft	0 ft
	46 m	2,122 m	43.58		0 m	0 m
22R	150 ft	6,961 ft	232.85	ASPHALT	0 ft	0 ft
	46 m	2,122 m	223.59		0 m	0 m
04R	150 ft	9,010 ft	52.85	ASPHALT	0 ft	194 ft
	46 m	2,746 m	43.59		0 m	59 m
22L	150 ft	9,010 ft	232.86	ASPHALT	0 ft	197 ft
	46 m	2,746 m	223.60		0 m	60 m
08R	200 ft	11,987 ft	90.01	ASPHALT	0 ft	558 ft
	61 m	3,654 m	80.75		0 m	170 m
26L	200 ft	11,987 ft	270.02	ASPHALT	0 ft	554 ft
	61 m	3,654 m	260.76		0 m	169 m
08L	150 ft	12,297 ft	90.00	ASPHALT	0 ft	469 ft
	46 m	3,748 m	80.74		0 m	143 m
26R	150 ft	12,297 ft	270.01	ASPHALT	0 ft	696 ft
	46 m	3,748 m	260.75		0 m	212 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04R	DME	IIUM	110.50 MHz	18 nm	-	-	21 ft
				33 km	-		21 m
26L	DME	IEPC	109.10 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
26L	LOC-LOC	IEPC	109.10 MHz	18 nm	304.00	-	13 ft
				33 km	294.74		13 m
04R	GS	IIUM	110.50 MHz	10 nm	52.85	3.00	13 ft
				19 km	43.59		13 m
08L	GS	IHNL	111.70 MHz	10 nm	90.01	3.01	13 ft
				19 km	80.75		13 m