


2024/05/05 0532Z

FIMP SOBAT FMEE

124.81 nm / 231.15 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 18000ft
- Cruise Speed: 290kts
- Descent Rate: 1800ft/min
- Descent Speed: 270kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type		Via	Lat Lon	Alt	Dist (nm)	Name
FIMP	-	-20.43020	0 ft	-	Sir Seewoosagur Ramgoolam Intl	
APT	-	57.68360	0 m			
SOBAT	-	-20.71830	16,000 ft	81	-	
FIX	-	56.26500	4,877 m			
FMEE	-	-20.88930	0 ft	43	Roland Garros	
APT	-	55.51770	0 m			

FIMP

Region: MAURITIUS
Timezone: INDIAN/MAURITIUS
Runways: 1

Elevation: 183 ft / 56 m
Location: -20.430200 57.683600
Magnetic Var: 18.071 W

METAR

FIMP 050500Z 13015KT 8000 VCSH BKN015 25/21 Q1019

TAF

TAF FIMP 042325Z 0500/0600 14014G28KT 9999 BKN016 TEMPO 0500/0600 7000 -SHRA FEW010 BKN015 PROB40 TEMPO 0500/0506

Frequencies

REC - 126.20 MHz - MAURITIUS ATIS
APP - 119.10 MHz - MAURITIUS APPROACH
TWR - 118.10 MHz - MAURITIUS TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
14	148 ft	11,073 ft	117.17	ASPHALT	1,086 ft	203 ft
	45 m	3,375 m	135.25		331 m	62 m
32	148 ft	11,073 ft	297.17	ASPHALT	0 ft	197 ft
	45 m	3,375 m	315.24		0 m	60 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
14	DME	IPL	109.90 MHz	18 nm	-	-	186 ft
				33 km	-		186 m
14	LOC-ILS	IPL	109.90 MHz	18 nm	117.12	-	183 ft
				33 km	135.19		183 m
14	GS	IPL	109.90 MHz	10 nm	117.12	3.50	183 ft
				19 km	135.19		183 m

FMEE

Region: COMOROS, MAYOTTE, RÉUNION AND MADAGASCAR Elevation: 66 ft / 20 m
Timezone: INDIAN/REUNION Location: -20.889300 55.517700
Runways: 2 Magnetic Var: 18.759 W

METAR

FMEE 050500Z AUTO 12015KT 9999 BKN037 25/18 Q1018 TEMPO 13025G35KT

TAF

TAF FMEE 042300Z 0500/0606 13018G28KT 9999 FEW026 TEMPO 0506/0512 13025G35KT BECMG 0514/0516 14017KT

Frequencies

REC - 126.80 MHz - ATIS
TWR - 118.40 MHz -
APP - 127.20 MHz -
GND - 121.90 MHz -
APP - 119.40 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	148 ft	10,492 ft	102.28	ASPHALT	397 ft	0 ft
	45 m	3,198 m	121.03		121 m	0 m
30	148 ft	10,492 ft	282.26	ASPHALT	0 ft	0 ft
	45 m	3,198 m	301.02		0 m	0 m
14	148 ft	8,768 ft	116.58	ASPHALT	328 ft	0 ft
	45 m	2,672 m	135.34		100 m	0 m
32	148 ft	8,768 ft	296.58	ASPHALT	1,175 ft	0 ft
	45 m	2,672 m	315.34		358 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
14	DME	SD	110.30 MHz	18 nm	-	-	46 ft
				33 km	-		46 m
14	LOC-ILS	SD	110.30 MHz	18 nm	116.63	-	66 ft
				33 km	135.39		66 m
14	GS	SD	110.30 MHz	10 nm	117.09	3.00	46 ft
				19 km	135.85		46 m