

# CYQB

Quebec Jean Lesage Intl


# LFEF

Amboise Dierre

2024/05/20 0625Z

CYQB YRI CEFU **N389B** ALLRY **X** GISTI CRK LEDGO **UN83** NAKID **UN160** LIZAD **UL739** UPALO TMA95 LFEF

2903.93 nm / 5378.08 km



## Notes

Using NAT tracks from 2/7/2023

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes

- Use low airways: yes
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
CYQB APT	-	46.78960 -71.39260	0 ft 0 m	-	Quebec Jean Lesage Intl
YRI VOR	-	47.75650 -69.58870	33,400 ft 10,180 m	93	RIVIERE DU LOUP
CEFOU FIX	-	47.73720 -69.00000	35,000 ft 10,668 m	23	-
ALLRY FIX	N389B AWY-HI	50.50000 -52.00000	35,000 ft 10,668 m	686	-
51/50 LATLON	X NAT	51.00000 -50.00000	35,000 ft 10,668 m	81	-
51/40 LATLON	X NAT	51.00000 -40.00000	35,000 ft 10,668 m	377	-
52/30 LATLON	X NAT	52.00000 -30.00000	35,000 ft 10,668 m	378	-
53/20 LATLON	X NAT	53.00000 -20.00000	35,000 ft 10,668 m	370	-
MALOT FIX	X NAT	53.00000 -15.00000	35,000 ft 10,668 m	180	-
GISTI FIX	X NAT	53.00000 -14.00000	35,000 ft 10,668 m	36	-
CRK VOR	-	51.84060 -8.49427	35,000 ft 10,668 m	213	CORK
LEDGO FIX	-	51.24000 -7.56806	35,000 ft 10,668 m	49	-
NAKID FIX	UN83 AWY-HI	49.71500 -4.62306	35,000 ft 10,668 m	145	-
LIZAD FIX	UN160 AWY-HI	49.59030 -4.33028	35,000 ft 10,668 m	13	-
MUREL FIX	UL739 AWY-HI	49.32140 -3.55056	35,000 ft 10,668 m	34	-
UPALO FIX	UL739 AWY-HI	48.91030 -1.75194	30,700 ft 9,357 m	74	-
TMA95 FIX	-	48.47580 -1.06500	22,600 ft 6,888 m	37	-
LFEF APT	-	47.33990 0.94564	0 ft 0 m	105	Amboise Dierre

## CYQB

Region: CANADA  
Timezone: AMERICA/MONTREAL  
Runways: 2

Elevation: 244 ft / 74 m  
Location: 46.789600 -71.392600  
Magnetic Var: 15.228 W

## METAR

CYQB 200600Z 00000KT 15SM FEW063 12/12 A2997 RMK SC1 SLP152

## TAF

TAF CYQB 200540Z 2006/2106 VRB03KT P6SM SKC TEMPO 2006/2011 3SM BR PROB40 2007/2011 1SM BR BKN005 FM201100 VRB03KT

## Frequencies

REC - 134.60 MHz - ATIS  
TWR - 120.30 MHz -  
APP - 124.00 MHz - TRML CON

GND - 121.90 MHz -  
TWR - 118.65 MHz -  
APP - 127.85 MHz - TRML CON

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	150 ft	8,962 ft	44.60	ASPHALT	0 ft	0 ft
	46 m	2,732 m	59.83		0 m	0 m
24	150 ft	8,962 ft	224.62	ASPHALT	0 ft	0 ft
	46 m	2,732 m	239.85		0 m	0 m
11	150 ft	5,690 ft	97.70	ASPHALT	0 ft	0 ft
	46 m	1,734 m	112.93		0 m	0 m
29	150 ft	5,690 ft	277.72	ASPHALT	0 ft	0 ft
	46 m	1,734 m	292.94		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	LOC-ILS	IQB	109.50 MHz	18 nm	44.62	-	244 ft
				33 km	59.85		244 m
06	GS	IQB	109.50 MHz	10 nm	44.62	3.00	244 ft
				19 km	59.85		244 m