

EGLC

London City


KLAX

Los Angeles Intl

2024/05/08 0154Z

EGLC EMBOR **UN601** ABEVI **UN590** GOW **UL612** ORSUM **UP24** KUVOX ERAKA **A** 61/40 6100N04100W 6100N04200W
6100N04300W 6100N04400W NA **W26** KU EMBOK **N888A** TEFFO **SCAH** YWG **V304** YBR **J549** ISN **V465** EXADE **T331**
BIL **V465** DNW **V330** JAC **V465** MLD **V257** NUBGE PATIO **Q842** BLIPP **Q70** LAS **J100** DAG **V394** BASAL KLAX

4974.76 nm / 9213.26 km



Notes

Using NAT tracks from 3/7/2023

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EGLC APT	-	51.50520 0.05518	0 ft 0 m	-	London City
EMBOR FIX	-	52.96330 -1.29583	35,000 ft 10,668 m	100	-
XAPOS FIX	UN601 AWY-HI	53.29140 -1.63083	35,000 ft 10,668 m	23	-
BOLBI FIX	UN601 AWY-HI	53.46670 -1.81250	35,000 ft 10,668 m	12	-
ULSAX FIX	UN601 AWY-HI	53.59830 -1.95000	35,000 ft 10,668 m	9	-
POL VOR	UN601 AWY-HI	53.74380 -2.10333	35,000 ft 10,668 m	10	POLE HILL
NELSA FIX	UN601 AWY-HI	53.86330 -2.18472	35,000 ft 10,668 m	7	-
RIBEL FIX	UN601 AWY-HI	54.01610 -2.28972	35,000 ft 10,668 m	9	-
ERGAB FIX	UN601 AWY-HI	54.15610 -2.38667	35,000 ft 10,668 m	9	-
SHAPP FIX	UN601 AWY-HI	54.50000 -2.62722	35,000 ft 10,668 m	22	-
ABEVI FIX	UN601 AWY-HI	54.70750 -2.77472	35,000 ft 10,668 m	13	-
GOW VOR	UN590 AWY-HI	55.87050 -4.44572	35,000 ft 10,668 m	90	GLASGOW
ORSUM FIX	UL612 AWY-HI	57.05190 -5.29472	35,000 ft 10,668 m	76	-
KUVOX FIX	UP24 AWY-HI	58.08310 -7.60667	35,000 ft 10,668 m	96	-
ERAKA FIX	-	58.00000 -10.00000	35,000 ft 10,668 m	76	-
60/20 LATLON	A NAT	60.00000 -20.00000	35,000 ft 10,668 m	331	-
61/30 LATLON	A NAT	61.00000 -30.00000	35,000 ft 10,668 m	301	-
61/40 LATLON	A NAT	61.00000 -40.00000	35,000 ft 10,668 m	290	-
6100N04100W LATLON	-	61.00000 -41.00000	35,000 ft 10,668 m	29	-
6100N04200W LATLON	-	61.00000 -42.00000	35,000 ft 10,668 m	29	-
6100N04300W LATLON	-	61.00000 -43.00000	35,000 ft 10,668 m	29	-
6100N04400W LATLON	-	61.00000 -44.00000	35,000 ft 10,668 m	29	-
NA NDB	-	61.17070 -45.41290	35,000 ft 10,668 m	42	NARSARSUAQ
KITAP FIX	W26 AWY-LO	62.41170 -47.99580	35,000 ft 10,668 m	104	-
KU NDB	W26 AWY-LO	64.07000 -52.01310	35,000 ft 10,668 m	147	KOOK ISLANDS
EMBOK FIX	-	63.46670 -58.00000	35,000 ft 10,668 m	162	-
BERUS	N888A	63.00000	35,000 ft	138	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	-63.00000	10,668 m		
TEFFO	N888A	62.80000	35,000 ft	110	-
FIX	AWY-HI	-67.00000	10,668 m		
KELMU	SCAH	59.16920	35,000 ft	435	-
FIX	AWY-HI	-80.00000	10,668 m		
PIKMO	SCAH	54.63360	35,000 ft	425	-
FIX	AWY-HI	-90.00000	10,668 m		
KALLU	SCAH	51.59140	35,000 ft	254	-
FIX	AWY-HI	-94.93030	10,668 m		
YWG	SCAH	49.92780	35,000 ft	132	WINNIPEG
VOR	AWY-HI	-97.23920	10,668 m		
UDE	V304	50.16640	35,000 ft	43	DELTA
NDB	AWY-LO	-98.30720	10,668 m		
YBR	V304	49.90990	35,000 ft	65	BRANDON
VOR	AWY-LO	-99.94570	10,668 m		
ISN	J549	48.25340	35,000 ft	179	WILLISTON
VOR	AWY-HI	-103.75100	10,668 m		
LAMBE	V465	47.76140	35,000 ft	38	-
FIX	AWY-LO	-104.35000	10,668 m		
EXADE	V465	47.59910	35,000 ft	12	-
FIX	AWY-LO	-104.54500	10,668 m		
TRUED	T331	46.14090	35,000 ft	163	-
FIX	AWY-LO	-107.91000	10,668 m		
BIL	T331	45.80860	35,000 ft	35	BILLINGS
VOR	AWY-LO	-108.62500	10,668 m		
LAREI	V465	45.59690	35,000 ft	14	-
FIX	AWY-LO	-108.81400	10,668 m		
CUKUV	V465	45.48610	35,000 ft	7	-
FIX	AWY-LO	-108.91300	10,668 m		
HAKDI	V465	45.43350	35,000 ft	3	-
FIX	AWY-LO	-108.96000	10,668 m		
REDLO	V465	45.24340	35,000 ft	13	-
FIX	AWY-LO	-109.12700	10,668 m		
TOCUD	V465	44.06470	35,000 ft	82	-
FIX	AWY-LO	-110.13800	10,668 m		
DNW	V465	43.82830	35,000 ft	16	DUNOIR
VOR	AWY-LO	-110.33500	10,668 m		
JAC	V330	43.62100	35,000 ft	21	JACKSON
VOR	AWY-LO	-110.73200	10,668 m		
ECUNA	V465	43.42330	35,000 ft	15	-
FIX	AWY-LO	-110.97800	10,668 m		
ELKHO	V465	43.38620	35,000 ft	2	-
FIX	AWY-LO	-111.02400	10,668 m		
CILEG	V465	43.27650	35,000 ft	8	-
FIX	AWY-LO	-111.15900	10,668 m		
GIGSE	V465	43.22660	35,000 ft	4	-
FIX	AWY-LO	-111.22000	10,668 m		
OLNUE	V465	43.13200	35,000 ft	7	-
FIX	AWY-LO	-111.33600	10,668 m		
LUNDI	V465	42.69110	35,000 ft	35	-
FIX	AWY-LO	-111.86900	10,668 m		
MLD	V465	42.19990	35,000 ft	39	MALAD CITY
VOR	AWY-LO	-112.45100	10,668 m		
KREBS	V257	41.48880	35,000 ft	42	-
FIX	AWY-LO	-112.43500	10,668 m		
NUBGE	V257	41.33300	35,000 ft	9	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-LO	-112.43100	10,668 m		
PATIO	-	41.26670	35,000 ft	6	-
FIX	-	-112.53300	10,668 m		
PICHO	Q842	39.96670	35,000 ft	78	-
FIX	AWY-HI	-112.58300	10,668 m		
TABLL	Q842	38.66560	35,000 ft	82	-
FIX	AWY-HI	-113.17600	10,668 m		
WINEN	Q842	37.93330	35,000 ft	46	-
FIX	AWY-HI	-113.50000	10,668 m		
BLIPP	Q842	36.71150	35,000 ft	86	-
FIX	AWY-HI	-114.47400	10,668 m		
IFEYE	Q70	36.41560	35,000 ft	23	-
FIX	AWY-HI	-114.79700	10,668 m		
LAS	Q70	36.07970	35,000 ft	26	LAS VEGAS
VOR	AWY-HI	-115.16000	10,668 m		
CLARR	J100	35.67570	35,000 ft	35	-
FIX	AWY-HI	-115.68000	10,668 m		
MISEN	J100	35.10230	26,000 ft	49	-
FIX	AWY-HI	-116.40400	7,925 m		
DAG	J100	34.96250	23,400 ft	11	DAGGETT
VOR	AWY-HI	-116.57800	7,132 m		
BASAL	V394	34.75780	19,400 ft	18	-
FIX	AWY-LO	-116.86200	5,913 m		
KLAX	-	33.94310	0 ft	90	Los Angeles Intl
APT	-	-118.40900	0 m		

EGLC

Region: UNITED KINGDOM
Timezone: EUROPE/LONDON
Runways: 1

Elevation: 19 ft / 6 m
Location: 51.505200 0.055176
Magnetic Var: 0.548 E

METAR

EGLC 080120Z AUTO 13003KT 9999 BKN017 11/10 Q1028

TAF

UNKNOWN

Frequencies

APP - 132.70 MHz - THAMES RADAR
GND - 121.82 MHz - CITY GROUND
TWR - 129.45 MHz - CITY TOWER

REC - 136.35 MHz - CITY ATIS
TWR - 118.07 MHz - CITY TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	98 ft	4,916 ft	92.88	ASPHALT	315 ft	190 ft
	30 m	1,498 m	92.34		96 m	58 m
27	98 ft	4,916 ft	272.90	ASPHALT	230 ft	302 ft
	30 m	1,498 m	272.35		70 m	92 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09	DME	ILST	111.15 MHz	18 nm	-	-	48 ft
				33 km	-		48 m
27	DME	ILSR	111.15 MHz	18 nm	-	-	48 ft
				33 km	-		48 m
09	LOC-ILS	ILST	111.15 MHz	18 nm	92.89	-	19 ft
				33 km	92.34		19 m
27	LOC-ILS	ILSR	111.15 MHz	18 nm	272.89	-	19 ft
				33 km	272.34		19 m
09	GS	ILST	111.15 MHz	10 nm	92.89	5.50	19 ft
				19 km	92.34		19 m
27	GS	ILSR	111.15 MHz	10 nm	272.89	5.50	19 ft
				19 km	272.34		19 m

KLAX

Region: UNITED STATES
Timezone: AMERICA/LOS_ANGELES
Runways: 4

Elevation: 125 ft / 38 m
Location: 33.943100 -118.409000
Magnetic Var: 11.442 E

METAR

KLAX 080053Z 24008KT 10SM CLR 17/12 A2986 RMK A02 SLP112 T01720117 \$

TAF

KLAX 072330Z 0800/0906 24012G20KT P6SM SKC FM080300 27008KT P6SM SKC FM080900 09008KT P6SM OVC015 FM081700 24006KT

Frequencies

COM - 122.95 MHz - UNICOM	GND - 121.65 MHz - LOS ANGELES GROUND
GND - 121.75 MHz - LOS ANGELES GROUND	GND - 121.40 MHz - LOS ANGELES GROUND
TWR - 119.80 MHz - LOS ANGELES TOWER	TWR - 120.95 MHz - LOS ANGELES TOWER
TWR - 133.90 MHz - LOS ANGELES TOWER	REC - 133.80 MHz - D-ATIS
REC - 135.65 MHz - D-ATIS	APP - 124.90 MHz - SOCAL APPROACH
APP - 124.30 MHz - SOCAL APPROACH	APP - 124.50 MHz - SOCAL APPROACH
APP - 128.50 MHz - SOCAL APPROACH	DEP - 125.20 MHz - SOCAL DEPARTURE
DEP - 124.30 MHz - SOCAL DEPARTURE	CLD - 120.35 MHz - CLEARANCE DELIVERY

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07R	200 ft	11,106 ft	82.96	CONCRETE	0 ft	381 ft
	61 m	3,385 m	71.52		0 m	116 m
25L	200 ft	11,106 ft	262.98	CONCRETE	0 ft	381 ft
	61 m	3,385 m	251.54		0 m	116 m
07L	151 ft	12,935 ft	82.95	CONCRETE	846 ft	374 ft
	46 m	3,943 m	71.51		258 m	114 m
25R	151 ft	12,935 ft	262.98	CONCRETE	968 ft	197 ft
	46 m	3,943 m	251.53		295 m	60 m
06R	151 ft	10,896 ft	82.95	CONCRETE	551 ft	384 ft
	46 m	3,321 m	71.50		168 m	117 m
24L	151 ft	10,896 ft	262.97	CONCRETE	814 ft	384 ft
	46 m	3,321 m	251.53		248 m	117 m
06L	151 ft	8,936 ft	82.95	CONCRETE	0 ft	0 ft
	46 m	2,724 m	71.51		0 m	0 m
24R	151 ft	8,936 ft	262.96	CONCRETE	0 ft	285 ft
	46 m	2,724 m	251.52		0 m	87 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06L	DME	IUWU	108.50 MHz	18 nm	-	-	120 ft
				33 km	-		120 m
06R	DME	IGPE	111.70 MHz	18 nm	-	-	120 ft
				33 km	-		120 m
07L	DME	IIAS	111.10 MHz	18 nm	-	-	103 ft
				33 km	-		103 m
07R	DME	IMKZ	109.90 MHz	18 nm	-	-	103 ft
				33 km	-		103 m
24L	DME	IHQB	111.70 MHz	18 nm	-	-	133 ft
				33 km	-		133 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
24R	DME	IOSS	108.50 MHz	18 nm 33 km	- -	-	133 ft 133 m
25L	DME	ILAX	109.90 MHz	18 nm 33 km	- -	-	126 ft 126 m
25R	DME	ICFN	111.10 MHz	18 nm 33 km	- -	-	126 ft 126 m
06L	LOC-ILS	IUWU	108.50 MHz	18 nm 33 km	82.97 71.53	-	125 ft 125 m
06R	LOC-ILS	IGPE	111.70 MHz	18 nm 33 km	82.97 71.53	-	125 ft 125 m
07L	LOC-ILS	IIAS	111.10 MHz	18 nm 33 km	82.98 71.54	-	125 ft 125 m
07R	LOC-ILS	IMKZ	109.90 MHz	18 nm 33 km	82.97 71.53	-	125 ft 125 m
24L	LOC-ILS	IHQB	111.70 MHz	18 nm 33 km	262.97 251.53	-	125 ft 125 m
24R	LOC-ILS	IOSS	108.50 MHz	18 nm 33 km	262.97 251.53	-	125 ft 125 m
25L	LOC-ILS	ILAX	109.90 MHz	18 nm 33 km	262.97 251.53	-	125 ft 125 m
25R	LOC-ILS	ICFN	111.10 MHz	18 nm 33 km	262.98 251.54	-	125 ft 125 m
06L	GS	IUWU	108.50 MHz	10 nm 19 km	82.97 71.53	3.00	125 ft 125 m
06R	GS	IGPE	111.70 MHz	10 nm 19 km	82.97 71.53	3.00	125 ft 125 m
07L	GS	IIAS	111.10 MHz	10 nm 19 km	82.98 71.54	3.00	125 ft 125 m
07R	GS	IMKZ	109.90 MHz	10 nm 19 km	82.97 71.53	3.00	125 ft 125 m
24L	GS	IHQB	111.70 MHz	10 nm 19 km	262.97 251.53	3.00	125 ft 125 m
24R	GS	IOSS	108.50 MHz	10 nm 19 km	262.97 251.53	3.00	125 ft 125 m
25L	GS	ILAX	109.90 MHz	10 nm 19 km	262.97 251.53	3.00	125 ft 125 m
25R	GS	ICFN	111.10 MHz	10 nm 19 km	262.98 251.54	3.00	125 ft 125 m