

# LEIB

Ibiza


# EGGW

London Luton

2024/05/18 0007Z

LEIB MARTA UN856 RES A29 KARES UN863 AGN UT185 PERIG A34 VANAD UN859 BENAR A34 SITET EGGW

788.29 nm / 1459.92 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LEIB APT	-	38.87280 1.37313	0 ft 0 m	-	Ibiza
MARTA FIX	-	40.35460 1.27992	31,800 ft 9,693 m	89	-
EBROX FIX	UN856 AWY-HI	40.70870 1.23178	35,000 ft 10,668 m	21	-
RES VOR	UN856 AWY-HI	41.14970 1.17111	35,000 ft 10,668 m	26	REUS
KARES FIX	A29 AWY-LO	41.33100 1.15217	35,000 ft 10,668 m	10	-
ARBK FIX	UN863 AWY-HI	41.54390 1.12978	35,000 ft 10,668 m	12	-
REBUL FIX	UN863 AWY-HI	41.69790 1.11347	35,000 ft 10,668 m	9	-
USKAR FIX	UN863 AWY-HI	42.14370 1.06586	35,000 ft 10,668 m	26	-
MOPAS FIX	UN863 AWY-HI	42.43540 1.03436	35,000 ft 10,668 m	17	-
GIROM FIX	UN863 AWY-HI	42.77490 0.99731	35,000 ft 10,668 m	20	-
ASPET FIX	UN863 AWY-HI	43.00000 0.97972	35,000 ft 10,668 m	13	-
AGN VOR	UN863 AWY-HI	43.88800 0.87286	35,000 ft 10,668 m	53	AGEN
PERIG FIX	UT185 AWY-HI	45.11720 0.96944	35,000 ft 10,668 m	73	-
MAVAC FIX	A34 AWY-LO	45.51640 1.00194	35,000 ft 10,668 m	24	-
LMG VOR	A34 AWY-LO	45.81590 1.02558	35,000 ft 10,668 m	18	LIMOGES
BALAN FIX	A34 AWY-LO	46.51610 1.03333	35,000 ft 10,668 m	42	-
SOPIL FIX	A34 AWY-LO	47.02580 1.05500	35,000 ft 10,668 m	30	-
FIR12 FIX	A34 AWY-LO	47.16670 1.05833	35,000 ft 10,668 m	8	-
AMB VOR	A34 AWY-LO	47.42890 1.06444	35,000 ft 10,668 m	15	AMBOISE
VANAD FIX	A34 AWY-LO	47.83720 0.90722	35,000 ft 10,668 m	25	-
BENAR FIX	UN859 AWY-HI	48.25310 0.74444	35,000 ft 10,668 m	25	-
BOBSA FIX	A34 AWY-LO	48.49580 0.64833	35,000 ft 10,668 m	15	-
LGL VOR	A34 AWY-LO	48.79060 0.53028	35,000 ft 10,668 m	18	L'AIGLE
LISEU FIX	A34 AWY-LO	49.10330 0.40194	35,000 ft 10,668 m	19	-
DVL VOR	A34 AWY-LO	49.31070 0.31272	33,500 ft 10,211 m	12	DEAUVILLE NORMANDIE
ETRAT FIX	A34 AWY-LO	49.68330 0.16333	28,500 ft 8,687 m	23	-
SITET	A34	50.10000	23,000 ft	25	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-LO	0.00000	7,010 m		
EGGW	-	51.87460	0 ft	107	London Luton
APT	-	-0.36843	0 m		

## LEIB

Region: SPAIN  
Timezone: EUROPE/MADRID  
Runways: 1

Elevation: 24 ft / 7 m  
Location: 38.872800 1.373130  
Magnetic Var: 1.358 E

## METAR

LEIB 172330Z 13003KT 100V160 9999 FEW009 18/16 Q1010 NOSIG

## TAF

TAF LEIB 172000Z 1721/1821 20009KT 9999 FEW020 TX23/1815Z TN15/1805Z BECMG 1804/1807 09009KT

## Frequencies

REC - 119.80 MHz - ATIS  
TWR - 118.50 MHz - IBIZA TOWER  
APP - 134.82 MHz - PALMA APPROACH  
GND - 121.92 MHz - IBIZA GROUND  
CLD - 121.37 MHz - CLEARANCE DELIVERY

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	9,160 ft	61.99	ASPHALT	0 ft	0 ft
	45 m	2,792 m	60.63		0 m	0 m
24	148 ft	9,160 ft	242.00	ASPHALT	0 ft	0 ft
	45 m	2,792 m	240.65		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	IBI	111.10 MHz	18 nm	-	-	20 ft
				33 km	-		20 m
24	DME	IBZ	109.50 MHz	18 nm	-	-	69 ft
				33 km	-		69 m
06	LOC-ILS	IBI	111.10 MHz	18 nm	62.00	-	24 ft
				33 km	60.64		24 m
24	LOC-ILS	IBZ	109.50 MHz	18 nm	242.00	-	24 ft
				33 km	240.64		24 m
06	GS	IBI	111.10 MHz	10 nm	62.00	3.00	24 ft
				19 km	60.64		24 m
24	GS	IBZ	109.50 MHz	10 nm	242.00	3.00	24 ft
				19 km	240.64		24 m

## EGGW

Region: UNITED KINGDOM  
Timezone: EUROPE/LONDON  
Runways: 1

Elevation: 524 ft / 160 m  
Location: 51.874600 -0.368432  
Magnetic Var: 0.376 E

## METAR

EGGW 172320Z AUTO 08002KT 9999 NCD 13/10 Q1012

## TAF

TAF EGGW 172343Z 1800/1824 02005KT 9999 SCT020 TEMPO 1802/1808 3000 BR BKN003 PROB30 TEMPO 1803/1806 0300 FG OVC000

## Frequencies

REC - 120.57 MHz - LUTON INFORMATION  
TWR - 126.72 MHz - LUTON TOWER  
APP - 128.75 MHz - LUTON APPROACH  
GND - 121.75 MHz - LUTON GROUND  
APP - 129.55 MHz - LUTON APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07	150 ft	7,067 ft	74.35	ASPHALT	0 ft	197 ft
	46 m	2,154 m	73.97		0 m	60 m
25	150 ft	7,067 ft	254.37	ASPHALT	279 ft	0 ft
	46 m	2,154 m	254.00		85 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07	LOC-ILS	ILTN	109.15 MHz	18 nm	74.36	-	526 ft
				33 km	73.98		526 m
25	LOC-ILS	ILJ	109.15 MHz	18 nm	254.36	-	526 ft
				33 km	253.98		526 m
07	GS	ILTN	109.15 MHz	10 nm	74.36	3.00	526 ft
				19 km	73.98		526 m
25	GS	ILJ	109.15 MHz	10 nm	254.36	3.00	526 ft
				19 km	253.98		526 m