

ULLI

Saint Petersburg Pulkovo


LICJ

PALERMO

2024/05/13 0158Z

ULLI LIMAK **P862** TOMPA **M985** VALGA **UM985** SORES **M985** BOKSU **M857** SUW **M985** DEDOL **UM66** BABKO **Z32** DBV
M985 NIT **L616** TABIN **Q573** SVR **M986** SOGMO **L196** SPL **UM725** SOR **M742** AMANO LICJ

1483.51 nm / 2747.46 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
ULLI APT	-	59.80029 30.26250	0 ft 0 m	-	Saint Petersburg Pulkovo
LIMAK FIX	-	58.84333 27.47000	35,000 ft 10,668 m	103	-
TOMPA FIX	P862 AWY-LO	58.78861 27.17194	35,000 ft 10,668 m	9	-
VALGA FIX	M985 AWY-LO	57.85389 25.91611	35,000 ft 10,668 m	68	-
SORES FIX	UM985 AWY-HI	56.60194 24.82472	35,000 ft 10,668 m	83	-
ERIVA FIX	M985 AWY-LO	56.36889 24.63028	35,000 ft 10,668 m	15	-
BOKSU FIX	M985 AWY-LO	54.30750 23.05917	35,000 ft 10,668 m	134	-
SUW VOR	M857 AWY-LO	54.06967 22.90025	35,000 ft 10,668 m	15	SUWALKI VOR-DME
DEDOL FIX	M985 AWY-LO	51.38778 20.36000	35,000 ft 10,668 m	185	-
BABKO FIX	UM66 AWY-HI	49.61167 19.46944	35,000 ft 10,668 m	111	-
DBV NDB	Z32 AWY-LO	48.85807 18.79941	35,000 ft 10,668 m	52	DUBOVE NDB
NIT VOR	M985 AWY-LO	48.29044 18.05064	35,000 ft 10,668 m	45	NITRA VOR-DME
TABIN FIX	L616 AWY-LO	48.01528 18.08444	35,000 ft 10,668 m	16	-
XOMBA FIX	Q573 AWY-LO	47.75662 18.06196	35,000 ft 10,668 m	15	-
SVR VOR	Q573 AWY-LO	46.82812 18.11779	35,000 ft 10,668 m	55	SAGVAR VOR-DME
SOGMO FIX	M986 AWY-LO	46.60953 17.68335	35,000 ft 10,668 m	22	-
VEBAL FIX	L196 AWY-LO	45.99139 17.29667	35,000 ft 10,668 m	40	-
VBA VOR	L196 AWY-LO	45.74779 17.14673	35,000 ft 10,668 m	15	BARNA VOR-DME
NOVLO FIX	L196 AWY-LO	45.22944 16.95306	35,000 ft 10,668 m	32	-
KOMAR FIX	L196 AWY-LO	44.95806 16.80417	35,000 ft 10,668 m	17	-
DRVAR FIX	L196 AWY-LO	44.35194 16.59389	35,000 ft 10,668 m	37	-
UNIPA FIX	L196 AWY-LO	44.02944 16.48278	35,000 ft 10,668 m	19	-
SPL VOR	L196 AWY-LO	43.49658 16.30472	35,000 ft 10,668 m	32	SPLIT VOR-DME
TIBLA FIX	UM725 AWY-HI	43.07472 16.00667	35,000 ft 10,668 m	28	-
XOLTA FIX	UM725 AWY-HI	42.70389 15.74833	35,000 ft 10,668 m	25	-
MOLUX FIX	UM725 AWY-HI	41.30667 14.80694	35,000 ft 10,668 m	93	-
SOR	UM725	40.58249	33,300 ft	48	SORRENTO VOR-DME

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
VOR	AWY-HI	14.33527	10,150 m		
DELER	M742	40.18500	27,900 ft	25	-
FIX	AWY-LO	14.14917	8,504 m		
AMANO	M742	39.42167	17,400 ft	48	-
FIX	AWY-LO	13.79667	5,304 m		
LICJ	-	38.17738	0 ft	81	PALERMO
APT	-	13.09704	0 m		

ULLI

Region: RUSSIA
Timezone: EUROPE/MOSCOW
Runways: 2

Elevation: 79 ft / 24 m
Location: 59.800300 30.262500
Magnetic Var: 11.655 E

METAR

ULLI 130130Z 23002MPS 140V280 CAVOK 07/M00 Q1021 R28L/090060 NOSIG

TAF

TAF ULLI 122255Z 1300/1324 27003MPS 9999 BKN016 TEMPO 1300/1306 3100 -RA TEMPO 1306/1321 33005G11MPS

Frequencies

REC - 127.30 MHz - PULKOVO ATIS	REC - 127.40 MHz - PULKOVO ATIS
TWR - 118.70 MHz - PULKOVO TOWER	TWR - 118.10 MHz - PULKOVO TOWER
TWR - 133.50 MHz - PULKOVO TOWER	GND - 121.70 MHz - PULKOVO GROUND
GND - 119.00 MHz - PULKOVO RAMP	GND - 120.90 MHz - PULKOVO APRON
CLD - 121.90 MHz - PULKOVO DELIVERY	APP - 125.20 MHz - PETERSBURG APPROACH
APP - 119.30 MHz - PETERSBURG APPROACH	APP - 120.30 MHz - PETERSBURG KRUG RADAR
DEP - 120.30 MHz - PETERSBURG KRUG RADAR	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10R	197 ft	12,379 ft	106.40	CONCRETE	0 ft	0 ft
	60 m	3,773 m	94.75		0 m	0 m
28L	197 ft	12,379 ft	286.46	CONCRETE	0 ft	0 ft
	60 m	3,773 m	274.80		0 m	0 m
10L	197 ft	11,132 ft	106.51	CONCRETE	0 ft	0 ft
	60 m	3,393 m	94.86		0 m	0 m
28R	197 ft	11,132 ft	286.56	CONCRETE	0 ft	0 ft
	60 m	3,393 m	274.91		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10L	LOC-ILS	IPU	110.50 MHz	18 nm	106.54	-	79 ft
				33 km	94.89		79 m
10R	LOC-ILS	IPK	111.90 MHz	18 nm	106.43	-	79 ft
				33 km	94.78		79 m
28L	LOC-ILS	IPO	108.90 MHz	18 nm	286.43	-	79 ft
				33 km	274.78		79 m
28R	LOC-ILS	IPL	111.30 MHz	18 nm	286.54	-	79 ft
				33 km	274.89		79 m
10L	GS	IPU	110.50 MHz	10 nm	106.54	3.00	79 ft
				19 km	94.89		79 m
10R	GS	IPK	111.90 MHz	10 nm	106.43	3.00	79 ft
				19 km	94.78		79 m
28L	GS	IPO	108.90 MHz	10 nm	286.43	3.00	79 ft
				19 km	274.78		79 m
28R	GS	IPL	111.30 MHz	10 nm	286.54	3.00	79 ft
				19 km	274.89		79 m

LICJ

Region: ITALY
Timezone: EUROPE/ROME
Runways: 2

Elevation: 63 ft / 19 m
Location: 38.177500 13.097200
Magnetic Var: 3.575 E

METAR

LICJ 130120Z 17002KT CAVOK 16/12 Q1016

TAF

TAF LICJ 122300Z 1300/1324 22007KT CAVOK BECMG 1310/1312 03013KT

Frequencies

GND - 121.62 MHz - RAISI GROUND
APP - 120.20 MHz - PALERMO APPROACH
REC - 123.87 MHz - ATIS

TWR - 119.05 MHz - RAISI TOWER
APP - 118.65 MHz - PALERMO APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
02	148 ft	6,791 ft	23.79	ASPHALT	0 ft	0 ft
	45 m	2,070 m	20.22		0 m	0 m
20	148 ft	6,791 ft	203.80	ASPHALT	0 ft	0 ft
	45 m	2,070 m	200.23		0 m	0 m
07	197 ft	10,922 ft	66.82	ASPHALT	404 ft	577 ft
	60 m	3,329 m	63.25		123 m	176 m
25	197 ft	10,922 ft	246.84	ASPHALT	669 ft	302 ft
	60 m	3,329 m	243.27		204 m	92 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
20	DME	ITO	110.55 MHz	18 nm	-	-	38 ft
				33 km	-		38 m
25	DME	RAI	109.50 MHz	18 nm	-	-	65 ft
				33 km	-		65 m
20	LOC-ILS	ITO	110.55 MHz	18 nm	203.92	-	64 ft
				33 km	200.35		64 m
25	LOC-ILS	RAI	109.50 MHz	18 nm	246.80	-	64 ft
				33 km	243.23		64 m
20	GS	ITO	110.55 MHz	10 nm	203.92	3.00	64 ft
				19 km	200.35		64 m
25	GS	RAI	109.50 MHz	10 nm	246.80	3.00	64 ft
				19 km	243.23		64 m