

ESGG

Goteborg Landvetter


EKRK

Copenhagen Roskilde INT

2024/05/23 1554Z

ESGG ROKAM EKRK

124.87 nm / 231.26 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
ESGG	-	57.66280	0 ft	-	Goteborg Landvetter
APT	-	12.27980	0 m	-	
ROKAM	-	56.31690	9,400 ft	80	-
FIX	-	12.18330	2,865 m	-	
EKRK	-	55.58530	0 ft	43	Copenhagen Roskilde INT
APT	-	12.12920	0 m	-	

ESGG

Region: SWEDEN
Timezone: EUROPE/STOCKHOLM
Runways: 1

Elevation: 505 ft / 154 m
Location: 57.662800 12.279800
Magnetic Var: 4.724 E

METAR

ESGG 231520Z 23010KT 4000 SHRA TS BKN055CB 18/14 Q1014

TAF

TAF TAF ESGG 231430Z 2315/2415 11012KT CAVOK PROB40 TEMPO 2315/2317 4000 TSRA BKN045CB PROB40 2315/2319 12015G25K

Frequencies

REC - 114.60 MHz - ATIS	REC - 118.37 MHz - ATIS
GND - 121.90 MHz - GOTEBOG GROUND	GND - 121.60 MHz - GOTEBOG GROUND
TWR - 118.60 MHz - GOTEBOG TOWER	TWR - 123.10 MHz - GOTEBOG TOWER
APP - 123.10 MHz - GOTEBOG APPROACH	APP - 123.30 MHz - GOTEBOG APPROACH
APP - 124.20 MHz - GOTEBOG APPROACH	APP - 124.67 MHz - GOTEBOG APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03	148 ft	10,805 ft	25.95	ASPHALT	0 ft	207 ft
	45 m	3,293 m	21.23		0 m	63 m
21	148 ft	10,805 ft	205.97	ASPHALT	0 ft	207 ft
	45 m	3,293 m	201.25		0 m	63 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03	LOC-ILS	SSG	110.30 MHz	18 nm	25.96	-	506 ft
				33 km	21.24		506 m
21	LOC-ILS	NGG	108.50 MHz	18 nm	205.96	-	506 ft
				33 km	201.24		506 m
03	GS	SSG	110.30 MHz	10 nm	25.96	3.00	506 ft
				19 km	21.24		506 m
21	GS	NGG	108.50 MHz	10 nm	205.96	3.00	506 ft
				19 km	201.24		506 m

EKRK

Region: DENMARK / FAROE ISLANDS
Timezone: EUROPE/COPENHAGEN
Runways: 2

Elevation: 145 ft / 44 m
Location: 55.585300 12.129200
Magnetic Var: 4.498 E

METAR

EKRK 231520Z AUTO 18005KT 5000 -RA OVC004/// 14/13 Q1013

TAF

UNKNOWN

Frequencies

REC - 123.80 MHz - ATIS
TWR - 119.65 MHz -

TWR - 118.90 MHz -
APP - 125.52 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
11	105 ft	5,908 ft	116.31	ASPHALT	0 ft	0 ft
	32 m	1,801 m	111.81		0 m	0 m
29	105 ft	5,908 ft	296.33	ASPHALT	194 ft	0 ft
	32 m	1,801 m	291.83		59 m	0 m
03	105 ft	4,926 ft	30.86	ASPHALT	0 ft	0 ft
	32 m	1,501 m	26.37		0 m	0 m
21	105 ft	4,926 ft	210.88	ASPHALT	0 ft	0 ft
	32 m	1,501 m	206.38		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
11	DME	KV	111.50 MHz	18 nm	-	-	140 ft
				33 km	-		140 m
11	LOC-ILS	KV	111.50 MHz	18 nm	116.32	-	146 ft
				33 km	111.82		146 m
21	LOC-ILS	SN	108.70 MHz	18 nm	210.86	-	146 ft
				33 km	206.36		146 m
11	GS	KV	111.50 MHz	10 nm	116.64	3.00	146 ft
				19 km	112.14		146 m
21	GS	SN	108.70 MHz	10 nm	211.74	3.00	146 ft
				19 km	207.24		146 m