

LFPG

Paris Charles De Gaulle


SKBO

El Dorado Intl

2024/05/14 1515Z

LFPG DITAL **UN872** TERPO **UN461** RIVAK **UN460** SIVIR 4600N0900W 4600N01000W 4600N01100W 4500N01300W
NILAV 4500N01400W 4500N01500W 4500N01600W 4400N01800W 4400N01900W 4400N02000W 4300N02200W
4200N02400W 4100N02600W SIPRU LADOX ELBEN VFL **H131** INBOX 3800N03400W 3800N03500W 3700N03700W
3600N03900W 3500N04100W 3400N04300W 3300N04400W 3200N04600W 3100N04700W 3000N04900W 2800N05100W
2700N05200W 2600N05300W 2500N05500W 2400N05600W 2200N05800W RKDIA **A516** SILVA **UA516** LUCAS **A516**
SINDA **UA516** PJG **UG431** ENPUT **UW1** PIE **UW9** ZIP SKBO

4803.10 nm / 8895.35 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFPG	-	49.00970	0 ft	-	Paris Charles De Gaulle
APT	-	2.56257	0 m		
DITAL	-	48.74470	24,200 ft	67	-
FIX	-	0.88917	7,376 m		
GODIX	UN872	48.36250	35,000 ft	43	-
FIX	AWY-HI	-0.04250	10,668 m		
DIDAK	UN872	48.25970	35,000 ft	10	-
FIX	AWY-HI	-0.25000	10,668 m		
KURIS	UN872	47.59970	35,000 ft	64	-
FIX	AWY-HI	-1.51750	10,668 m		
TERPO	UN872	47.34890	35,000 ft	22	-
FIX	AWY-HI	-1.92889	10,668 m		
AKEMO	UN461	47.13920	35,000 ft	45	-
FIX	AWY-HI	-3.00000	10,668 m		
KOLEK	UN461	46.61280	35,000 ft	103	-
FIX	AWY-HI	-5.40806	10,668 m		
RIVAK	UN461	46.00000	35,000 ft	113	-
FIX	AWY-HI	-8.00000	10,668 m		
SIVIR	UN460	46.00000	35,000 ft	31	-
FIX	AWY-HI	-8.75000	10,668 m		
4600N0900W	-	46.00000	35,000 ft	10	-
LATLON	-	-9.00000	10,668 m		
4600N01000W	-	46.00000	35,000 ft	41	-
LATLON	-	-10.00000	10,668 m		
4600N01100W	-	46.00000	35,000 ft	41	-
LATLON	-	-11.00000	10,668 m		
4500N01300W	-	45.00000	35,000 ft	103	-
LATLON	-	-13.00000	10,668 m		
NILAV	-	45.00000	35,000 ft	17	-
FIX	-	-13.41670	10,668 m		
4500N01400W	-	45.00000	35,000 ft	24	-
LATLON	-	-14.00000	10,668 m		
4500N01500W	-	45.00000	35,000 ft	42	-
LATLON	-	-15.00000	10,668 m		
4500N01600W	-	45.00000	35,000 ft	42	-
LATLON	-	-16.00000	10,668 m		
4400N01800W	-	44.00000	35,000 ft	104	-
LATLON	-	-18.00000	10,668 m		
4400N01900W	-	44.00000	35,000 ft	43	-
LATLON	-	-19.00000	10,668 m		
4400N02000W	-	44.00000	35,000 ft	43	-
LATLON	-	-20.00000	10,668 m		
4300N02200W	-	43.00000	35,000 ft	105	-
LATLON	-	-22.00000	10,668 m		
4200N02400W	-	42.00000	35,000 ft	106	-
LATLON	-	-24.00000	10,668 m		
4100N02600W	-	41.00000	35,000 ft	108	-
LATLON	-	-26.00000	10,668 m		
SIPRU	-	39.18000	35,000 ft	139	-
FIX	-	-27.88940	10,668 m		
LADOX	-	38.94720	35,000 ft	15	-
FIX	-	-28.02110	10,668 m		
ELBEN	-	38.70270	35,000 ft	18	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	-	-28.27000	10,668 m		
VFL	-	38.51940	35,000 ft	19	HORTA
VOR	-	-28.62360	10,668 m		
INBUL	H131	38.49530	35,000 ft	64	-
FIX	AWY-HI	-30.00000	10,668 m		
INBOX	H131	38.36830	35,000 ft	158	-
FIX	AWY-HI	-33.36360	10,668 m		
3800N03400W	-	38.00000	35,000 ft	37	-
LATLON	-	-34.00000	10,668 m		
3800N03500W	-	38.00000	35,000 ft	47	-
LATLON	-	-35.00000	10,668 m		
3700N03700W	-	37.00000	35,000 ft	112	-
LATLON	-	-37.00000	10,668 m		
3600N03900W	-	36.00000	35,000 ft	113	-
LATLON	-	-39.00000	10,668 m		
3500N04100W	-	35.00000	35,000 ft	114	-
LATLON	-	-41.00000	10,668 m		
3400N04300W	-	34.00000	35,000 ft	115	-
LATLON	-	-43.00000	10,668 m		
3300N04400W	-	33.00000	35,000 ft	78	-
LATLON	-	-44.00000	10,668 m		
3200N04600W	-	32.00000	35,000 ft	117	-
LATLON	-	-46.00000	10,668 m		
3100N04700W	-	31.00000	35,000 ft	78	-
LATLON	-	-47.00000	10,668 m		
3000N04900W	-	30.00000	35,000 ft	119	-
LATLON	-	-49.00000	10,668 m		
2800N05100W	-	28.00000	35,000 ft	159	-
LATLON	-	-51.00000	10,668 m		
2700N05200W	-	27.00000	35,000 ft	80	-
LATLON	-	-52.00000	10,668 m		
2600N05300W	-	26.00000	35,000 ft	80	-
LATLON	-	-53.00000	10,668 m		
2500N05500W	-	25.00000	35,000 ft	123	-
LATLON	-	-55.00000	10,668 m		
2400N05600W	-	24.00000	35,000 ft	81	-
LATLON	-	-56.00000	10,668 m		
2200N05800W	-	22.00000	35,000 ft	163	-
LATLON	-	-58.00000	10,668 m		
RKDIA	-	21.00000	35,000 ft	126	-
FIX	-	-60.00000	10,668 m		
OBIKE	A516	19.34130	35,000 ft	140	-
FIX	AWY-HI	-61.76720	10,668 m		
NEYDU	A516	18.97260	35,000 ft	31	-
FIX	AWY-HI	-62.15250	10,668 m		
MNOLO	A516	18.34560	35,000 ft	52	-
FIX	AWY-HI	-62.80210	10,668 m		
PJM	A516	18.03810	35,000 ft	25	SAINT MAARTEN
VOR	AWY-HI	-63.11830	10,668 m		
DANDE	A516	17.50420	35,000 ft	44	-
FIX	AWY-HI	-63.66470	10,668 m		
PORQE	A516	17.16000	35,000 ft	28	-
FIX	AWY-HI	-64.01450	10,668 m		
ANNER	A516	16.23670	35,000 ft	76	-
FIX	AWY-HI	-64.94300	10,668 m		
RAFEE	A516	16.10920	35,000 ft	10	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	-65.07010	10,668 m		
RAYAS	A516	15.68790	35,000 ft	34	-
FIX	AWY-HI	-65.48860	10,668 m		
MILOK	A516	15.29220	35,000 ft	32	-
FIX	AWY-HI	-65.88080	10,668 m		
SILVA	A516	14.45560	35,000 ft	68	-
FIX	AWY-LO	-66.67140	10,668 m		
ACORA	UA516	13.65750	35,000 ft	68	-
FIX	AWY-HI	-67.49940	10,668 m		
LUCAS	UA516	13.29490	35,000 ft	31	-
FIX	AWY-HI	-67.87770	10,668 m		
SINDA	A516	12.81640	35,000 ft	40	-
FIX	AWY-LO	-68.37380	10,668 m		
PJG	UA516	12.19710	35,000 ft	52	CURACAO
VOR	AWY-HI	-69.01190	10,668 m		
ALCOT	UG431	11.91140	35,000 ft	22	-
FIX	AWY-HI	-69.26030	10,668 m		
CRO	UG431	11.41110	35,000 ft	39	CORO
VOR	AWY-HI	-69.69400	10,668 m		
DOLPO	UG431	11.06080	35,000 ft	28	-
FIX	AWY-HI	-70.01970	10,668 m		
MADNO	UG431	10.64890	35,000 ft	33	-
FIX	AWY-HI	-70.40390	10,668 m		
BURGA	UG431	10.33220	35,000 ft	25	-
FIX	AWY-HI	-70.69720	10,668 m		
IROSA	UG431	9.79806	35,000 ft	43	-
FIX	AWY-HI	-71.19030	10,668 m		
STB	UG431	8.98081	35,000 ft	66	SANTA BARBARA DEL ZULIA
VOR	AWY-HI	-71.94020	10,668 m		
ENPUT	UG431	8.20639	35,000 ft	53	-
FIX	AWY-HI	-72.37360	10,668 m		
CUC	UW1	7.93361	35,000 ft	18	CUCUTA
VOR	AWY-HI	-72.51390	10,668 m		
BGA	UW1	7.13167	34,500 ft	62	BUCARAMANGA
VOR	AWY-HI	-73.18440	10,516 m		
PIE	UW1	6.88389	31,100 ft	15	PIEDRECUESTA
VOR	AWY-HI	-73.09190	9,479 m		
ZIP	UW9	5.01806	4,500 ft	124	ZIPAQUIRA (BOGOTA)
VOR	AWY-HI	-73.98670	1,372 m		
SKBO	-	4.70160	0 ft	21	El Dorado Intl
APT	-	-74.14700	0 m		

LFPG

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 4

Elevation: 392 ft / 119 m
Location: 49.009700 2.562570
Magnetic Var: 1.497 E

METAR

LFPG 141500Z 15008KT 110V190 9999 -RA SCT012 BKN053 15/13 Q1005 NOSIG

TAF

TAF LFPG 141100Z 1412/1518 20008KT 8000 -RA SCT008 BKN013 TX21/1514Z TN12/1504Z BECMG 1412/1414 16005KT BKN020 PR

Frequencies

REC - 128.32 MHz - ATIS	REC - 127.12 MHz - ATIS
TWR - 120.90 MHz - DE GAULLE TOWER	TWR - 125.32 MHz - DE GAULLE TOWER
TWR - 119.62 MHz - DE GAULLE TOWER	TWR - 119.25 MHz - DE GAULLE TOWER
TWR - 118.65 MHz - DE GAULLE TOWER	TWR - 123.60 MHz - DE GAULLE TOWER
TWR - 120.65 MHz - DE GAULLE TOWER	GND - 121.90 MHz - DE GAULLE GROUND
GND - 125.30 MHz - DE GAULLE GROUND	GND - 121.70 MHz - DE GAULLE GROUND
CLD - 121.80 MHz - CLEARANCE DELIVERY	APP - 118.15 MHz - DE GAULLE APPROACH
APP - 119.85 MHz - DE GAULLE APPROACH	APP - 121.15 MHz - DE GAULLE APPROACH
APP - 125.82 MHz - DE GAULLE APPROACH	APP - 126.42 MHz - DE GAULLE APPROACH
DEP - 124.35 MHz - DE GAULLE DEPARTURE	DEP - 126.57 MHz - DE GAULLE DEPARTURE
DEP - 131.20 MHz - DE GAULLE DEPARTURE	DEP - 133.37 MHz - DE GAULLE DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08L	148 ft	13,713 ft	85.31	ASPHALT	0 ft	489 ft
	45 m	4,180 m	83.81		0 m	149 m
26R	148 ft	13,713 ft	265.35	ASPHALT	1,877 ft	279 ft
	45 m	4,180 m	263.86		572 m	85 m
09L	197 ft	8,866 ft	85.32	ASPHALT	0 ft	0 ft
	60 m	2,703 m	83.82		0 m	0 m
27R	197 ft	8,866 ft	265.35	ASPHALT	0 ft	0 ft
	60 m	2,703 m	263.85		0 m	0 m
08R	197 ft	8,833 ft	85.33	ASPHALT	0 ft	489 ft
	60 m	2,692 m	83.83		0 m	149 m
26L	197 ft	8,833 ft	265.35	ASPHALT	0 ft	486 ft
	60 m	2,692 m	263.86		0 m	148 m
09R	148 ft	13,746 ft	85.30	ASPHALT	0 ft	0 ft
	45 m	4,190 m	83.80		0 m	0 m
27L	148 ft	13,746 ft	265.34	ASPHALT	1,959 ft	0 ft
	45 m	4,190 m	263.85		597 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08R	DME	DSE	108.55 MHz	18 nm	-	-	358 ft
				33 km	-		358 m
09L	DME	PNE	109.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
09R	DME	CGE	110.10 MHz	18 nm	-	-	392 ft
				33 km	-		392 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
26L	DME	DSU	108.35 MHz	18 nm	-	-	338 ft
				33 km	-		338 m
27L	DME	CGW	110.70 MHz	18 nm	-	-	407 ft
				33 km	-		407 m
27R	DME	PNW	110.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
08L	LOC-ILS	GLE	108.70 MHz	18 nm	85.33	-	392 ft
				33 km	83.83		392 m
08R	LOC-ILS	DSE	108.55 MHz	18 nm	85.34	-	392 ft
				33 km	83.84		392 m
09L	LOC-ILS	PNE	109.35 MHz	18 nm	85.33	-	392 ft
				33 km	83.83		392 m
09R	LOC-ILS	CGE	110.10 MHz	18 nm	85.32	-	392 ft
				33 km	83.82		392 m
26L	LOC-ILS	DSU	108.35 MHz	18 nm	265.34	-	392 ft
				33 km	263.84		392 m
26R	LOC-ILS	GAU	111.95 MHz	18 nm	265.33	-	392 ft
				33 km	263.83		392 m
27L	LOC-ILS	CGW	110.70 MHz	18 nm	265.32	-	392 ft
				33 km	263.82		392 m
27R	LOC-ILS	PNW	110.35 MHz	18 nm	265.33	-	392 ft
				33 km	263.83		392 m
08L	GS	GLE	108.70 MHz	10 nm	85.33	3.00	392 ft
				19 km	83.83		392 m
08R	GS	DSE	108.55 MHz	10 nm	85.34	3.00	392 ft
				19 km	83.84		392 m
09L	GS	PNE	109.35 MHz	10 nm	85.33	3.00	392 ft
				19 km	83.83		392 m
09R	GS	CGE	110.10 MHz	10 nm	85.32	3.00	392 ft
				19 km	83.82		392 m
26L	GS	DSU	108.35 MHz	10 nm	265.34	3.00	392 ft
				19 km	263.84		392 m
26R	GS	GAU	111.95 MHz	10 nm	265.33	3.00	392 ft
				19 km	263.83		392 m
27L	GS	CGW	110.70 MHz	10 nm	265.32	3.00	392 ft
				19 km	263.82		392 m
27R	GS	PNW	110.35 MHz	10 nm	265.33	3.00	392 ft
				19 km	263.83		392 m

SKBO

Region: COLOMBIA
Timezone: AMERICA/BOGOTA
Runways: 2

Elevation: 8,358 ft / 2,548 m
Location: 4.701600 -74.147000
Magnetic Var: 8.194 W

METAR

SKBO 141500Z 14008KT 090V160 9999 BKN020 20/13 Q1028 NOSIG

TAF

TAF SKBO 141030Z 1412/1512 VRB02KT 9999 SCT020 BECMG 1416/1418 14010KT PROB40 TEMPO 1421/1424 DZ SCT017TCU BECMG

Frequencies

REC - 127.80 MHz - ATIS	TWR - 118.10 MHz - EL DORADO TOWER
TWR - 118.25 MHz - EL DORADO TOWER	GND - 121.80 MHz - EL DORADO GROUND
GND - 122.75 MHz - EL DORADO GROUND	APP - 121.30 MHz - BOGOTA APPROACH
APP - 119.50 MHz - BOGOTA APPROACH	APP - 119.65 MHz - BOGOTA APPROACH
APP - 119.95 MHz - BOGOTA APPROACH	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13R	151 ft	12,479 ft	127.23	ASPHALT	0 ft	203 ft
	46 m	3,804 m	135.43		0 m	62 m
31L	151 ft	12,479 ft	307.24	ASPHALT	0 ft	203 ft
	46 m	3,804 m	315.43		0 m	62 m
13L	151 ft	12,479 ft	127.24	ASPHALT	0 ft	98 ft
	46 m	3,804 m	135.43		0 m	30 m
31R	151 ft	12,479 ft	307.24	ASPHALT	0 ft	98 ft
	46 m	3,804 m	315.43		0 m	30 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
13L	DME	IEDR	111.30 MHz	18 nm	-	-	8,361 ft
				33 km	-		8,361 m
13R	DME	IADO	110.70 MHz	18 nm	-	-	8,361 ft
				33 km	-		8,361 m
13L	LOC-ILS	IEDR	111.30 MHz	18 nm	127.24	-	8,358 ft
				33 km	135.43		8,358 m
13R	LOC-ILS	IADO	110.70 MHz	18 nm	127.24	-	8,358 ft
				33 km	135.43		8,358 m
13L	GS	IEDR	111.30 MHz	10 nm	127.24	3.00	8,358 ft
				19 km	135.43		8,358 m
13R	GS	IADO	110.70 MHz	10 nm	127.24	3.00	8,358 ft
				19 km	135.43		8,358 m