

LFPO

Paris Orly


GMMN

Casablanca Mohammed V Intl

2024/05/17 0044Z

LFPO DIRMO UN857 LMG UN10 SAU UN857 PPN UN10 VASUM UN857 BAN UN10 CJN UL27 BLN UN869 MGA UM985
PIMOS UN869 GALTO UB11 TUSOR GMMN

1051.67 nm / 1947.69 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: no

- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFPO	-	48.72630	0 ft	-	Paris Orly
APT	-	2.36698	0 m		
DIRMO	-	47.08920	35,000 ft	98	-
FIX	-	2.19222	10,668 m		
LMG	UN857	45.81590	35,000 ft	90	LIMOGES
VOR	AWY-HI	1.02558	10,668 m		
VELIN	UN10	44.98000	35,000 ft	62	-
FIX	AWY-HI	0.15556	10,668 m		
SAU	UN10	44.67680	35,000 ft	22	SAUVETERRE DE GUYENNE
VOR	AWY-HI	-0.15292	10,668 m		
BEGUY	UN857	43.05830	35,000 ft	112	-
FIX	AWY-HI	-1.45083	10,668 m		
PPN	UN857	42.73370	35,000 ft	22	PAMPLONA
VOR	AWY-HI	-1.70200	10,668 m		
VASUM	UN10	42.27190	35,000 ft	30	-
FIX	AWY-HI	-2.01100	10,668 m		
BAN	UN857	41.32360	35,000 ft	63	BARAHONA
VOR	AWY-HI	-2.62978	10,668 m		
PINAR	UN10	40.98030	35,000 ft	20	-
FIX	AWY-HI	-2.59917	10,668 m		
CJN	UN10	40.37200	35,000 ft	36	CASTEJON
VOR	AWY-HI	-2.54461	10,668 m		
NASOS	UL27	39.39910	35,000 ft	62	-
FIX	AWY-HI	-3.02778	10,668 m		
ANZAN	UL27	39.00000	35,000 ft	25	-
FIX	AWY-HI	-3.22144	10,668 m		
BLN	UL27	38.15250	35,000 ft	54	BAILEN
VOR	AWY-HI	-3.62500	10,668 m		
MGA	UN869	36.81430	35,000 ft	87	MALAGA
VOR	AWY-HI	-4.36958	10,668 m		
PIMOS	UM985	36.15040	35,000 ft	47	-
FIX	AWY-HI	-4.89347	10,668 m		
GALTO	UN869	35.83330	35,000 ft	22	-
FIX	AWY-HI	-5.14361	10,668 m		
TTN	UB11	35.59500	35,000 ft	16	TETOUAN
VOR	AWY-HI	-5.32458	10,668 m		
BARIS	UB11	34.90310	26,500 ft	51	-
FIX	AWY-HI	-5.93056	8,077 m		
TUSOR	UB11	34.49720	19,700 ft	31	-
FIX	AWY-HI	-6.33167	6,005 m		
GMMN	-	33.36740	0 ft	92	Casablanca Mohammed V Intl
APT	-	-7.58998	0 m		

LFPO

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 3

Elevation: 291 ft / 89 m
Location: 48.726300 2.366980
Magnetic Var: 1.452 E

METAR

LFPO 170030Z AUTO 23003KT CAVOK 11/09 Q1008 NOSIG

TAF

TAF LFPO 162300Z 1700/1806 23005KT CAVOK PROB30 TEMPO 1704/1707 4000 BR PROB30 TEMPO 1716/1718 -SHRA BKN040TCU

Frequencies

REC - 126.50 MHz - ORLY ATIS	REC - 131.35 MHz - ORLY ATIS
CLD - 121.05 MHz - PREFLIGHT	GND - 121.70 MHz - ORLY GROUND
GND - 121.82 MHz - ORLY GROUND	TWR - 118.70 MHz - ORLY TOWER
TWR - 120.50 MHz - ORLY TOWER	APP - 118.85 MHz - PARIS APPROACH
APP - 123.87 MHz - PARIS APPROACH	APP - 124.45 MHz - PARIS APPROACH
DEP - 124.35 MHz - PARIS DEPARTURE	DEP - 127.75 MHz - PARIS DEPARTURE
DEP - 128.37 MHz - PARIS DEPARTURE	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	11,953 ft	61.78	ASPHALT	984 ft	482 ft
	45 m	3,643 m	60.33		300 m	147 m
24	148 ft	11,953 ft	241.82	ASPHALT	0 ft	492 ft
	45 m	3,643 m	240.37		0 m	150 m
07	148 ft	10,868 ft	74.34	CONCRETE	0 ft	0 ft
	45 m	3,313 m	72.89		0 m	0 m
25	148 ft	10,868 ft	254.38	CONCRETE	1,427 ft	0 ft
	45 m	3,313 m	252.92		435 m	0 m
02	197 ft	7,875 ft	18.30	CONCRETE	0 ft	492 ft
	60 m	2,400 m	16.85		0 m	150 m
20	197 ft	7,875 ft	198.31	CONCRETE	0 ft	492 ft
	60 m	2,400 m	196.86		0 m	150 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	ORE	108.50 MHz	18 nm	-	-	291 ft
				33 km	-		291 m
24	DME	OLO	110.90 MHz	18 nm	-	-	291 ft
				33 km	-		291 m
02	LOC-ILS	OLN	110.30 MHz	18 nm	18.31	-	291 ft
				33 km	16.86		291 m
06	LOC-ILS	ORE	108.50 MHz	18 nm	61.80	-	291 ft
				33 km	60.35		291 m
07	LOC-ILS	OLE	108.15 MHz	18 nm	74.36	-	291 ft
				33 km	72.91		291 m
24	LOC-ILS	OLO	110.90 MHz	18 nm	241.80	-	291 ft
				33 km	240.35		291 m
25	LOC-ILS	OLW	111.75 MHz	18 nm	254.36	-	291 ft
				33 km	252.91		291 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07	LOC-LOC	OLE	108.15 MHz	18 nm 33 km	74.37 72.92	-	291 ft 291 m
02	GS	OLN	110.30 MHz	10 nm 19 km	18.31 16.86	3.00	291 ft 291 m
06	GS	ORE	108.50 MHz	10 nm 19 km	61.80 60.35	3.00	291 ft 291 m
07	GS	OLE	108.15 MHz	10 nm 19 km	74.36 72.91	3.00	291 ft 291 m
24	GS	OLO	110.90 MHz	10 nm 19 km	241.80 240.35	3.00	291 ft 291 m
25	GS	OLW	111.75 MHz	10 nm 19 km	254.36 252.91	3.00	291 ft 291 m

GMMN

Region: MOROCCO
Timezone: AFRICA/CASABLANCA
Runways: 2

Elevation: 655 ft / 200 m
Location: 33.367400 -7.589980
Magnetic Var: 1.100 W

METAR

GMMN 170030Z 04005KT CAVOK 15/10 Q1013 NOSIG

TAF

TAF TAF GMMN 162300Z 1700/1806 02003KT CAVOK BECMG 1710/1713 36014KT 9999 BKN016 BECMG 1721/1724 02004KT SCT016

Frequencies

REC - 126.30 MHz - ATIS
APP - 121.30 MHz -

TWR - 118.50 MHz -
GND - 130.60 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17L	148 ft	12,231 ft	163.94	ASPHALT	0 ft	988 ft
	45 m	3,728 m	165.04		0 m	301 m
35R	148 ft	12,231 ft	343.95	ASPHALT	0 ft	1,004 ft
	45 m	3,728 m	345.05		0 m	306 m
17R	148 ft	12,188 ft	163.98	ASPHALT	0 ft	207 ft
	45 m	3,715 m	165.08		0 m	63 m
35L	148 ft	12,188 ft	343.98	ASPHALT	0 ft	223 ft
	45 m	3,715 m	345.08		0 m	68 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
35L	DME	INL	110.70 MHz	18 nm	-	-	656 ft
				33 km	-		656 m
17R	LOC-ILS	CAS	108.30 MHz	18 nm	163.98	-	655 ft
				33 km	165.08		655 m
35L	LOC-ILS	INL	110.70 MHz	18 nm	343.98	-	655 ft
				33 km	345.08		655 m
35R	LOC-ILS	INR	109.90 MHz	18 nm	343.95	-	655 ft
				33 km	345.05		655 m
17R	GS	CAS	108.30 MHz	10 nm	163.98	3.00	655 ft
				19 km	165.08		655 m
35L	GS	INL	110.70 MHz	10 nm	343.98	3.00	655 ft
				19 km	345.08		655 m
35R	GS	INR	109.90 MHz	10 nm	343.95	2.70	655 ft
				19 km	345.05		655 m