

# LGIR

Iraklion - Nikos Kazantzakis


# LGTS

Thessaloniki Makedonia International Airport

2024/05/25 2144Z

LGIR MIL **UL617** SKP LGTS

328.61 nm / 608.58 km



## Notes

Basic altitude profile:

- Ascent Rate: 1900ft/min
- Ascent Speed: 200kts
- Cruise Altitude: 22000ft
- Cruise Speed: 220kts
- Descent Rate: 500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident		Via	Lat	Alt	Dist	Name
Type			Lon		(nm)	
LGIR	-	35.33990	0 ft	-		Iraklion - Nikos Kazantzakis
APT	-	25.17820	0 m			
MIL	-	36.74750	22,000 ft	90		MILOS
VOR	-	24.51950	6,706 m			
SOREV	UL617	37.09690	22,000 ft	21	-	
FIX	AWY-HI	24.42440	6,706 m			
AKORO	UL617	37.21000	22,000 ft	6	-	
FIX	AWY-HI	24.39330	6,706 m			
KEA	UL617	37.55720	22,000 ft	21		KEA
VOR	AWY-HI	24.29870	6,706 m			
SKP	UL617	39.18060	11,600 ft	102		SKOPELOS
VOR	AWY-HI	23.61590	3,536 m			
LGTS	-	40.52010	0 ft	85		Thessaloniki Makedonia International Airport
APT	-	22.96910	0 m			

## LGTS

Region: GREECE  
Timezone: EUROPE/ATHENS  
Runways: 2

Elevation: 21 ft / 6 m  
Location: 40.520100 22.969100  
Magnetic Var: 5.272 E

## METAR

LGTS 252120Z 12006KT 9999 FEW025 18/12 Q1015 NOSIG

## TAF

TAF LGTS 251700Z 2518/2618 VRB03KT 9999 FEW030 TEMPO 2521/2603 SCT030 PROB30 TEMPO 2609/2616 5000 SHRA FEW018TCU

## Frequencies

REC - 127.55 MHz - THESSALONIKI ATIS	GND - 121.70 MHz - THESSALONIKI GROUND
TWR - 118.05 MHz - THESSALONIKI TOWER	TWR - 118.10 MHz - THESSALONIKI TOWER
APP - 118.27 MHz - THESSALONIKI DIRECTOR	APP - 120.80 MHz - THESSALONIKI APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	164 ft	11,259 ft	103.98	ASPHALT	0 ft	0 ft
	50 m	3,432 m	98.71		0 m	0 m
28	164 ft	11,259 ft	284.01	ASPHALT	0 ft	0 ft
	50 m	3,432 m	278.74		0 m	0 m
16	200 ft	7,975 ft	166.43	ASPHALT	0 ft	0 ft
	61 m	2,431 m	161.16		0 m	0 m
34	200 ft	7,975 ft	346.44	ASPHALT	0 ft	0 ft
	61 m	2,431 m	341.16		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16	DME	ITSL	110.30 MHz	18 nm	-	-	16 ft
				33 km	-		16 m
10	LOC-ILS	IMAK	109.50 MHz	18 nm	104.00	-	21 ft
				33 km	98.73		21 m
16	LOC-ILS	ITSL	110.30 MHz	18 nm	166.44	-	21 ft
				33 km	161.17		21 m
10	GS	IMAK	109.50 MHz	10 nm	104.00	3.00	21 ft
				19 km	98.73		21 m
16	GS	ITSL	110.30 MHz	10 nm	166.44	3.00	21 ft
				19 km	161.17		21 m