


2024/05/15 2029Z

LIMC VAMTU **UM984** PADKO **UY38** VATIR **UN852** PIVUS **UZ237** AKAMU LEIB

537.33 nm / 995.13 km



Notes

Requested: LIMC VAMTU UM984 PADKO UY38 VATIR UN852 PIVUS UZ237 AKAMU LEIB

Unmatched points: UY38

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LIMC	-	45.63060	0 ft	-	Milano-Malpensa
APT	-	8.72812	0 m	-	
VAMTU	-	44.14560	0 ft	100	-
FIX	-	7.62528	0 m	-	
KOLON	UM984	43.72190	0 ft	38	-
FIX	AWY-HI	6.95333	0 m	-	
GANGU	UM984	43.46310	0 ft	40	-
FIX	AWY-HI	6.08472	0 m	-	
PADKO	UM984	43.23170	0 ft	35	-
FIX	AWY-HI	5.33306	0 m	-	
VATIR	UY38	42.17220	0 ft	83	-
FIX	AWY-HI	4.11556	0 m	-	
PIVUS	UN852	41.92390	0 ft	16	-
FIX	AWY-HI	3.93375	0 m	-	
SULID	UZ237	41.18440	0 ft	49	-
FIX	AWY-HI	3.44139	0 m	-	
SISMO	UZ237	40.60910	0 ft	37	-
FIX	AWY-HI	3.14575	0 m	-	
AKAMU	UZ237	39.65790	0 ft	64	-
FIX	AWY-HI	2.47139	0 m	-	
LEIB	-	38.87280	0 ft	69	Ibiza
APT	-	1.37313	0 m	-	

LIMC

Region: ITALY
Timezone: EUROPE/ROME
Runways: 2

Elevation: 767 ft / 234 m
Location: 45.630600 8.728120
Magnetic Var: 3.124 E

METAR

LIMC 151950Z 02009KT 9999 SCT020 BKN060 13/11 Q1009 NOSIG

TAF

TAF LIMC 151700Z 1518/1624 35008KT 6000 BKN020 TEMPO 1518/1524 3000 TSRA BKN007 TEMPO 1600/1609 3000 SHRA TEMPO 16

Frequencies

REC - 120.02 MHz - ATIS ARRIVAL	REC - 121.62 MHz - ATIS DEPARTURE
CLD - 120.90 MHz - CLEARANCE DELIVERY	GND - 121.82 MHz - MALPENSA GROUND
GND - 121.90 MHz - MALPENSA GROUND	TWR - 119.00 MHz - MALPENSA TOWER
TWR - 128.35 MHz - MALPENSA TOWER	APP - 126.75 MHz - MILANO APPROACH
APP - 125.62 MHz - MILANO APPROACH	APP - 132.70 MHz - MILANO APPROACH
DEP - 126.30 MHz - MILANO DEPARTURE	DEP - 126.75 MHz - MILANO DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17R	197 ft	12,873 ft	169.06	ASPHALT	0 ft	387 ft
	60 m	3,924 m	165.94		0 m	118 m
35L	197 ft	12,873 ft	349.07	ASPHALT	1,319 ft	197 ft
	60 m	3,924 m	345.95		402 m	60 m
17L	197 ft	12,873 ft	169.06	ASPHALT	3,081 ft	207 ft
	60 m	3,924 m	165.94		939 m	63 m
35R	197 ft	12,873 ft	349.07	ASPHALT	0 ft	180 ft
	60 m	3,924 m	345.95		0 m	55 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
17L	DME	IMSL	110.75 MHz	25 nm	-	-	792 ft
				46 km	-		792 m
35L	DME	IMA	109.10 MHz	25 nm	-	-	768 ft
				46 km	-		768 m
35R	DME	MLP	109.90 MHz	18 nm	-	-	713 ft
				33 km	-		713 m
17L	LOC-ILS	IMSL	110.75 MHz	18 nm	169.06	-	697 ft
				33 km	165.94		697 m
35L	LOC-ILS	IMA	109.10 MHz	18 nm	349.07	-	767 ft
				33 km	345.94		767 m
35R	LOC-ILS	MLP	109.90 MHz	18 nm	349.07	-	780 ft
				33 km	345.94		780 m
17L	GS	IMSL	110.75 MHz	10 nm	170.24	3.00	792 ft
				19 km	167.12		792 m
35L	GS	IMA	109.10 MHz	10 nm	350.24	3.00	768 ft
				19 km	347.12		768 m
35R	GS	MLP	109.90 MHz	10 nm	350.24	3.00	740 ft
				19 km	347.12		740 m

LEIB

Region: SPAIN
Timezone: EUROPE/MADRID
Runways: 1

Elevation: 24 ft / 7 m
Location: 38.872800 1.373130
Magnetic Var: 1.357 E

METAR

LEIB 152000Z 23006KT CAVOK 19/14 Q1007 NOSIG

TAF

TAF LEIB 151400Z 1515/1615 28010KT 9999 FEW020 TX22/1612Z TN14/1605Z BECMG 1515/1517 22010KT BECMG 1519/1521 VRB0

Frequencies

REC - 119.80 MHz - ATIS
TWR - 118.50 MHz - IBIZA TOWER
APP - 134.82 MHz - PALMA APPROACH

GND - 121.92 MHz - IBIZA GROUND
CLD - 121.37 MHz - CLEARANCE DELIVERY

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	9,160 ft	61.99	ASPHALT	0 ft	0 ft
	45 m	2,792 m	60.63		0 m	0 m
24	148 ft	9,160 ft	242.00	ASPHALT	0 ft	0 ft
	45 m	2,792 m	240.65		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	IBI	111.10 MHz	18 nm	-	-	20 ft
				33 km	-		20 m
24	DME	IBZ	109.50 MHz	18 nm	-	-	69 ft
				33 km	-		69 m
06	LOC-ILS	IBI	111.10 MHz	18 nm	62.00	-	24 ft
				33 km	60.64		24 m
24	LOC-ILS	IBZ	109.50 MHz	18 nm	242.00	-	24 ft
				33 km	240.64		24 m
06	GS	IBI	111.10 MHz	10 nm	62.00	3.00	24 ft
				19 km	60.64		24 m
24	GS	IBZ	109.50 MHz	10 nm	242.00	3.00	24 ft
				19 km	240.64		24 m