

LIRF

Roma-Fiumicino "Leonardo da Vinci"


OERK

King Khalid Intl

2024/06/15 1447Z

LIRF TEA **L995** EKTOL **T75** TIGRA **UL995** KRK **L995** ATV ATV **UL607** KEA **UL52** MAGIS **UN134** SOLIN **P51** SALAM
OSAMA **A412** QAA01 **N318** TAMRO **UT503** GOBMO OERK

1998.89 nm / 3701.95 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

Route

Ident Type		Via	Lat Lon	Alt	Dist (nm)	Name
LIRF	-	41.81080	0 ft	-	Roma-Fiumicino	"Leonardo da Vinci"
APT	-	12.25090	0 m			
TEA	-	41.29680	29,700 ft	83	TEANO	
VOR	-	13.97070	9,053 m			
AKAMO	L995	41.19080	35,000 ft	31	-	
FIX	AWY-HI	14.65330	10,668 m			
AMSOR	L995	41.15720	35,000 ft	9	-	
FIX	AWY-HI	14.86920	10,668 m			
EKTOL	L995	41.10780	35,000 ft	13	-	
FIX	AWY-HI	15.17140	10,668 m			
TIGRA	T75	40.05670	35,000 ft	185	-	
FIX	AWY-LO	19.00000	10,668 m			
KRK	UL995	39.44390	35,000 ft	61	KERKIRA	
VOR	AWY-HI	20.07280	10,668 m			
LATSO	L995	39.32000	35,000 ft	16	-	
FIX	AWY-LO	20.38190	10,668 m			
VARDI	L995	38.67190	35,000 ft	82	-	
FIX	AWY-LO	21.95110	10,668 m			
XANIS	L995	38.57220	35,000 ft	12	-	
FIX	AWY-LO	22.18580	10,668 m			
GERMI	L995	38.16560	35,000 ft	50	-	
FIX	AWY-LO	23.12440	10,668 m			
ATV	L995	37.88870	35,000 ft	36	ATHENS	
VOR	AWY-LO	23.80450	10,668 m			
ATV	-	37.88860	35,000 ft	0	ATHINAI	VOR-DME
DME	-	23.81440	10,668 m			
KEA	UL607	37.55720	35,000 ft	30	KEA	
VOR	AWY-HI	24.29870	10,668 m			
RAPOS	UL52	37.13470	35,000 ft	47	-	
FIX	AWY-HI	25.13560	10,668 m			
ASTIS	UL52	36.56530	35,000 ft	62	-	
FIX	AWY-HI	26.23280	10,668 m			
NAXAS	UL52	36.35750	35,000 ft	27	-	
FIX	AWY-HI	26.74890	10,668 m			
LINRO	UL52	35.96560	35,000 ft	51	-	
FIX	AWY-HI	27.69940	10,668 m			
TIRMO	UL52	35.63390	35,000 ft	34	-	
FIX	AWY-HI	28.26610	10,668 m			
VAXOS	UL52	34.99310	35,000 ft	64	-	
FIX	AWY-HI	29.33440	10,668 m			
MAGIS	UL52	34.58330	35,000 ft	41	-	
FIX	AWY-HI	30.00000	10,668 m			
KOSEG	UN134	34.14330	35,000 ft	52	-	
FIX	AWY-HI	30.90670	10,668 m			
GIPAS	UN134	33.69330	35,000 ft	52	-	
FIX	AWY-HI	31.81110	10,668 m			
ASPIIS	UN134	33.48170	35,000 ft	24	-	
FIX	AWY-HI	32.22830	10,668 m			
ERIMO	UN134	33.12500	35,000 ft	40	-	
FIX	AWY-HI	32.92170	10,668 m			
SOLIN	UN134	32.49470	35,000 ft	73	-	
FIX	AWY-HI	34.17080	10,668 m			
RIMON	P51	32.23190	35,000 ft	21	-	

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	34.45750	10,668 m		
GODED	P51	32.16500	35,000 ft	7	-
FIX	AWY-HI	34.57280	10,668 m		
MESIL	P51	32.11060	35,000 ft	17	-
FIX	AWY-HI	34.90140	10,668 m		
ADLOD	P51	32.00940	35,000 ft	18	-
FIX	AWY-HI	35.25250	10,668 m		
SALAM	P51	31.93330	35,000 ft	14	-
FIX	AWY-HI	35.51670	10,668 m		
OSAMA	-	31.93060	35,000 ft	5	-
FIX	-	35.61830	10,668 m		
QAA01	A412	31.73980	35,000 ft	29	-
FIX	AWY-HI	36.15740	10,668 m		
ALNOR	N318	31.66530	35,000 ft	14	-
FIX	AWY-HI	36.41880	10,668 m		
KINUR	N318	31.60720	35,000 ft	10	-
FIX	AWY-HI	36.62020	10,668 m		
ELOXI	N318	31.56690	35,000 ft	7	-
FIX	AWY-HI	36.75950	10,668 m		
GENEX	N318	31.49310	35,000 ft	13	-
FIX	AWY-HI	37.01440	10,668 m		
GRY	N318	31.41260	35,000 ft	14	GURIAT
VOR	AWY-HI	37.28660	10,668 m		
ORKAS	N318	30.79030	35,000 ft	85	-
FIX	AWY-HI	38.77140	10,668 m		
NEVOL	N318	30.41280	35,000 ft	50	-
FIX	AWY-HI	39.64470	10,668 m		
GIBAM	N318	30.00500	35,000 ft	40	-
FIX	AWY-HI	40.27560	10,668 m		
VELAL	N318	29.76720	35,000 ft	23	-
FIX	AWY-HI	40.63920	10,668 m		
SITOD	N318	29.36190	35,000 ft	46	-
FIX	AWY-HI	41.38690	10,668 m		
TOLDI	N318	29.05810	35,000 ft	34	-
FIX	AWY-HI	41.93920	10,668 m		
TAMRO	N318	28.64390	35,000 ft	46	-
FIX	AWY-HI	42.67970	10,668 m		
TOTAD	UT503	27.84530	35,000 ft	70	-
FIX	AWY-HI	43.65110	10,668 m		
PASIT	UT503	27.16970	35,000 ft	56	-
FIX	AWY-HI	44.38140	10,668 m		
RARLO	UT503	26.99420	35,000 ft	14	-
FIX	AWY-HI	44.56940	10,668 m		
SERPU	UT503	26.76890	31,900 ft	18	-
FIX	AWY-HI	44.80920	9,723 m		
ASVUL	UT503	26.59220	28,800 ft	14	-
FIX	AWY-HI	44.99580	8,778 m		
LABIS	UT503	26.30420	23,700 ft	23	-
FIX	AWY-HI	45.29860	7,224 m		
GOBMO	UT503	26.17030	21,300 ft	11	-
FIX	AWY-HI	45.43860	6,492 m		
OERK	-	24.95740	0 ft	99	King Khalid Intl
APT	-	46.69880	0 m		

LIRF

Region: ITALY
Timezone: EUROPE/ROME
Runways: 3

Elevation: 13 ft / 4 m
Location: 41.810800 12.250900
Magnetic Var: 3.675 E

METAR

LIRF 151420Z AUTO 21008KT 150V240 9999 NCD 25/13 Q1013

TAF

TAF LIRF 151100Z 1512/1618 24013KT 9999 FEW040 BECMG 1518/1520 15010KT BECMG 1611/1613 23012KT

Frequencies

REC - 120.17 MHz - ATIS ARRIVAL	REC - 126.12 MHz - ATIS ARRIVAL
REC - 121.85 MHz - ATIS DEPARTURE	CLD - 121.80 MHz - CLEARANCE DELIVERY
GND - 121.72 MHz - FIUME APRON	GND - 121.67 MHz - FIUME GROUND
GND - 121.90 MHz - FIUME GROUND	GND - 122.12 MHz - FIUME GROUND
TWR - 127.62 MHz - FIUME TOWER	TWR - 123.72 MHz - FIUME TOWER
TWR - 118.70 MHz - FIUME TOWER	DEP - 130.90 MHz - ROMA DEPARTURE
DEP - 131.10 MHz - ROMA DEPARTURE	APP - 127.95 MHz - ROMA ARRIVAL
APP - 125.50 MHz - ROMA ARRIVAL	APP - 119.20 MHz - ROMA DIRECT
APP - 131.25 MHz - ROMA DIRECT	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07	148 ft	10,859 ft	69.68	ASPHALT	1,348 ft	0 ft
	45 m	3,310 m	66.01		411 m	0 m
25	148 ft	10,859 ft	249.71	ASPHALT	0 ft	0 ft
	45 m	3,310 m	246.03		0 m	0 m
16R	197 ft	12,814 ft	162.66	ASPHALT	0 ft	0 ft
	60 m	3,906 m	158.99		0 m	0 m
34L	197 ft	12,814 ft	342.67	ASPHALT	0 ft	0 ft
	60 m	3,906 m	339.00		0 m	0 m
16L	197 ft	12,814 ft	162.68	ASPHALT	0 ft	0 ft
	60 m	3,906 m	159.00		0 m	0 m
34R	197 ft	12,814 ft	342.69	ASPHALT	0 ft	0 ft
	60 m	3,906 m	339.01		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
25	DME	FEE	110.15 MHz	25 nm	-	-	25 ft
				46 km	-		25 m
34L	DME	ISW	108.90 MHz	25 nm	-	-	15 ft
				46 km	-		15 m
34R	DME	FSS	111.55 MHz	25 nm	-	-	15 ft
				46 km	-		15 m
16L	LOC-ILS	IFLL	108.10 MHz	18 nm	162.69	-	13 ft
				33 km	159.01		13 m
16R	LOC-ILS	IFRR	109.75 MHz	18 nm	162.67	-	13 ft
				33 km	158.99		13 m
25	LOC-ILS	FEE	110.15 MHz	18 nm	249.69	-	13 ft
				33 km	246.01		13 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
34L	LOC-ILS	IFSW	108.90 MHz	18 nm	342.67	-	13 ft
				33 km	338.99		13 m
34R	LOC-ILS	FSS	111.55 MHz	18 nm	342.69	-	13 ft
				33 km	339.01		13 m
16L	GS	IFLL	108.10 MHz	10 nm	162.69	3.00	13 ft
				19 km	159.01		13 m
16R	GS	IFRR	109.75 MHz	10 nm	162.67	3.00	13 ft
				19 km	158.99		13 m
25	GS	FEE	110.15 MHz	10 nm	249.69	3.00	13 ft
				19 km	246.01		13 m
34L	GS	IFSW	108.90 MHz	10 nm	342.67	3.00	13 ft
				19 km	338.99		13 m
34R	GS	FSS	111.55 MHz	10 nm	342.69	3.00	13 ft
				19 km	339.01		13 m

OERK

Region: SAUDI ARABIA
Timezone: ASIA/RIYADH
Runways: 2

Elevation: 2,048 ft / 624 m
Location: 24.957400 46.698800
Magnetic Var: 3.357 E

METAR

OERK 151400Z 32012KT CAVOK 42/M06 Q1003 NOSIG

TAF

TAF OERK 151100Z 1512/1618 36014KT 7000 NSC TEMPO 1512/1520 3000 BLDU BECMG 1518/1520 30008KT BECMG 1606/1608 360

Frequencies

REC - 113.30 MHz - ATIS	CLD - 121.80 MHz - CLEARANCE DELIVERY
GND - 121.70 MHz - GROUND	GND - 121.60 MHz - GROUND
TWR - 118.60 MHz - TOWER	TWR - 118.80 MHz - TOWER
APP - 124.10 MHz - RIYADH APPROACH	APP - 120.00 MHz - RIYADH APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
15R	197 ft	13,809 ft	150.17	CONCRETE	0 ft	387 ft
	60 m	4,209 m	146.81		0 m	118 m
33L	197 ft	13,809 ft	330.18	CONCRETE	0 ft	384 ft
	60 m	4,209 m	326.82		0 m	117 m
15L	197 ft	13,809 ft	150.18	CONCRETE	0 ft	390 ft
	60 m	4,209 m	146.82		0 m	119 m
33R	197 ft	13,809 ft	330.19	CONCRETE	0 ft	390 ft
	60 m	4,209 m	326.83		0 m	119 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
15L	DME	IELF	109.50 MHz	18 nm	-	-	2,049 ft
				33 km	-		2,049 m
15R	DME	ITIH	110.50 MHz	18 nm	-	-	2,047 ft
				33 km	-		2,047 m
33L	DME	IFAT	110.10 MHz	18 nm	-	-	2,023 ft
				33 km	-		2,023 m
33R	DME	IKIA	109.10 MHz	18 nm	-	-	2,049 ft
				33 km	-		2,049 m
15L	LOC-ILS	IELF	109.50 MHz	18 nm	150.18	-	2,049 ft
				33 km	146.82		2,049 m
15R	LOC-ILS	ITIH	110.50 MHz	18 nm	150.17	-	2,046 ft
				33 km	146.82		2,046 m
33L	LOC-ILS	IFAT	110.10 MHz	18 nm	330.16	-	2,049 ft
				33 km	326.80		2,049 m
33R	LOC-ILS	IKIA	109.10 MHz	18 nm	330.18	-	2,049 ft
				33 km	326.82		2,049 m
15L	GS	IELF	109.50 MHz	10 nm	150.35	3.00	2,033 ft
				19 km	147.00		2,033 m
15R	GS	ITIH	110.50 MHz	10 nm	150.33	3.00	2,047 ft
				19 km	146.97		2,047 m
33L	GS	IFAT	110.10 MHz	10 nm	330.33	3.00	2,023 ft
				19 km	326.97		2,023 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
33R	GS	IKIA	109.10 MHz	10 nm	330.35	3.00	2,023 ft
				19 km	327.00		2,023 m