


2024/05/05 0102Z

EBCI REMBA EBLG

41.57 nm / 76.98 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EBCI APT	-	50.45990 4.45311	0 ft 0 m	-	Brussels South - Charleroi
REMBA FIX	-	50.66220 4.91403	4,300 ft 1,311 m	21	-
EBLG APT	-	50.63640 5.44278	0 ft 0 m	20	Liege

EBCI

Region: BELGIUM
Timezone: EUROPE/BRUSSELS
Runways: 1

Elevation: 612 ft / 187 m
Location: 50.459900 4.453110
Magnetic Var: 2.001 E

METAR

EBCI 050020Z 20005KT 0500 R24/1900N FG BKN002 08/08 Q1009 TEMPO 0200 FG BKN001

TAF

TAF EBCI 042306Z 0500/0606 23004KT 8000 SCT008 SCT015 TEMPO 0500/0509 3000 BR BKN005 PROB40 TEMPO 0500/0507 0400 F

Frequencies

REC - 134.62 MHz - ATIS
TWR - 121.30 MHz - CHARLEROI TWR
GND - 121.80 MHz - CHARLEROI GND
APP - 133.12 MHz - CHARLEROI APP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	8,347 ft	65.45	ASPHALT	1,470 ft	0 ft
	45 m	2,544 m	63.45		448 m	0 m
24	148 ft	8,347 ft	245.48	ASPHALT	0 ft	0 ft
	45 m	2,544 m	243.48		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
24	LOC-ILS	IGC	110.90 MHz	18 nm	245.46	-	612 ft
				33 km	243.46		612 m
24	GS	IGC	110.90 MHz	10 nm	245.46	3.00	612 ft
				19 km	243.46		612 m

EBLG

Region: BELGIUM
Timezone: EUROPE/BRUSSELS
Runways: 2

Elevation: 645 ft / 197 m
Location: 50.636400 5.442780
Magnetic Var: 2.291 E

METAR

EBLG 050020Z 22008KT 9999 FEW013 09/08 Q1009 TEMPO BKN008

TAF

TAF EBLG 042306Z 0500/0606 23006KT 9999 FEW006 SCT016 PROB40 TEMPO 0500/0508 4500 BR BKN006 PROB30 TEMPO 0502/0507

Frequencies

APP - 119.27 MHz - APPROACH
APP - 243.00 MHz - APPROACH
TWR - 130.62 MHz - TOWER
REC - 126.25 MHz - INFO

APP - 121.00 MHz - APPROACH
TWR - 129.25 MHz - TOWER
GND - 121.92 MHz - GROUND
CLD - 128.20 MHz - HOMER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04R	148 ft	12,068 ft	45.17	ASPHALT	761 ft	226 ft
	45 m	3,678 m	42.88		232 m	69 m
22L	148 ft	12,068 ft	225.20	ASPHALT	1,306 ft	0 ft
	45 m	3,678 m	222.91		398 m	0 m
04L	148 ft	7,664 ft	45.15	ASPHALT	0 ft	0 ft
	45 m	2,336 m	42.85		0 m	0 m
22R	148 ft	7,664 ft	225.16	ASPHALT	0 ft	0 ft
	45 m	2,336 m	222.87		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04R	LOC-ILS	IHH	108.75 MHz	18 nm	45.19	-	645 ft
				33 km	42.90		645 m
22L	LOC-ILS	ILG	109.35 MHz	18 nm	225.19	-	645 ft
				33 km	222.90		645 m
22R	LOC-ILS	IBI	109.35 MHz	18 nm	225.16	-	645 ft
				33 km	222.87		645 m
04R	GS	IHH	108.75 MHz	10 nm	45.19	3.00	645 ft
				19 km	42.90		645 m
22L	GS	ILG	109.35 MHz	10 nm	225.19	3.00	645 ft
				19 km	222.90		645 m
22R	GS	IBI	109.35 MHz	10 nm	225.16	3.00	645 ft
				19 km	222.87		645 m