


2024/06/06 2026Z

UHPP GEFAR **G583** MARCC **G349** NEONN **R220** NODLE PANC

1703.22 nm / 3154.37 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 480kts
- Cruise Altitude: 35000ft
- Cruise Speed: 480kts
- Descent Rate: 1500ft/min
- Descent Speed: 480kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
UHPP	-	53.16789	0 ft	-	YELIZOVO
APT	-	158.45367	0 m		
GEFAR	-	54.21333	28,200 ft	79	-
FIX	-	159.80361	8,595 m		
IRKAN	G583	55.33333	35,000 ft	127	-
FIX	AWY-LO	162.94194	10,668 m		
BESAT	G583	59.75000	35,000 ft	591	-
FIX	AWY-LO	179.41833	10,668 m		
MARCC	G583	60.19333	35,000 ft	85	-
FIX	AWY-HI	-177.89333	10,668 m		
NEONN	G349	60.82202	35,000 ft	382	-
FIX	AWY-HI	-165.01011	10,668 m		
NOSHO	R220	61.11667	35,000 ft	61	-
FIX	AWY-HI	-163.00000	10,668 m		
NICHO	R220	61.25000	35,000 ft	202	-
FIX	AWY-HI	-156.00000	10,668 m		
NODLE	R220	61.28333	12,400 ft	115	-
FIX	AWY-HI	-152.00000	3,780 m		
PANC	-	61.17411	0 ft	58	Ted Stevens Anchorage Intl
APT	-	-149.99598	0 m		

## UHPP

Region: RUSSIA  
Timezone: ASIA/KAMCHATKA  
Runways: 2

Elevation: 129 ft / 39 m  
Location: 53.169800 158.452000  
Magnetic Var: 6.932 W

## METAR

UHPP 062000Z 33003MPS CAVOK 09/M01 Q1012 R34L/CLRD60 NOSIG RMK QFE755/1007

## TAF

TAF UHPP 061639Z 0618/0724 36003G10MPS 9999 BKN040 BECMG 0622/0624 17005G12MPS BECMG 0709/0711 36003G10MPS

## Frequencies

TWR - 118.10 MHz - PETROPAVLOVSK TOWER  
COM - 119.40 MHz - PETROPAVLOVSK RADAR  
GND - 118.90 MHz - PETROPAVLOVSK GROUND

APP - 131.90 MHz - PETROPAVLOVSK APPROACH  
REC - 126.80 MHz - PETROPAVLOVSK ATIS

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16R	148 ft	11,170 ft	157.45	CONCRETE	0 ft	236 ft
	45 m	3,405 m	164.38		0 m	72 m
34L	148 ft	11,170 ft	337.46	CONCRETE	0 ft	266 ft
	45 m	3,405 m	344.40		0 m	81 m
16L	197 ft	11,150 ft	157.45	CONCRETE	0 ft	246 ft
	60 m	3,399 m	164.38		0 m	75 m
34R	197 ft	11,150 ft	337.46	CONCRETE	0 ft	243 ft
	60 m	3,399 m	344.40		0 m	74 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16R	LOC-ILS	IKM	109.90 MHz	18 nm	157.46	-	129 ft
				33 km	164.39		129 m
34L	LOC-ILS	ILW	108.70 MHz	18 nm	337.46	-	129 ft
				33 km	344.39		129 m
16R	GS	IKM	109.90 MHz	10 nm	157.46	2.70	129 ft
				19 km	164.39		129 m
34L	GS	ILW	108.70 MHz	10 nm	337.46	2.70	129 ft
				19 km	344.39		129 m

## PANC

Region: USA (ALASKA)

Timezone: AMERICA/ANCHORAGE

Runways: 3

Elevation: 151 ft / 46 m

Location: 61.174300 -149.998000

Magnetic Var: 13.999 E

## METAR

PANC 061953Z 14009KT 10SM BKN065 BKN080 12/06 A2994

## TAF

TAF PANC 061732Z 0618/0724 15008KT P6SM VCSH FEW035 BKN060 TEMPO 0618/0622 16012G22KT -SHRA BKN045 FM062200 16018

## Frequencies

REC - 135.50 MHz - D-ATIS

GND - 121.90 MHz - ANCHORAGE GROUND

CLD - 119.40 MHz - CLEARANCE DELIVERY

APP - 118.60 MHz - ANCHORAGE APPROACH

APP - 123.80 MHz - ANCHORAGE APPROACH

DEP - 118.60 MHz - ANCHORAGE DEPARTURE

DEP - 123.80 MHz - ANCHORAGE DEPARTURE

COM - 122.95 MHz - UNICOM

TWR - 118.30 MHz - ANCHORAGE TOWER

CLD - 128.65 MHz - CLEARANCE DELIVERY

APP - 119.10 MHz - ANCHORAGE APPROACH

APP - 126.40 MHz - ANCHORAGE APPROACH

DEP - 119.10 MHz - ANCHORAGE DEPARTURE

DEP - 126.40 MHz - ANCHORAGE DEPARTURE

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07R	200 ft	12,357 ft	89.84	ASPHALT	0 ft	0 ft
	61 m	3,767 m	75.84		0 m	0 m
25L	200 ft	12,357 ft	269.90	ASPHALT	0 ft	194 ft
	61 m	3,767 m	255.90		0 m	59 m
07L	150 ft	10,566 ft	89.88	ASPHALT	0 ft	387 ft
	46 m	3,221 m	75.88		0 m	118 m
25R	150 ft	10,566 ft	269.93	ASPHALT	0 ft	387 ft
	46 m	3,221 m	255.93		0 m	118 m
15	200 ft	10,847 ft	164.89	ASPHALT	0 ft	397 ft
	61 m	3,306 m	150.89		0 m	121 m
33	200 ft	10,847 ft	344.90	ASPHALT	463 ft	236 ft
	61 m	3,306 m	330.90		141 m	72 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07L	DME	ITGN	109.90 MHz	18 nm	-	-	152 ft
				33 km	-		152 m
07R	DME	IANC	111.30 MHz	18 nm	-	-	152 ft
				33 km	-		152 m
15	DME	IBSC	111.75 MHz	18 nm	-	-	152 ft
				33 km	-		152 m
07L	LOC-ILS	ITGN	109.90 MHz	18 nm	89.90	-	151 ft
				33 km	75.90		151 m
07R	LOC-ILS	IANC	111.30 MHz	18 nm	89.87	-	151 ft
				33 km	75.87		151 m
15	LOC-ILS	IBSC	111.75 MHz	18 nm	164.90	-	151 ft
				33 km	150.90		151 m
07L	GS	ITGN	109.90 MHz	10 nm	89.90	3.00	151 ft
				19 km	75.90		151 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07R	GS	IANC	111.30 MHz	10 nm	89.87	3.00	151 ft
				19 km	75.87		151 m
15	GS	IBSC	111.75 MHz	10 nm	164.90	3.00	151 ft
				19 km	150.90		151 m