

LPPT

Lisboa Humberto Delgado


EGKK

London Gatwick

2024/05/06 1544Z

LPPT XAMAX **A5** MANIK **UP600** OTREG **A5** STG **R1** KORUL **UN866** QPR **UN472** REVТУ **UP88** ODREP EGKK

856.62 nm / 1586.46 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LPPT	-	38.77880	0 ft	-	Lisboa Humberto Delgado
APT	-	-9.13519	0 m		
XAMAX	-	40.03110	28,600 ft	80	-
FIX	-	-8.53611	8,717 m		
MANIK	A5	40.69190	35,000 ft	39	-
FIX	AWY-LO	-8.61611	10,668 m		
OTREG	UP600	41.27310	35,000 ft	35	-
FIX	AWY-HI	-8.68778	10,668 m		
RELVA	A5	41.85280	35,000 ft	35	-
FIX	AWY-LO	-8.59750	10,668 m		
TURON	A5	42.06790	35,000 ft	13	-
FIX	AWY-LO	-8.56342	10,668 m		
ASDEB	A5	42.51590	35,000 ft	27	-
FIX	AWY-LO	-8.49189	10,668 m		
STG	A5	42.92690	35,000 ft	24	SANTIAGO
VOR	AWY-LO	-8.42539	10,668 m		
KORAV	R1	43.65310	35,000 ft	50	-
FIX	AWY-LO	-7.86558	10,668 m		
KORUL	R1	44.83520	35,000 ft	81	-
FIX	AWY-LO	-6.91972	10,668 m		
KOLEK	UN866	46.61280	35,000 ft	124	-
FIX	AWY-HI	-5.40806	10,668 m		
COQUE	UN866	47.07920	35,000 ft	32	-
FIX	AWY-HI	-4.99056	10,668 m		
KEREB	UN866	47.59140	35,000 ft	36	-
FIX	AWY-HI	-4.52472	10,668 m		
EBOMO	UN866	47.82110	35,000 ft	16	-
FIX	AWY-HI	-4.31256	10,668 m		
QPR	UN866	47.95730	35,000 ft	9	QUIMPER PLUGUFFAN
VOR	AWY-HI	-4.18472	10,668 m		
ARE	UN472	48.33260	35,000 ft	32	MONTS D'ARREE
VOR	AWY-HI	-3.60247	10,668 m		
BADUR	UN472	48.71080	35,000 ft	34	-
FIX	AWY-HI	-2.95111	10,668 m		
JSY	UN472	49.22110	29,200 ft	47	JERSEY
VOR	AWY-HI	-2.04615	8,900 m		
REVTU	UN472	49.59720	23,700 ft	25	-
FIX	AWY-HI	-1.72556	7,224 m		
ODREP	UP88	50.00000	18,200 ft	25	-
FIX	AWY-HI	-1.50208	5,547 m		
EGKK	-	51.14880	0 ft	85	London Gatwick
APT	-	-0.19192	0 m		

LPPT

Region: PORTUGAL
Timezone: EUROPE/LISBON
Runways: 2

Elevation: 374 ft / 114 m
Location: 38.778800 -9.135190
Magnetic Var: 1.571 W

METAR

LPPT 061530Z 35015KT 9999 FEW038 19/09 Q1017

TAF

TAF LPPT 061100Z 0612/0718 36010KT 9999 FEW030 BECMG 0615/0617 33013KT CAVOK BECMG 0621/0623 36008KT BECMG 0708/0

Frequencies

REC - 121.95 MHz - ATIS	REC - 124.15 MHz - ATIS
TWR - 118.10 MHz - LISBOA TOWER	TWR - 118.50 MHz - LISBOA TOWER
GND - 121.75 MHz - LISBOA GROUND	CLD - 118.95 MHz - CLEARANCE DELIVERY
APP - 119.10 MHz - LISBOA APPROACH	APP - 119.55 MHz - LISBOA APPROACH
APP - 125.35 MHz - LISBOA ARRIVAL	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03	148 ft	12,505 ft	22.65	ASPHALT	302 ft	0 ft
	45 m	3,812 m	24.22		92 m	0 m
21	148 ft	12,505 ft	202.66	ASPHALT	1,965 ft	0 ft
	45 m	3,812 m	204.23		599 m	0 m
17	148 ft	7,612 ft	168.14	ASPHALT	0 ft	0 ft
	45 m	2,320 m	169.71		0 m	0 m
35	148 ft	7,612 ft	348.14	ASPHALT	194 ft	299 ft
	45 m	2,320 m	349.71		59 m	91 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03	DME	ILI	109.10 MHz	18 nm	-	-	419 ft
				33 km	-		419 m
21	DME	ILB	109.50 MHz	18 nm	-	-	423 ft
				33 km	-		423 m
03	LOC-ILS	ILI	109.10 MHz	18 nm	22.66	-	374 ft
				33 km	24.23		374 m
21	LOC-ILS	ILB	109.50 MHz	18 nm	202.59	-	335 ft
				33 km	204.16		335 m
03	GS	ILI	109.10 MHz	10 nm	22.66	3.00	374 ft
				19 km	24.23		374 m
21	GS	ILB	109.50 MHz	10 nm	203.42	3.00	423 ft
				19 km	204.99		423 m

EGKK

Region: UNITED KINGDOM
Timezone: EUROPE/LONDON
Runways: 2

Elevation: 187 ft / 57 m
Location: 51.148800 -0.191923
Magnetic Var: 0.494 E

METAR

EGKK 061520Z 33007KT 9999 SCT010 BKN038 14/13 Q1008

TAF

TAF EGKK 061055Z 0612/0718 01009KT 9999 SCT020 TEMPO 0612/0624 6000 RA SHRA BKN012 PROB30 TEMPO 0612/0624 4000 +RA

Frequencies

REC - 136.52 MHz - GATWICK INFORMATION	GND - 121.80 MHz - GATWICK GROUND
TWR - 124.22 MHz - GATWICK TOWER	TWR - 134.22 MHz - GATWICK TOWER
CLD - 121.95 MHz - GATWICK DELIVERY	APP - 118.95 MHz - GATWICK DIRECTOR
APP - 126.82 MHz - GATWICK DIRECTOR	APP - 129.02 MHz - GATWICK DIRECTOR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08R	148 ft	10,851 ft	77.60	ASPHALT	1,289 ft	0 ft
	45 m	3,308 m	77.10		393 m	0 m
26L	148 ft	10,851 ft	257.63	ASPHALT	1,388 ft	102 ft
	45 m	3,308 m	257.14		423 m	31 m
08L	148 ft	8,382 ft	77.59	ASPHALT	1,047 ft	0 ft
	45 m	2,555 m	77.09		319 m	0 m
26R	148 ft	8,382 ft	257.61	ASPHALT	1,358 ft	0 ft
	45 m	2,555 m	257.12		414 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08R	DME	IGG	110.90 MHz	18 nm	-	-	274 ft
				33 km	-		274 m
26L	DME	IWW	110.90 MHz	18 nm	-	-	274 ft
				33 km	-		274 m
08R	LOC-ILS	IGG	110.90 MHz	18 nm	77.62	-	187 ft
				33 km	77.13		187 m
26L	LOC-ILS	IWW	110.90 MHz	18 nm	257.62	-	187 ft
				33 km	257.13		187 m
08R	GS	IGG	110.90 MHz	10 nm	77.62	3.00	187 ft
				19 km	77.13		187 m
26L	GS	IWW	110.90 MHz	10 nm	257.62	3.00	187 ft
				19 km	257.13		187 m