

KMIE

Delaware County Regional


KOSH

Wittman Regional Airport

2024/05/16 1917Z

KMIE GIJ **V526** MUSKY PIVOT ENKOW KOSH

269.03 nm / 498.25 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KMIE APT	-	40.24250 -85.39550	0 ft 0 m	-	Delaware County Regional
GIJ VOR	-	41.76860 -86.31850	35,000 ft 10,668 m	100	GIPPER (NILES)
MAPER FIX	V526 AWY-LO	42.02880 -86.73560	30,800 ft 9,388 m	24	-
MUSKY FIX	V526 AWY-LO	42.15330 -86.93710	28,300 ft 8,626 m	11	-
PIVOT FIX	-	42.33720 -87.11580	25,400 ft 7,742 m	13	-
ENKOW FIX	-	42.63260 -87.20440	21,500 ft 6,553 m	18	-
KOSH APT	-	43.98630 -88.55640	0 ft 0 m	100	Wittman Regional Airport

KMIE

Region: UNITED STATES
Timezone: AMERICA/INDIANA/INDIANAPOLIS
Runways: 2

Elevation: 937 ft / 286 m
Location: 40.242500 -85.395500
Magnetic Var: 5.745 W

METAR

KMIE 161853Z 21006KT 10SM FEW047 SCT090 25/13 A2986 RMK A02 SLP104 T02500133

TAF

UNKNOWN

Frequencies

REC - 133.25 MHz - ATIS
COM - 122.95 MHz - UNICOM
TWR - 120.10 MHz - MUNCIE TWR
COM - 120.10 MHz - CTAF
GND - 121.90 MHz - MUNCIE GND

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
14	150 ft	6,498 ft	136.22	ASPHALT	0 ft	0 ft
	46 m	1,981 m	141.97		0 m	0 m
32	150 ft	6,498 ft	316.23	ASPHALT	0 ft	194 ft
	46 m	1,981 m	321.98		0 m	59 m
03	100 ft	5,203 ft	21.75	ASPHALT	0 ft	0 ft
	30 m	1,586 m	27.49		0 m	0 m
21	100 ft	5,203 ft	201.75	ASPHALT	0 ft	203 ft
	30 m	1,586 m	207.50		0 m	62 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
32	LOC-ILS	IJNK	109.10 MHz	18 nm	316.22	-	937 ft
				33 km	321.96		937 m
32	GS	IJNK	109.10 MHz	10 nm	316.22	3.00	937 ft
				19 km	321.96		937 m

KOSH

Region: UNITED STATES
Timezone: AMERICA/CHICAGO
Runways: 4

Elevation: 808 ft / 246 m
Location: 43.986300 -88.556400
Magnetic Var: 3.868 W

METAR

KOSH 161853Z 36005KT 10SM FEW033 BKN042 OVC060 19/14 A2974 RMK A02 SLP065 T01890144

TAF

UNKNOWN

Frequencies

REC - 125.90 MHz - ATIS
COM - 122.95 MHz - UNICOM
TWR - 118.50 MHz - OSHKOSH TWR
COM - 118.50 MHz - CTAF
GND - 121.90 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
18	151 ft	8,010 ft	180.54	CONCRETE	0 ft	0 ft
	46 m	2,441 m	184.41		0 m	0 m
36	151 ft	8,010 ft	0.54	CONCRETE	0 ft	0 ft
	46 m	2,441 m	4.41		0 m	0 m
09	151 ft	6,184 ft	90.53	CONCRETE	0 ft	0 ft
	46 m	1,885 m	94.40		0 m	0 m
27	151 ft	6,184 ft	270.55	CONCRETE	535 ft	0 ft
	46 m	1,885 m	274.41		163 m	0 m
05	75 ft	3,701 ft	44.82	ASPHALT	0 ft	0 ft
	23 m	1,128 m	48.69		0 m	0 m
23	75 ft	3,701 ft	224.83	ASPHALT	282 ft	0 ft
	23 m	1,128 m	228.69		86 m	0 m
13	75 ft	3,064 ft	129.51	ASPHALT	0 ft	0 ft
	23 m	934 m	133.38		0 m	0 m
31	75 ft	3,064 ft	309.52	ASPHALT	0 ft	0 ft
	23 m	934 m	313.39		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
36	GS	IOSH	110.50 MHz	10 nm	0.54	3.00	808 ft
				19 km	4.41		808 m