


2024/05/07 1253Z

TTPP 1200N06200W 1300N06200W 1500N06300W 1600N06300W TNCM

469.30 nm / 869.13 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: no
- Use high airways: no

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
TTPP	-	10.59540	0 ft	-	Piarco Intl
APT	-	-61.33730	0 m		
1200N06200W	-	12.00000	33,100 ft	92	-
LATLON	-	-62.00000	10,089 m		
1300N06200W	-	13.00000	35,000 ft	60	-
LATLON	-	-62.00000	10,668 m		
1500N06300W	-	15.00000	35,000 ft	133	-
LATLON	-	-63.00000	10,668 m		
1600N06300W	-	16.00000	26,200 ft	60	-
LATLON	-	-63.00000	7,986 m		
TNCM	-	18.04090	0 ft	122	Princess Juliana Intl
APT	-	-63.10890	0 m		

## TTPP

Region: TRINIDAD AND TOBAGO  
Timezone: AMERICA/PORT\_OF\_SPAIN  
Runways: 1

Elevation: 57 ft / 17 m  
Location: 10.595400 -61.337300  
Magnetic Var: 15.350 W

## METAR

TTPP 071200Z 11011KT 6000 VCSH SCT018 29/25 Q1011 NOSIG RMK VCSH NE

## TAF

TAF TTPP 071000Z 0712/0812 11014KT 7000 SCT024 BECMG 0800/0802 09005KT 9999 FEW016

## Frequencies

REC - 126.70 MHz - ATIS  
TWR - 118.10 MHz - PIARCO TOWER  
APP - 119.55 MHz - PIARCO APPROACH  
GND - 121.90 MHz - PIARCO GROUND  
APP - 119.00 MHz - PIARCO APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	151 ft	10,505 ft	89.80	ASPHALT	0 ft	62 ft
	46 m	3,202 m	105.15		0 m	19 m
28	151 ft	10,505 ft	269.81	ASPHALT	0 ft	180 ft
	46 m	3,202 m	285.16		0 m	55 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10	DME	IPOS	109.70 MHz	18 nm	-	-	57 ft
				33 km	-		57 m
10	LOC-ILS	IPOS	109.70 MHz	18 nm	89.49	-	57 ft
				33 km	104.84		57 m
10	GS	IPOS	109.70 MHz	10 nm	90.67	3.00	57 ft
				19 km	106.02		57 m