


KLGA
La Guardia

2024/05/09 1250Z

KLGA RITTY KAVP

90.34 nm / 167.30 km

KAVP
Wilkes Barre Scranton Intl



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KLGA	-	40.77720	0 ft	-	La Guardia
APT	-	-73.87260	0 m		
RITTY	-	41.26130	2,600 ft	78	-
FIX	-	-75.47450	792 m		
KAVP	-	41.33890	0 ft	12	Wilkes Barre Scranton Intl
APT	-	-75.72310	0 m		

KLGA

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 2

Elevation: 21 ft / 6 m
Location: 40.777200 -73.872600
Magnetic Var: 12.802 W

METAR

KLGA 091151Z 32011KT 10SM BKN250 16/07 A2973 RMK AO2 SLP067 70020 T01610072 10200 20161 51019 \$

TAF

TAF KLGA 091120Z 0912/1018 32013KT P6SM BKN250 FM091500 01008KT P6SM SCT150 FM092000 14009KT P6SM BKN060 FM100000

Frequencies

REC - 125.95 MHz - ATIS ARRIVAL	REC - 127.05 MHz - ATIS DEPARTURE
TWR - 118.70 MHz - LAGUARDIA TOWER	GND - 121.70 MHz - LAGUARDIA GROUND
GND - 121.85 MHz - LAGUARDIA GROUND	GND - 127.67 MHz - LAGUARDIA GROUND
CLD - 121.87 MHz - LAGUARDIA CLEARANCE	CLD - 135.20 MHz - LAGUARDIA CLEARANCE
COM - 122.95 MHz - LAGUARDIA UNICOM	APP - 132.70 MHz - NEW YORK APPROACH
APP - 120.05 MHz - NEW YORK APPROACH	APP - 120.80 MHz - NEW YORK APPROACH
APP - 124.95 MHz - NEW YORK APPROACH	APP - 127.30 MHz - NEW YORK APPROACH
APP - 128.80 MHz - NEW YORK APPROACH	DEP - 120.40 MHz - NEW YORK DEPARTURE
DEP - 124.45 MHz - NEW YORK DEPARTURE	DEP - 127.05 MHz - NEW YORK DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	150 ft	7,006 ft	32.03	ASPHALT	0 ft	322 ft
	46 m	2,135 m	44.83		0 m	98 m
22	150 ft	7,006 ft	212.04	ASPHALT	0 ft	98 ft
	46 m	2,135 m	224.84		0 m	30 m
13	150 ft	6,994 ft	122.24	ASPHALT	0 ft	95 ft
	46 m	2,132 m	135.04		0 m	29 m
31	150 ft	6,994 ft	302.25	ASPHALT	0 ft	374 ft
	46 m	2,132 m	315.06		0 m	114 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
13	DME	IGDI	108.50 MHz	18 nm	-	-	22 ft
				33 km	-		22 m
31	DME	IPZV	108.50 MHz	18 nm	-	-	22 ft
				33 km	-		22 m
04	LOC-ILS	ILGA	110.50 MHz	18 nm	32.04	-	21 ft
				33 km	44.84		21 m
13	LOC-ILS	IGDI	108.50 MHz	18 nm	122.25	-	21 ft
				33 km	135.05		21 m
22	LOC-ILS	IURD	110.50 MHz	18 nm	212.04	-	21 ft
				33 km	224.84		21 m
31	LOC-LOC	IPZV	108.50 MHz	18 nm	302.25	-	21 ft
				33 km	315.05		21 m
04	GS	ILGA	110.50 MHz	10 nm	32.04	3.10	21 ft
				19 km	44.84		21 m
13	GS	IGDI	108.50 MHz	10 nm	122.25	3.10	21 ft
				19 km	135.05		21 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
22	GS	IURD	110.50 MHz	10 nm	212.04	3.00	21 ft
				19 km	224.84		21 m

KAVP

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 2

Elevation: 962 ft / 293 m
Location: 41.338900 -75.723100
Magnetic Var: 12.019 W

METAR

KAVP 091154Z AUTO VRB04KT 10SM OVC023 13/07 A2979 RMK A02 SLP081 T01330072 10167 20117 51021

TAF

TAF KAVP 091120Z 0912/1012 34005KT P6SM BKN035 FM100000 09005KT P6SM -RA OVC050 FM100400 05005KT P6SM -RA OVC025 F

Frequencies

TWR - 120.10 MHz - WILKES-BARRE TOWER
APP - 120.95 MHz - WILKES-BARRE APPROACH
REC - 111.60 MHz - ATIS
GND - 121.90 MHz - WILKES-BARRE GROUND
DEP - 120.95 MHz - WILKES-BARRE DEPARTURE
COM - 122.95 MHz - WILKES-BARRE UNICOM

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	151 ft	7,507 ft	32.61	ASPHALT	0 ft	194 ft
	46 m	2,288 m	44.62		0 m	59 m
22	151 ft	7,507 ft	212.62	ASPHALT	0 ft	374 ft
	46 m	2,288 m	224.63		0 m	114 m
10	151 ft	4,305 ft	91.72	ASPHALT	0 ft	207 ft
	46 m	1,312 m	103.74		0 m	63 m
28	151 ft	4,305 ft	271.74	ASPHALT	0 ft	0 ft
	46 m	1,312 m	283.75		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04	DME	IAVP	109.90 MHz	18 nm	-	-	962 ft
				33 km	-		962 m
22	DME	IIZK	109.90 MHz	18 nm	-	-	962 ft
				33 km	-		962 m
04	LOC-ILS	IAVP	109.90 MHz	18 nm	32.61	-	962 ft
				33 km	44.63		962 m
22	LOC-ILS	IIZK	109.90 MHz	18 nm	212.61	-	962 ft
				33 km	224.63		962 m
04	GS	IAVP	109.90 MHz	10 nm	32.61	3.00	962 ft
				19 km	44.63		962 m
22	GS	IIZK	109.90 MHz	10 nm	212.61	3.00	962 ft
				19 km	224.63		962 m