


2024/06/14 1914Z

KDAL GODHO **V94** GGG **V114** AEX **J50** MCB **V222** CETDA KBFM

482.91 nm / 894.34 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KDAL	-	32.84620	0 ft	-	Dallas Love Field
APT	-	-96.85070	0 m		
GODHO	-	32.38810	35,000 ft	100	-
FIX	-	-94.94690	10,668 m		
GGG	V94	32.41780	35,000 ft	9	GREGG CO. (LONGVIEW)
VOR	AWY-LO	-94.75320	10,668 m		
SPOUT	V114	32.29970	35,000 ft	13	-
FIX	AWY-LO	-94.51780	10,668 m		
EKPOW	V114	32.25020	35,000 ft	5	-
FIX	AWY-LO	-94.41970	10,668 m		
CARTH	V114	32.12740	35,000 ft	14	-
FIX	AWY-LO	-94.17720	10,668 m		
EXITE	V114	32.01220	35,000 ft	13	-
FIX	AWY-LO	-93.95120	10,668 m		
COVEX	V114	31.90330	35,000 ft	12	-
FIX	AWY-LO	-93.73870	10,668 m		
MARTA	V114	31.79300	35,000 ft	12	-
FIX	AWY-LO	-93.52440	10,668 m		
NUBOY	V114	31.51120	35,000 ft	32	-
FIX	AWY-LO	-92.98320	10,668 m		
BOYCE	V114	31.35600	35,000 ft	17	-
FIX	AWY-LO	-92.68840	10,668 m		
AEX	V114	31.25670	35,000 ft	11	ALEXANDRIA
VOR	AWY-LO	-92.50100	10,668 m		
MCB	J50	31.30450	26,400 ft	115	MC COMB
VOR	AWY-HI	-90.25820	8,047 m		
CETDA	V222	31.36150	21,300 ft	23	-
FIX	AWY-LO	-89.80520	6,492 m		
KBFM	-	30.62720	0 ft	99	Mobile Downtown Airport
APT	-	-88.06790	0 m		

KDAL

Region: UNITED STATES
Timezone: AMERICA/CHICAGO
Runways: 2

Elevation: 485 ft / 148 m
Location: 32.846200 -96.850700
Magnetic Var: 2.607 E

METAR

KDAL 141853Z 00000KT 10SM FEW055 34/19 A2996 RMK AO2 SLP137 T03440189

TAF

TAF KDAL 141720Z 1418/1518 15008KT P6SM FEW250

Frequencies

REC - 133.40 MHz - ATIS	CLD - 127.90 MHz - CLEARANCE DELIVERY
GND - 121.75 MHz - LOVE GROUND	TWR - 123.70 MHz - LOVE TOWER
APP - 125.12 MHz - REGIONAL APPROACH SOUTH	DEP - 125.20 MHz - REGIONAL DEPARTURE SOUTH
DEP - 124.30 MHz - REGIONAL DEPARTURE NORTH	APP - 118.55 MHz - REGIONAL APPROACH NORTH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13R	151 ft	8,801 ft	135.76	CONCRETE	495 ft	200 ft
	46 m	2,683 m	133.15		151 m	61 m
31L	151 ft	8,801 ft	315.77	CONCRETE	0 ft	197 ft
	46 m	2,683 m	313.16		0 m	60 m
13L	151 ft	7,756 ft	135.77	CONCRETE	0 ft	184 ft
	46 m	2,364 m	133.17		0 m	56 m
31R	151 ft	7,756 ft	315.78	CONCRETE	0 ft	200 ft
	46 m	2,364 m	313.18		0 m	61 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
13L	DME	IDAL	111.50 MHz	18 nm	-	-	501 ft
				33 km	-		501 m
13R	DME	IDPX	111.10 MHz	18 nm	-	-	482 ft
				33 km	-		482 m
31L	DME	ILVF	111.10 MHz	18 nm	-	-	482 ft
				33 km	-		482 m
31R	DME	IOVW	111.50 MHz	18 nm	-	-	501 ft
				33 km	-		501 m
13L	LOC-ILS	IDAL	111.50 MHz	18 nm	135.78	-	487 ft
				33 km	133.17		487 m
13R	LOC-ILS	IDPX	111.10 MHz	18 nm	135.77	-	470 ft
				33 km	133.16		470 m
31L	LOC-ILS	ILVF	111.10 MHz	18 nm	315.75	-	448 ft
				33 km	313.15		448 m
31R	LOC-ILS	IOVW	111.50 MHz	18 nm	315.77	-	487 ft
				33 km	313.16		487 m
13L	GS	IDAL	111.50 MHz	10 nm	136.55	3.00	478 ft
				19 km	133.95		478 m
13R	GS	IDPX	111.10 MHz	10 nm	136.53	3.00	476 ft
				19 km	133.93		476 m
31L	GS	ILVF	111.10 MHz	10 nm	316.51	3.08	476 ft
				19 km	313.90		476 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
31R	GS	IOVW	111.50 MHz	10 nm	316.54	3.00	480 ft
				19 km	313.93		480 m

KBFM

Region: UNITED STATES
Timezone: AMERICA/CHICAGO
Runways: 2

Elevation: 25 ft / 8 m
Location: 30.627200 -88.067900
Magnetic Var: 2.945 W

METAR

KBFM 141853Z 08003KT 10SM FEW050 35/17 A2992 RMK A02 SLP130 T03500167

TAF

TAF KBFM 141720Z 1418/1518 04003KT P6SM SKC FM142100 17007KT P6SM FEW250 FM150200 00000KT P6SM SKC FM151300 10004

Frequencies

REC - 135.57 MHz - ATIS
COM - 122.95 MHz - UNICOM
TWR - 118.80 MHz - DOWNTOWN TWR
COM - 118.80 MHz - CTAF
GND - 121.70 MHz -
APP - 118.50 MHz - APP/DEP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
14	151 ft	9,629 ft	138.89	CONCRETE	0 ft	991 ft
	46 m	2,935 m	141.84		0 m	302 m
32	151 ft	9,629 ft	318.90	CONCRETE	0 ft	991 ft
	46 m	2,935 m	321.85		0 m	302 m
18	151 ft	7,806 ft	179.97	CONCRETE	0 ft	0 ft
	46 m	2,379 m	182.91		0 m	0 m
36	151 ft	7,806 ft	359.97	CONCRETE	0 ft	0 ft
	46 m	2,379 m	2.91		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
32	DME	IRUJ	108.50 MHz	18 nm	-	-	26 ft
				33 km	-		26 m
32	LOC-ILS	IRUJ	108.50 MHz	18 nm	318.90	-	25 ft
				33 km	321.85		25 m
32	GS	IRUJ	108.50 MHz	10 nm	318.90	3.00	25 ft
				19 km	321.85		25 m