

# LIRN

Napoli-Capodichino "Ugo Niutta"


# LSGG

Geneva

2024/05/16 0418Z

LIRN LAT **T340** TOP LSGG

481.67 nm / 892.05 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LIRN	-	40.88600	0 ft	-	Napoli-Capodichino "Ugo Niutta"
APT	-	14.29080	0 m		
LAT	-	41.54110	26,200 ft	73	LATINA
VOR	-	12.91810	7,986 m		
GUDLU	T340	43.59060	35,000 ft	180	-
FIX	AWY-HI	9.94028	10,668 m		
TOP	T340	44.92540	23,100 ft	120	TORINO
VOR	AWY-HI	7.86167	7,041 m		
LSGG	-	46.23810	0 ft	107	Geneva
APT	-	6.10901	0 m		

## LIRN

Region: ITALY  
Timezone: EUROPE/ROME  
Runways: 1

Elevation: 292 ft / 89 m  
Location: 40.886000 14.290800  
Magnetic Var: 3.963 E

## METAR

LIRN 160350Z 33003KT CAVOK 18/14 Q1006 NOSIG

## TAF

TAF LIRN 152300Z 1600/1624 VRB05KT CAVOK BECMG 1609/1611 21012KT BECMG 1617/1619 VRB05KT

## Frequencies

APP - 124.35 MHz - NAPOLI APPROACH  
TWR - 118.50 MHz - NAPOLI TOWER  
REC - 135.97 MHz - ATIS

APP - 120.95 MHz - NAPOLI APPROACH  
GND - 121.90 MHz - NAPOLI GROUND

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	8,630 ft	58.04	ASPHALT	1,312 ft	217 ft
	45 m	2,630 m	54.07		400 m	66 m
24	148 ft	8,630 ft	238.05	ASPHALT	607 ft	230 ft
	45 m	2,630 m	234.09		185 m	70 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	NPC	110.15 MHz	25 nm	-	-	294 ft
				46 km	-		294 m
24	DME	INPL	109.50 MHz	25 nm	-	-	250 ft
				46 km	-		250 m
06	LOC-ILS	NPC	110.15 MHz	18 nm	58.08	-	292 ft
				33 km	54.12		292 m
24	LOC-ILS	INPL	109.50 MHz	18 nm	238.03	-	288 ft
				33 km	234.06		288 m
24	LOC-ILS	INP	109.50 MHz	18 nm	238.08	-	292 ft
				33 km	234.12		292 m
24	GS	INPL	109.50 MHz	10 nm	238.06	3.33	250 ft
				19 km	234.10		250 m
24	GS	INP	109.50 MHz	10 nm	238.08	3.33	292 ft
				19 km	234.12		292 m

## LSGG

Region: SWITZERLAND  
Timezone: EUROPE/ZURICH  
Runways: 1

Elevation: 1,411 ft / 430 m  
Location: 46.238100 6.109010  
Magnetic Var: 2.512 E

## METAR

LSGG 160350Z AUTO VRB02KT 8000 SHRA FEW052 BKN056 11/10 Q1007 NOSIG

## TAF

TAF LSGG 160225Z 1603/1709 VRB02KT 9999 FEW020 BKN045 TX17/1615Z TN10/1605Z TN09/1705Z TEMPO 1603/1618 SHRA PROB4

## Frequencies

REC - 124.75 MHz - ATIS	REC - 135.57 MHz - ATIS
GND - 121.75 MHz - GENEVA APRON	GND - 121.85 MHz - GENEVA APRON
GND - 121.67 MHz - GENEVA GROUND	GND - 119.70 MHz - GENEVA GROUND
TWR - 118.70 MHz - GENEVA TOWER	TWR - 119.90 MHz - GENEVA TOWER
DEP - 131.32 MHz - GENEVA DEPARTURE	DEP - 119.52 MHz - GENEVA DEPARTURE
APP - 136.45 MHz - GENEVA TRANSIT	APP - 136.25 MHz - GENEVA ARRIVAL
APP - 130.55 MHz - GENEVA APPROACH	APP - 120.30 MHz - GENEVA FINAL

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	164 ft	12,806 ft	45.42	CONCRETE	1,076 ft	0 ft
	50 m	3,903 m	42.91		328 m	0 m
22	164 ft	12,806 ft	225.45	CONCRETE	0 ft	0 ft
	50 m	3,903 m	222.94		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04	LOC-ILS	INE	110.90 MHz	18 nm	45.44	-	1,411 ft
				33 km	42.93		1,411 m
22	LOC-ILS	ISW	109.90 MHz	18 nm	225.44	-	1,411 ft
				33 km	222.93		1,411 m
04	GS	INE	110.90 MHz	10 nm	45.44	3.00	1,411 ft
				19 km	42.93		1,411 m
22	GS	ISW	109.90 MHz	10 nm	225.44	3.00	1,411 ft
				19 km	222.93		1,411 m