


2024/05/22 0528Z

UGTB TETRO UGSB

150.30 nm / 278.35 km



Notes

Basic altitude profile:

- Ascent Rate: 3000ft/min
- Ascent Speed: 230kts
- Cruise Altitude: 26000ft
- Cruise Speed: 420kts
- Descent Rate: 2000ft/min
- Descent Speed: 220kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident		Via	Lat	Alt	Dist	Name
Type			Lon		(nm)	
UGTB	-	41.67400	0 ft	-		Tbilisi International Airport
APT	-	44.94720	0 m			
TETRO	-	41.67250	16,100 ft	93	-	
FIX	-	42.85970	4,907 m			
UGSB	-	41.60970	0 ft	56	BATUMI	
APT	-	41.60020	0 m			

UGTB

Region: GEORGIA
Timezone: ASIA/TBILISI
Runways: 2

Elevation: 1,624 ft / 495 m
Location: 41.674000 44.947200
Magnetic Var: 7.154 E

METAR

UGTB 220500Z VRB01KT 9999 SCT045 16/11 Q1021 NOSIG

TAF

TAF UGTB 212300Z 2200/2224 04005KT 9999 SCT045 TX22/2212Z TN13/2202Z TEMPO 2201/2206 SCT025 BKN050 BECMG 2205/2208

Frequencies

REC - 132.80 MHz - ATIS
TWR - 128.00 MHz -

GND - 119.00 MHz -
APP - 127.20 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13R	148 ft	9,852 ft	136.65	CONCRETE	0 ft	0 ft
	45 m	3,003 m	129.50		0 m	0 m
31L	148 ft	9,852 ft	316.67	CONCRETE	0 ft	0 ft
	45 m	3,003 m	309.52		0 m	0 m
13L	66 ft	657 ft	133.77	CONCRETE	0 ft	26 ft
	20 m	200 m	126.62		0 m	8 m
31R	66 ft	657 ft	313.77	CONCRETE	0 ft	26 ft
	20 m	200 m	306.62		0 m	8 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
13R	LOC-ILS	IVP	110.30 MHz	18 nm	136.69	-	1,624 ft
				33 km	129.54		1,624 m
31L	LOC-ILS	INA	108.90 MHz	18 nm	316.65	-	1,624 ft
				33 km	309.49		1,624 m
13R	GS	IVP	110.30 MHz	10 nm	137.32	3.00	1,657 ft
				19 km	130.17		1,657 m
31L	GS	INA	108.90 MHz	10 nm	317.32	3.00	1,624 ft
				19 km	310.17		1,624 m

UGSB

Region: GEORGIA
Timezone: ASIA/TBILISI
Runways: 1

Elevation: 105 ft / 32 m
Location: 41.609700 41.600200
Magnetic Var: 7.088 E

METAR

UGSB 220500Z 16004KT 110V240 CAVOK 18/13 Q1015 NOSIG

TAF

TAF UGSB 212300Z 2200/2224 13010KT CAVOK TX21/2212Z TN13/2202Z TEMPO 2200/2206 SCT014 BECMG 2206/2208 28007KT BECMG 2208/2212 13010KT CAVOK

Frequencies

TWR - 118.60 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13	148 ft	8,210 ft	130.99	ASPHALT	0 ft	0 ft
	45 m	2,502 m	123.90		0 m	0 m
31	148 ft	8,210 ft	311.01	ASPHALT	0 ft	0 ft
	45 m	2,502 m	303.92		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
13	LOC-ILS	ILU	110.30 MHz	18 nm	130.94	-	121 ft
				33 km	123.85		121 m
13	GS	ILU	110.30 MHz	10 nm	131.63	2.50	127 ft
				19 km	124.54		127 m