


2024/06/05 1253Z

ESSB PELIT **N873** DETSO ESGG

211.19 nm / 391.13 km



## Notes

Basic altitude profile:

- Ascent Rate: 1000ft/min
- Ascent Speed: 120kts
- Cruise Altitude: 4500ft
- Cruise Speed: 420kts
- Descent Rate: 500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
ESSB	-	59.35439	0 ft	-	BROMMA
APT	-	17.94160	0 m		
PELIT	-	59.20042	24,900 ft	69	-
FIX	-	15.68781	7,590 m		
DETSO	N873	58.60000	18,000 ft	57	-
FIX	AWY-LO	14.26436	5,486 m		
ESGG	-	57.66284	0 ft	84	Goteborg Landvetter
APT	-	12.27982	0 m		

## ESSB

Region: SWEDEN  
Timezone: EUROPE/STOCKHOLM  
Runways: 1

Elevation: 44 ft / 13 m  
Location: 59.354400 17.942200  
Magnetic Var: 7.082 E

## METAR

ESSB 051220Z 16015KT 140V200 9999 FEW035 SCT047 21/11 Q1003

## TAF

UNKNOWN

## Frequencies

REC - 122.45 MHz - ATIS  
TWR - 118.10 MHz - TOWER

GND - 121.60 MHz - GROUND

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	148 ft	6,181 ft	125.05	ASPHALT	361 ft	210 ft
	45 m	1,884 m	117.97		110 m	64 m
30	148 ft	6,181 ft	305.07	ASPHALT	361 ft	207 ft
	45 m	1,884 m	297.99		110 m	63 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	LOC-ILS	SB	110.30 MHz	18 nm	125.08	-	45 ft
				33 km	118.00		45 m
30	LOC-ILS	SBA	109.70 MHz	18 nm	305.08	-	45 ft
				33 km	298.00		45 m
12	GS	SB	110.30 MHz	10 nm	125.08	3.50	45 ft
				19 km	118.00		45 m
30	GS	SBA	109.70 MHz	10 nm	305.08	3.50	45 ft
				19 km	298.00		45 m

## ESGG

Region: SWEDEN  
Timezone: EUROPE/STOCKHOLM  
Runways: 1

Elevation: 505 ft / 154 m  
Location: 57.662800 12.279800  
Magnetic Var: 4.729 E

## METAR

ESGG 051220Z 23014KT 9999 BKN031 13/06 Q1005 REDZ

## TAF

TAF ESGG 051130Z 0512/0612 25015G25KT 9999 BKN025 PROB40 0512/0514 SCT040TCU BECMG 0514/0516 26009KT TEMPO 0514/0

## Frequencies

REC - 114.60 MHz - ATIS	REC - 118.37 MHz - ATIS
GND - 121.90 MHz - GOTEBOG GROUND	GND - 121.60 MHz - GOTEBOG GROUND
TWR - 118.60 MHz - GOTEBOG TOWER	TWR - 123.10 MHz - GOTEBOG TOWER
APP - 123.10 MHz - GOTEBOG APPROACH	APP - 123.30 MHz - GOTEBOG APPROACH
APP - 124.20 MHz - GOTEBOG APPROACH	APP - 124.67 MHz - GOTEBOG APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03	148 ft	10,805 ft	25.95	ASPHALT	0 ft	207 ft
	45 m	3,293 m	21.22		0 m	63 m
21	148 ft	10,805 ft	205.97	ASPHALT	0 ft	207 ft
	45 m	3,293 m	201.24		0 m	63 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03	LOC-ILS	SSG	110.30 MHz	18 nm	25.96	-	506 ft
				33 km	21.24		506 m
21	LOC-ILS	NGG	108.50 MHz	18 nm	205.96	-	506 ft
				33 km	201.23		506 m
03	GS	SSG	110.30 MHz	10 nm	25.96	3.00	506 ft
				19 km	21.23		506 m
21	GS	NGG	108.50 MHz	10 nm	205.96	3.00	506 ft
				19 km	201.23		506 m