

UWWW

Samara / Kurumoch International Airport


UUEE

Moscow Sheremetyevo Alexander S. Pushkin Intl

2024/05/11 0517Z

UWWW BMK **B827** BT **A246** MB **A244** GAMDI **R487** NOGTI UUEE

473.03 nm / 876.06 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: no
- Use high airways: yes

Route

Ident		Via	Lat	Alt	Dist	Name
Type			Lon		(nm)	
UWWW	-	53.50490	0 ft	-		Samara / Kurumoch International Airport
APT	-	50.16390	0 m			
BMK	-	54.26310	29,400 ft	82		ULYANOVSK-BARATAYEVKA
VOR	-	48.22560	8,961 m			
GOTUN	B827	54.53830	35,000 ft	32	-	
FIX	AWY-HI	47.41670	10,668 m			
BT	B827	54.81670	35,000 ft	33		ALATYR
NDB	AWY-HI	46.58170	10,668 m			
BARUP	A246	55.32330	35,000 ft	68	-	
FIX	AWY-HI	44.80940	10,668 m			
MB	A246	55.59440	35,000 ft	38		CHERNUKHA
NDB	AWY-HI	43.78060	10,668 m			
RUSAK	A244	55.60000	35,000 ft	17	-	
FIX	AWY-HI	43.27470	10,668 m			
NATAK	A244	55.65560	28,300 ft	68	-	
FIX	AWY-HI	41.26530	8,626 m			
GAMDI	A244	55.66670	23,600 ft	22	-	
FIX	AWY-HI	40.61470	7,193 m			
NOGTI	R487	55.65310	18,600 ft	23	-	
FIX	AWY-HI	39.92280	5,669 m			
UUEE	-	55.97250	0 ft	86		Moscow Sheremetyevo Alexander S. Pushkin Intl
APT	-	37.41310	0 m			

UWWW

Region: RUSSIA
Timezone: EUROPE/SAMARA
Runways: 2

Elevation: 477 ft / 145 m
Location: 53.504900 50.163900
Magnetic Var: 12.767 E

METAR

UWWW 110500Z 22006MPS 9999 -RA SCT033 07/02 Q1010 R15/290052 NOSIG RMK QFE746/0995

TAF

TAF UWWW 110151Z 1103/1203 21008G15MPS 9999 BKN016 TX13/1111Z TN06/1103Z TEMPO 1103/1117 24012G18MPS 3000 -SHRA S

Frequencies

APP - 124.60 MHz - SAMARA_APPROACH
GND - 119.00 MHz - SAMARA_GROUND
REC - 134.90 MHz - SAMARA_ATIS
TWR - 118.20 MHz - SAMARA_TOWER
COM - 128.00 MHz - SAMARA_RADAR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
15	148 ft	9,868 ft	160.46	ASPHALT	0 ft	0 ft
	45 m	3,008 m	147.69		0 m	0 m
33	148 ft	9,868 ft	340.47	ASPHALT	0 ft	0 ft
	45 m	3,008 m	327.70		0 m	0 m
05	197 ft	8,355 ft	61.31	ASPHALT	0 ft	164 ft
	60 m	2,547 m	48.54		0 m	50 m
23	197 ft	8,355 ft	241.33	ASPHALT	0 ft	164 ft
	60 m	2,547 m	228.57		0 m	50 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05	LOC-ILS	IBE	110.50 MHz	18 nm	61.32	-	477 ft
				33 km	48.55		477 m
15	LOC-ILS	IWG	111.90 MHz	18 nm	160.47	-	477 ft
				33 km	147.70		477 m
23	LOC-ILS	IFK	109.70 MHz	18 nm	241.32	-	477 ft
				33 km	228.55		477 m
33	LOC-ILS	IAZ	111.10 MHz	18 nm	340.47	-	477 ft
				33 km	327.70		477 m
05	GS	IBE	110.50 MHz	10 nm	61.32	3.00	477 ft
				19 km	48.55		477 m
15	GS	IWG	111.90 MHz	10 nm	160.47	2.70	477 ft
				19 km	147.70		477 m
23	GS	IFK	109.70 MHz	10 nm	241.32	2.70	477 ft
				19 km	228.55		477 m
33	GS	IAZ	111.10 MHz	10 nm	340.47	2.70	477 ft
				19 km	327.70		477 m

UUEE

Region: RUSSIA
Timezone: EUROPE/MOSCOW
Runways: 3

Elevation: 630 ft / 192 m
Location: 55.972500 37.413100
Magnetic Var: 11.977 E

METAR

UUEE 110500Z 32006MPS 290V350 9999 SCT011 OVC030 06/03 Q1005 R24L/290051 R24C/290051 NOSIG

TAF

TAF UUEE 110151Z 1103/1203 33006MPS 9000 BKN016 TX10/1111Z TN02/1202Z TEMPO 1103/1106 3200 -SHRA FEW006 SCT012CB

Frequencies

REC - 122.07 MHz - SHEREMETYEVO ATIS ARRIVAL	REC - 125.12 MHz - SHEREMETYEVO ATIS DEPARTURE
REC - 120.37 MHz - SHEREMETYEVO ATIS ARRIVAL	REC - 126.37 MHz - SHEREMETYEVO ATIS DEPARTURE
TWR - 131.50 MHz - SHEREMETYEVO TOWER	TWR - 120.70 MHz - SHEREMETYEVO TOWER
TWR - 118.70 MHz - SHEREMETYEVO TOWER	TWR - 119.30 MHz - SHEREMETYEVO TOWER
GND - 119.00 MHz - SHEREMETYEVO GROUND	GND - 121.80 MHz - SHEREMETYEVO GROUND
GND - 122.90 MHz - SHEREMETYEVO GROUND	GND - 121.90 MHz - SHEREMETYEVO APRON 1
GND - 123.60 MHz - SHEREMETYEVO APRON 2	GND - 130.35 MHz - SHEREMETYEVO APRON 3
GND - 134.55 MHz - SHEREMETYEVO APRON 4	CLD - 128.60 MHz -
CLD - 120.87 MHz -	SHEREMETYEVO CLEARANCE DELIVERY
SHEREMETYEVO CLEARANCE DELIVERY	APP - 122.70 MHz - SHEREMETYEVO RADAR
APP - 135.17 MHz - SHEREMETYEVO RADAR	APP - 118.10 MHz - SHEREMETYEVO RADAR
APP - 126.60 MHz - SHEREMETYEVO RADAR	APP - 120.67 MHz - SHEREMETYEVO RADAR
APP - 127.20 MHz - MOSCOW APPROACH	APP - 128.00 MHz - MOSCOW APPROACH
APP - 134.00 MHz - MOSCOW APPROACH	APP - 131.20 MHz - MOSCOW APPROACH
APP - 118.95 MHz - MOSCOW APPROACH	APP - 118.55 MHz - MOSCOW APPROACH
APP - 130.37 MHz - MOSCOW APPROACH	APP - 124.20 MHz - MOSCOW APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06L	197 ft	10,467 ft	74.98	CONCRETE	0 ft	0 ft
	60 m	3,190 m	63.01		0 m	0 m
24R	197 ft	10,467 ft	255.02	CONCRETE	0 ft	0 ft
	60 m	3,190 m	243.05		0 m	0 m
06C	197 ft	11,611 ft	75.03	CONCRETE	0 ft	0 ft
	60 m	3,539 m	63.05		0 m	0 m
24C	197 ft	11,611 ft	255.07	CONCRETE	0 ft	0 ft
	60 m	3,539 m	243.09		0 m	0 m
06R	197 ft	12,101 ft	75.03	CONCRETE	0 ft	0 ft
	60 m	3,689 m	63.05		0 m	0 m
24L	197 ft	12,101 ft	255.07	CONCRETE	0 ft	0 ft
	60 m	3,689 m	243.10		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06L	LOC-ILS	IMA	108.75 MHz	18 nm	75.00	-	630 ft
				33 km	63.02		630 m
06C	LOC-ILS	IMR	108.10 MHz	18 nm	75.05	-	630 ft
				33 km	63.07		630 m
06R	LOC-ILS	INL	109.10 MHz	18 nm	75.05	-	630 ft

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				33 km	63.07		630 m
24L	LOC-ILS	IBW	110.50 MHz	18 nm	255.05	-	630 ft
				33 km	243.07		630 m
24C	LOC-ILS	IAD	111.30 MHz	18 nm	255.05	-	630 ft
				33 km	243.07		630 m
24R	LOC-ILS	IBR	109.35 MHz	18 nm	255.00	-	630 ft
				33 km	243.02		630 m
06L	GS	IMA	108.75 MHz	10 nm	75.00	3.00	630 ft
				19 km	63.02		630 m
06C	GS	IMR	108.10 MHz	10 nm	75.05	2.98	630 ft
				19 km	63.07		630 m
06R	GS	INL	109.10 MHz	10 nm	75.05	2.98	630 ft
				19 km	63.07		630 m
24L	GS	IBW	110.50 MHz	10 nm	255.05	2.98	630 ft
				19 km	243.07		630 m
24C	GS	IAD	111.30 MHz	10 nm	255.05	2.98	630 ft
				19 km	243.07		630 m
24R	GS	IBR	109.35 MHz	10 nm	255.00	3.00	630 ft
				19 km	243.02		630 m