


2024/05/29 0145Z

MMPC TEQ **J21** TEXCA MMAA

207.02 nm / 383.41 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
MMPC	-	20.07660	0 ft	-	Pachuca
APT	-	-98.78300	0 m		
TEQ	-	18.67610	25,400 ft	88	TEQUESQUITENGO
VOR	-	-99.25530	7,742 m		
TEXCA	J21	17.40580	8,600 ft	78	-
FIX	AWY-HI	-99.58690	2,621 m		
MMAA	-	16.75600	0 ft	40	Acapulco Intl
APT	-	-99.75160	0 m		

MMAA

Region: MEXICO
Timezone: AMERICA/MEXICO_CITY
Runways: 2

Elevation: 16 ft / 5 m
Location: 16.756000 -99.751600
Magnetic Var: 4.282 E

METAR

MMAA 290053Z 24007KT 6SM SKC 30/24 A2979 RMK HZY

TAF

TAF MMAA 282256Z 2900/3000 26010KT 6SM HZ SKC TX32/2919Z TN27/2912Z BECMG 2902/2904 30004KT FM290600 00000KT P6SM

Frequencies

REC - 115.90 MHz - ACAPULCO ATIS
TWR - 119.90 MHz - ACAPULCO TOWER

TWR - 118.50 MHz - ACAPULCO TOWER
APP - 119.90 MHz - ACAPULCO APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	148 ft	10,821 ft	108.04	CONCRETE	0 ft	184 ft
	45 m	3,298 m	103.75		0 m	56 m
28	148 ft	10,821 ft	288.04	CONCRETE	0 ft	190 ft
	45 m	3,298 m	283.76		0 m	58 m
06	115 ft	5,570 ft	66.92	CONCRETE	0 ft	184 ft
	35 m	1,698 m	62.64		0 m	56 m
24	115 ft	5,570 ft	246.92	CONCRETE	0 ft	197 ft
	35 m	1,698 m	242.64		0 m	60 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10	DME	IAIA	111.90 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
28	DME	IACA	109.90 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
10	LOC-ILS	IAIA	111.90 MHz	18 nm	108.04	-	16 ft
				33 km	103.76		16 m
28	LOC-ILS	IACA	109.90 MHz	18 nm	288.04	-	16 ft
				33 km	283.76		16 m
10	GS	IAIA	111.90 MHz	10 nm	108.04	3.10	16 ft
				19 km	103.76		16 m
28	GS	IACA	109.90 MHz	10 nm	288.04	3.00	16 ft
				19 km	283.76		16 m