

# LFPG

Paris Charles De Gaulle


# ZBAA

CAPITAL INTL

2024/06/07 0838Z

LFPG FAMEN **UZ707** LNO **UJ158** BAM **Y841** DOM **UM170** OSN **UP605** HAM **P605** MALIV **P862** LIMAK **G59** GR **R30** KTL  
**R22** ZJ **B200** TODES **R497** UNLL **A310** SERNA **A91** UDA **B339** GM ZBAA

4509.64 nm / 8351.85 km



## Notes

Basic altitude profile:

- Ascent Rate: 2600ft/min
- Ascent Speed: 300kts
- Cruise Altitude: 40000ft
- Cruise Speed: 510kts
- Descent Rate: 1200ft/min
- Descent Speed: 270kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFPG APT	-	49.00974 2.56262	0 ft 0 m	-	Paris Charles De Gaulle
FAMEN FIX	-	49.97500 4.56667	34,700 ft 10,577 m	97	-
LNO VOR	UZ707 AWY-HI	50.58583 5.71028	35,000 ft 10,668 m	57	OLNO VOR-DME
AGENI FIX	UJ158 AWY-HI	50.75000 6.03333	35,000 ft 10,668 m	15	-
BAM VOR	UJ158 AWY-HI	51.32776 7.17698	35,000 ft 10,668 m	55	BARMEN VORTAC
ABAMI FIX	Y841 AWY-LO	51.42500 7.28056	35,000 ft 10,668 m	7	-
DOM VOR	Y841 AWY-LO	51.70953 7.58713	35,000 ft 10,668 m	20	-
OSN VOR	UM170 AWY-HI	52.20014 8.28552	35,000 ft 10,668 m	39	OSNABRUCK VOR
VALKI FIX	UP605 AWY-HI	53.13528 9.47361	35,000 ft 10,668 m	70	-
HAM VOR	UP605 AWY-HI	53.68558 10.20500	35,000 ft 10,668 m	42	HAMBURG VORTAC
LUB VOR	P605 AWY-LO	53.94074 10.66779	35,000 ft 10,668 m	22	LUBECK VOR
TOSPA FIX	P605 AWY-LO	54.11389 10.98361	35,000 ft 10,668 m	15	-
AMICH FIX	P605 AWY-LO	54.20556 11.15361	35,000 ft 10,668 m	8	-
MEGAR FIX	P605 AWY-LO	54.46833 11.64833	35,000 ft 10,668 m	23	-
GESKA FIX	P605 AWY-LO	54.61750 11.93250	35,000 ft 10,668 m	13	-
KOSMO FIX	P605 AWY-LO	55.01528 12.73028	35,000 ft 10,668 m	36	-
MOSAT FIX	P605 AWY-LO	55.04194 12.78806	35,000 ft 10,668 m	2	-
MALIV FIX	P605 AWY-LO	55.16272 13.03686	35,000 ft 10,668 m	11	-
EVONA FIX	P862 AWY-LO	57.16500 19.92472	35,000 ft 10,668 m	259	-
LUSIM FIX	P862 AWY-LO	57.68556 21.98306	35,000 ft 10,668 m	73	-
NETNA FIX	P862 AWY-LO	57.87556 22.78944	35,000 ft 10,668 m	28	-
PIVUN FIX	P862 AWY-LO	58.34083 24.90444	35,000 ft 10,668 m	72	-
EKLON FIX	P862 AWY-LO	58.50694 25.71528	35,000 ft 10,668 m	27	-
TOMPA FIX	P862 AWY-LO	58.78861 27.17194	35,000 ft 10,668 m	48	-
LIMAK FIX	P862 AWY-LO	58.84333 27.47000	35,000 ft 10,668 m	9	-
BEKON FIX	G59 AWY-LO	58.93306 28.34778	35,000 ft 10,668 m	27	-
OS	G59	59.00000	35,000 ft	24	OSMINO NDB

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
NDB	AWY-LO	29.11667	10,668 m		
NURMA	G59	59.50139	35,000 ft	66	-
FIX	AWY-LO	31.04417	10,668 m		
MALUK	G59	59.58972	35,000 ft	12	-
FIX	AWY-LO	31.40417	10,668 m		
GR	G59	59.81667	35,000 ft	31	GORKA NDB
NDB	AWY-LO	32.35000	10,668 m		
ABEDO	R30	59.96833	35,000 ft	105	-
FIX	AWY-LO	35.83278	10,668 m		
SU	R30	60.02000	35,000 ft	57	BELOZERSK NDB
NDB	AWY-LO	37.75944	10,668 m		
METAT	R30	60.58333	35,000 ft	108	-
FIX	AWY-LO	41.21444	10,668 m		
SANUL	R30	60.84667	35,000 ft	60	-
FIX	AWY-LO	43.21111	10,668 m		
KTL	R30	61.23806	35,000 ft	104	KOTLAS VOR-DME
VOR	AWY-LO	46.71333	10,668 m		
ADISA	R22	61.41694	35,000 ft	48	-
FIX	AWY-LO	48.34611	10,668 m		
UUYV	R22	61.64705	35,000 ft	72	SYKTYVKAR
APT	AWY-LO	50.84505	10,668 m		
BUKET	R22	61.70028	35,000 ft	172	-
FIX	AWY-LO	56.91472	10,668 m		
AGATA	R22	61.48333	35,000 ft	186	-
FIX	AWY-LO	63.43333	10,668 m		
RATRI	R22	61.12167	35,000 ft	139	-
FIX	AWY-LO	68.22500	10,668 m		
ZJ	R22	61.03333	35,000 ft	26	KHANTY-MANSIYSK VOR-DME
VOR	AWY-LO	69.12694	10,668 m		
TODES	B200	60.63056	35,000 ft	46	-
FIX	AWY-LO	70.48194	10,668 m		
KUPON	R497	59.75056	35,000 ft	152	-
FIX	AWY-LO	75.28222	10,668 m		
DISOM	R497	58.87722	35,000 ft	163	-
FIX	AWY-LO	80.32750	10,668 m		
LAMEG	R497	58.70722	35,000 ft	27	-
FIX	AWY-LO	81.16417	10,668 m		
UNLL	R497	58.32667	35,000 ft	60	-
APT	AWY-LO	82.93333	10,668 m		
RELMA	A310	57.29833	35,000 ft	146	-
FIX	AWY-LO	87.10333	10,668 m		
KELOK	A310	56.91167	35,000 ft	50	-
FIX	AWY-LO	88.48833	10,668 m		
NZ02	A310	56.27167	35,000 ft	80	-
APT	AWY-LO	90.61167	10,668 m		
MAMAT	A310	55.73167	35,000 ft	95	-
FIX	AWY-LO	93.29667	10,668 m		
SORKA	A310	55.63333	35,000 ft	16	-
FIX	AWY-LO	93.76667	10,668 m		
RO	A310	55.26500	35,000 ft	43	AGINSKOYE NDB
NDB	AWY-LO	94.87750	10,668 m		
LONKA	A310	54.75056	35,000 ft	68	-
FIX	AWY-LO	96.66639	10,668 m		
BUMER	A310	54.34167	35,000 ft	50	-
FIX	AWY-LO	97.94833	10,668 m		
BD01	A310	52.43333	35,000 ft	220	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
APT	AWY-LO	103.20000	10,668 m		
DOBOS	A310	51.95667	35,000 ft	40	-
FIX	AWY-LO	103.98667	10,668 m		
SERNA	A310	50.30833	35,000 ft	136	-
FIX	AWY-LO	106.46833	10,668 m		
UDA	A91	47.86775	35,000 ft	146	ULAANBAATAR VOR-DME
VOR	AWY-LO	106.73359	10,668 m		
ARGAT	B339	46.60889	35,000 ft	138	-
FIX	AWY-LO	109.57972	10,668 m		
DEGIR	B339	45.83958	35,000 ft	81	-
FIX	AWY-LO	111.18493	10,668 m		
POLHO	B339	44.78333	35,000 ft	107	-
FIX	AWY-LO	113.25000	10,668 m		
SALIS	B339	41.95833	26,200 ft	206	-
FIX	AWY-LO	115.95167	7,986 m		
GM	B339	41.23667	14,800 ft	52	FENGNING NDB
NDB	AWY-LO	116.62667	4,511 m		
ZBAA	-	40.08012	0 ft	69	CAPITAL INTL
APT	-	116.58456	0 m		

## LFPG

Region: FRANCE  
Timezone: EUROPE/PARIS  
Runways: 4

Elevation: 392 ft / 119 m  
Location: 49.009700 2.562570  
Magnetic Var: 1.505 E

## METAR

LFPG 070800Z 32006KT 260V010 9999 FEW033 15/06 Q1021 NOSIG

## TAF

TAF LFPG 070500Z 0706/0812 34005KT CAVOK TX21/0715Z TN12/0804Z BECMG 0722/0724 05005KT BECMG 0808/0810 30010KT

## Frequencies

REC - 128.32 MHz - ATIS	REC - 127.12 MHz - ATIS
TWR - 120.90 MHz - DE GAULLE TOWER	TWR - 125.32 MHz - DE GAULLE TOWER
TWR - 119.62 MHz - DE GAULLE TOWER	TWR - 119.25 MHz - DE GAULLE TOWER
TWR - 118.65 MHz - DE GAULLE TOWER	TWR - 123.60 MHz - DE GAULLE TOWER
TWR - 120.65 MHz - DE GAULLE TOWER	GND - 121.90 MHz - DE GAULLE GROUND
GND - 125.30 MHz - DE GAULLE GROUND	GND - 121.70 MHz - DE GAULLE GROUND
CLD - 121.80 MHz - CLEARANCE DELIVERY	APP - 118.15 MHz - DE GAULLE APPROACH
APP - 119.85 MHz - DE GAULLE APPROACH	APP - 121.15 MHz - DE GAULLE APPROACH
APP - 125.82 MHz - DE GAULLE APPROACH	APP - 126.42 MHz - DE GAULLE APPROACH
DEP - 124.35 MHz - DE GAULLE DEPARTURE	DEP - 126.57 MHz - DE GAULLE DEPARTURE
DEP - 131.20 MHz - DE GAULLE DEPARTURE	DEP - 133.37 MHz - DE GAULLE DEPARTURE

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08L	148 ft	13,713 ft	85.31	ASPHALT	0 ft	489 ft
	45 m	4,180 m	83.80		0 m	149 m
26R	148 ft	13,713 ft	265.35	ASPHALT	1,877 ft	279 ft
	45 m	4,180 m	263.85		572 m	85 m
09L	197 ft	8,866 ft	85.32	ASPHALT	0 ft	0 ft
	60 m	2,703 m	83.81		0 m	0 m
27R	197 ft	8,866 ft	265.35	ASPHALT	0 ft	0 ft
	60 m	2,703 m	263.84		0 m	0 m
08R	197 ft	8,833 ft	85.33	ASPHALT	0 ft	489 ft
	60 m	2,692 m	83.82		0 m	149 m
26L	197 ft	8,833 ft	265.35	ASPHALT	0 ft	486 ft
	60 m	2,692 m	263.85		0 m	148 m
09R	148 ft	13,746 ft	85.30	ASPHALT	0 ft	0 ft
	45 m	4,190 m	83.79		0 m	0 m
27L	148 ft	13,746 ft	265.34	ASPHALT	1,959 ft	0 ft
	45 m	4,190 m	263.84		597 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08R	DME	DSE	108.55 MHz	18 nm	-	-	358 ft
				33 km	-		358 m
09L	DME	PNE	109.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
09R	DME	CGE	110.10 MHz	18 nm	-	-	392 ft
				33 km	-		392 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
26L	DME	DSU	108.35 MHz	18 nm	-	-	338 ft
				33 km	-		338 m
27L	DME	CGW	110.70 MHz	18 nm	-	-	407 ft
				33 km	-		407 m
27R	DME	PNW	110.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
08L	LOC-ILS	GLE	108.70 MHz	18 nm	85.33	-	392 ft
				33 km	83.82		392 m
08R	LOC-ILS	DSE	108.55 MHz	18 nm	85.34	-	392 ft
				33 km	83.83		392 m
09L	LOC-ILS	PNE	109.35 MHz	18 nm	85.33	-	392 ft
				33 km	83.82		392 m
09R	LOC-ILS	CGE	110.10 MHz	18 nm	85.32	-	392 ft
				33 km	83.81		392 m
26L	LOC-ILS	DSU	108.35 MHz	18 nm	265.34	-	392 ft
				33 km	263.83		392 m
26R	LOC-ILS	GAU	111.95 MHz	18 nm	265.33	-	392 ft
				33 km	263.82		392 m
27L	LOC-ILS	CGW	110.70 MHz	18 nm	265.32	-	392 ft
				33 km	263.81		392 m
27R	LOC-ILS	PNW	110.35 MHz	18 nm	265.33	-	392 ft
				33 km	263.82		392 m
08L	GS	GLE	108.70 MHz	10 nm	85.33	3.00	392 ft
				19 km	83.82		392 m
08R	GS	DSE	108.55 MHz	10 nm	85.34	3.00	392 ft
				19 km	83.83		392 m
09L	GS	PNE	109.35 MHz	10 nm	85.33	3.00	392 ft
				19 km	83.82		392 m
09R	GS	CGE	110.10 MHz	10 nm	85.32	3.00	392 ft
				19 km	83.81		392 m
26L	GS	DSU	108.35 MHz	10 nm	265.34	3.00	392 ft
				19 km	263.83		392 m
26R	GS	GAU	111.95 MHz	10 nm	265.33	3.00	392 ft
				19 km	263.82		392 m
27L	GS	CGW	110.70 MHz	10 nm	265.32	3.00	392 ft
				19 km	263.81		392 m
27R	GS	PNW	110.35 MHz	10 nm	265.33	3.00	392 ft
				19 km	263.82		392 m

## ZBAA

Region: CHINA  
Timezone: ASIA/SHANGHAI  
Runways: 3

Elevation: 115 ft / 35 m  
Location: 40.078700 116.595000  
Magnetic Var: 7.358 W

## METAR

ZBAA 070800Z 02003MPS 340V050 CAVOK 20/16 Q1007 NOSIG

## TAF

TAF TAF ZBAA 070302Z 0706/0806 36004MPS 2800 -SHRA BR NSC TX20/0707Z TN14/0721Z TEMPO 0706/0709 36009G15MPS SHRA

## Frequencies

REC - 127.60 MHz - ATIS	REC - 128.65 MHz - ATIS
CLD - 121.60 MHz - BEIJING DELIVERY	CLD - 121.65 MHz - BEIJING DELIVERY
GND - 121.90 MHz - BEIJING GROUND	GND - 121.80 MHz - BEIJING GROUND
GND - 121.70 MHz - BEIJING GROUND	GND - 121.75 MHz - BEIJING GROUND
GND - 121.85 MHz - BEIJING GROUND	GND - 122.22 MHz - BEIJING APRON
GND - 122.65 MHz - BEIJING APRON	TWR - 124.30 MHz - BEIJING TOWER
TWR - 118.50 MHz - BEIJING TOWER	TWR - 118.60 MHz - BEIJING TOWER
APP - 126.10 MHz - BEIJING APPROACH	APP - 119.00 MHz - BEIJING APPROACH
APP - 126.50 MHz - BEIJING APPROACH	APP - 121.10 MHz - BEIJING APPROACH
APP - 119.70 MHz - BEIJING APPROACH	APP - 124.70 MHz - BEIJING APPROACH
APP - 127.75 MHz - BEIJING APPROACH	APP - 120.60 MHz - BEIJING APPROACH
APP - 125.50 MHz - BEIJING APPROACH	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
01	195 ft	12,481 ft	353.17	CONCRETE	0 ft	394 ft
	59 m	3,804 m	0.53		0 m	120 m
19	195 ft	12,481 ft	173.17	CONCRETE	0 ft	397 ft
	59 m	3,804 m	180.53		0 m	121 m
18L	197 ft	12,493 ft	173.17	ASPHALT	0 ft	190 ft
	60 m	3,808 m	180.53		0 m	58 m
36R	197 ft	12,493 ft	353.17	ASPHALT	0 ft	190 ft
	60 m	3,808 m	0.53		0 m	58 m
18R	164 ft	10,512 ft	173.15	ASPHALT	0 ft	200 ft
	50 m	3,204 m	180.51		0 m	61 m
36L	164 ft	10,512 ft	353.15	ASPHALT	0 ft	200 ft
	50 m	3,204 m	0.51		0 m	61 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
18R	DME	ILG	110.30 MHz	18 nm	-	-	135 ft
				33 km	-		135 m
01	LOC-ILS	INJ	108.50 MHz	18 nm	353.17	-	116 ft
				33 km	0.53		116 m
18L	LOC-ILS	IOR	109.30 MHz	18 nm	173.17	-	116 ft
				33 km	180.53		116 m
18R	LOC-ILS	ILG	110.30 MHz	18 nm	173.15	-	116 ft
				33 km	180.51		116 m
19	LOC-ILS	ISZ	108.90 MHz	18 nm	173.17	-	116 ft



Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				33 km	180.53		116 m
36L	LOC-ILS	IDK	111.70 MHz	18 nm	353.15	-	116 ft
				33 km	0.51		116 m
36R	LOC-ILS	IQU	109.90 MHz	18 nm	353.10	-	116 ft
				33 km	0.46		116 m
01	GS	INJ	108.50 MHz	10 nm	353.17	3.00	116 ft
				19 km	0.53		116 m
18L	GS	IOR	109.30 MHz	10 nm	173.17	3.00	116 ft
				19 km	180.53		116 m
18R	GS	ILG	110.30 MHz	10 nm	173.15	3.00	116 ft
				19 km	180.51		116 m
19	GS	ISZ	108.90 MHz	10 nm	173.17	3.20	116 ft
				19 km	180.53		116 m
36L	GS	IDK	111.70 MHz	10 nm	353.15	3.00	116 ft
				19 km	0.51		116 m
36R	GS	IQU	109.90 MHz	10 nm	353.17	3.00	116 ft
				19 km	0.53		116 m