

SAEZ

Ministro Pistarini Intl


SBGL

Galeao-Antonio Carlos Jobim Intl

2024/06/12 1454Z

SAEZ NIMBO MONSA VUKAS TELAK MOLBI **UM540** ITBEB **UN857** VUDAV SBGL

1104.11 nm / 2044.82 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: no
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
SAEZ	-	-34.82200	0 ft	-	Ministro Pistarini Intl
APT	-	-58.53260	0 m	-	
NIMBO	-	-34.51360	35,000 ft	102	-
FIX	-	-56.49220	10,668 m	-	-
MONSA	-	-34.34890	35,000 ft	18	-
FIX	-	-56.18140	10,668 m	-	-
VUKAS	-	-34.33690	35,000 ft	3	-
FIX	-	-56.11030	10,668 m	-	-
TELAK	-	-34.34280	35,000 ft	22	-
FIX	-	-55.66060	10,668 m	-	-
MOLBI	-	-34.34720	35,000 ft	7	-
FIX	-	-55.50500	10,668 m	-	-
AKPOD	UM540	-32.46580	35,000 ft	149	-
FIX	AWY-HI	-53.56140	10,668 m	-	-
ILTOG	UM540	-31.55540	35,000 ft	73	-
FIX	AWY-HI	-52.58650	10,668 m	-	-
KOXID	UM540	-30.83160	35,000 ft	58	-
FIX	AWY-HI	-51.82900	10,668 m	-	-
ARVUS	UM540	-30.53920	35,000 ft	23	-
FIX	AWY-HI	-51.52720	10,668 m	-	-
FIG	UM540	-29.99820	35,000 ft	43	FIGUEIRAS (PORTO ALEGRE)
VOR	AWY-HI	-50.97550	10,668 m	-	
IVTUB	UM540	-29.84550	35,000 ft	11	-
FIX	AWY-HI	-50.84310	10,668 m	-	-
ITBEB	UM540	-29.52550	35,000 ft	24	-
FIX	AWY-HI	-50.56570	10,668 m	-	-
TIMVI	UN857	-28.90120	35,000 ft	54	-
FIX	AWY-HI	-49.81430	10,668 m	-	-
UTMUD	UN857	-28.46250	35,000 ft	39	-
FIX	AWY-HI	-49.26420	10,668 m	-	-
EGBIP	UN857	-28.27800	35,000 ft	16	-
FIX	AWY-HI	-49.03500	10,668 m	-	-
UGREV	UN857	-28.22180	35,000 ft	5	-
FIX	AWY-HI	-48.96450	10,668 m	-	-
DOKPU	UN857	-27.69320	35,000 ft	47	-
FIX	AWY-HI	-48.30630	10,668 m	-	-
EKUBI	UN857	-27.38820	35,000 ft	27	-
FIX	AWY-HI	-47.93150	10,668 m	-	-
EGDED	UN857	-26.88660	35,000 ft	44	-
FIX	AWY-HI	-47.32650	10,668 m	-	-
ANDEB	UN857	-26.72330	35,000 ft	14	-
FIX	AWY-HI	-47.13170	10,668 m	-	-
EVPIB	UN857	-26.60080	35,000 ft	10	-
FIX	AWY-HI	-46.98630	10,668 m	-	-
DOKRO	UN857	-26.39290	35,000 ft	18	-
FIX	AWY-HI	-46.74220	10,668 m	-	-
FEITO	UN857	-25.65850	35,000 ft	63	-
FIX	AWY-HI	-45.89050	10,668 m	-	-
AKNUB	UN857	-24.49420	26,900 ft	100	-
FIX	AWY-HI	-44.57300	8,199 m	-	-
VUDAV	UN857	-24.01300	18,100 ft	40	-
FIX	AWY-HI	-44.05000	5,517 m	-	-
SBGL	-	-22.80890	0 ft	84	Galeao-Antonio Carlos Jobim Intl
APT	-	-43.24380	0 m	-	

SAEZ

Region: ARGENTINA

Timezone: AMERICA/ARGENTINA/BUENOS_AIRES

Runways: 2

Elevation: 66 ft / 20 m

Location: -34.822000 -58.532600

Magnetic Var: 9.826 W

METAR

SAEZ 121400Z 05005KT 0800 R11/500U FG OVC001 17/17 Q1011 NOSIG

TAF

TAF AMD SAEZ 121145Z 1212/1312 VRB03KT 1500 BR OVC003 TX22/1218Z TN15/1212Z TEMPO 1212/1217 0100 FG OVC001 BECMG 1

Frequencies

REC - 127.80 MHz - ATIS

GND - 121.75 MHz - EZEIZA GROUND

APP - 119.90 MHz - EZEIZA APPROACH

CLD - 127.10 MHz - EZEIZA CLEARANCE

TWR - 118.60 MHz - EZEIZA TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
11	197 ft	10,801 ft	102.32	ASPHALT	0 ft	85 ft
	60 m	3,292 m	112.14		0 m	26 m
29	197 ft	10,801 ft	282.30	ASPHALT	0 ft	102 ft
	60 m	3,292 m	292.12		0 m	31 m
17	148 ft	10,226 ft	164.07	ASPHALT	0 ft	105 ft
	45 m	3,117 m	173.90		0 m	32 m
35	148 ft	10,226 ft	344.07	ASPHALT	991 ft	92 ft
	45 m	3,117 m	353.89		302 m	28 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
11	DME	PC	110.10 MHz	18 nm	-	-	66 ft
				33 km	-		66 m
35	DME	EZ	108.70 MHz	18 nm	-	-	66 ft
				33 km	-		66 m
11	LOC-ILS	PC	110.10 MHz	18 nm	102.31	-	66 ft
				33 km	112.14		66 m
35	LOC-ILS	EZ	108.70 MHz	18 nm	344.07	-	66 ft
				33 km	353.90		66 m
11	GS	PC	110.10 MHz	10 nm	102.31	3.00	66 ft
				19 km	112.14		66 m
35	GS	EZ	108.70 MHz	10 nm	344.07	3.00	66 ft
				19 km	353.90		66 m

SBGL

Region: BRAZIL
Timezone: AMERICA/SAO_PAULO
Runways: 2

Elevation: 28 ft / 9 m
Location: -22.808900 -43.243800
Magnetic Var: 23.430 W

METAR

SBGL 121400Z 36005KT 7000 NSC 26/18 Q1021

TAF

TAF SBGL 120900Z 1212/1318 36005KT CAVOK TX31/1217Z TN17/1307Z BECMG 1217/1219 14010KT FEW025 BECMG 1300/1302 090

Frequencies

REC - 127.60 MHz - ATIS	CLD - 121.00 MHz - GALEAO CLEARANCE
CLD - 135.10 MHz - GALEAO CLEARANCE	GND - 121.65 MHz - GALEAO GROUND
GND - 128.35 MHz - GALEAO GROUND	TWR - 118.00 MHz - GALEAO TOWER
TWR - 118.20 MHz - GALEAO TOWER	APP - 129.80 MHz - RIO APPROACH
APP - 125.95 MHz - RIO APPROACH	APP - 128.90 MHz - RIO APPROACH
APP - 119.35 MHz - RIO APPROACH	COM - 122.80 MHz - GALEAO UNICOM

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	148 ft	13,136 ft	74.40	CONCRETE	0 ft	0 ft
	45 m	4,004 m	97.83		0 m	0 m
28	148 ft	13,136 ft	254.38	CONCRETE	0 ft	174 ft
	45 m	4,004 m	277.81		0 m	53 m
15	154 ft	10,426 ft	125.65	ASPHALT	0 ft	184 ft
	47 m	3,178 m	149.08		0 m	56 m
33	154 ft	10,426 ft	305.64	ASPHALT	0 ft	184 ft
	47 m	3,178 m	329.07		0 m	56 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
15	DME	IGL	110.30 MHz	18 nm	-	-	17 ft
				33 km	-		17 m
28	DME	ILM	111.50 MHz	18 nm	-	-	28 ft
				33 km	-		28 m
10	LOC-ILS	ITB	109.30 MHz	18 nm	74.39	-	28 ft
				33 km	97.82		28 m
15	LOC-ILS	IGL	110.30 MHz	18 nm	125.65	-	28 ft
				33 km	149.08		28 m
28	LOC-ILS	ILM	111.50 MHz	18 nm	254.39	-	28 ft
				33 km	277.82		28 m
10	GS	ITB	109.30 MHz	10 nm	74.39	3.00	28 ft
				19 km	97.82		28 m
15	GS	IGL	110.30 MHz	10 nm	125.65	3.00	28 ft
				19 km	149.08		28 m
28	GS	ILM	111.50 MHz	10 nm	254.39	2.94	28 ft
				19 km	277.82		28 m