

EGKK

London Gatwick


GCLP

Gran Canaria

2024/05/23 0632Z

EGKK AKIKI **UN867** KOKOS **R111** DIN **UL14** ERIGA **UZ218** BAROK **UA873** SAMAR **A873** GDV GCLP

1578.05 nm / 2922.54 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: no
- Use PACOTS: no
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EGKK APT	-	51.14875 -0.19247	0 ft 0 m	-	London Gatwick
AKIKI FIX	-	49.59139 -1.41667	35,000 ft 10,668 m	104	-
LUPUL FIX	UN867 AWY-HI	49.16778 -1.57806	35,000 ft 10,668 m	26	-
KOKOS FIX	UN867 AWY-HI	48.90694 -1.67611	35,000 ft 10,668 m	16	-
DIN VOR	R111 AWY-LO	48.58606 -2.08233	35,000 ft 10,668 m	25	DINARD PLEURTUIT SAINT MALO VO
ERIGA FIX	UL14 AWY-HI	46.86000 -2.36306	35,000 ft 10,668 m	104	-
PEPET FIX	UZ218 AWY-HI	45.08417 -3.86722	35,000 ft 10,668 m	123	-
BAKUP FIX	UZ218 AWY-HI	44.41250 -4.43611	35,000 ft 10,668 m	47	-
TEDRI FIX	UZ218 AWY-HI	43.50527 -5.22687	35,000 ft 10,668 m	64	-
VEDER FIX	UZ218 AWY-HI	42.74296 -5.86964	35,000 ft 10,668 m	53	-
GASBA FIX	UZ218 AWY-HI	41.94783 -6.44596	35,000 ft 10,668 m	54	-
MOSEN FIX	UZ218 AWY-HI	41.78654 -6.56085	35,000 ft 10,668 m	10	-
BABEX FIX	UZ218 AWY-HI	41.04028 -7.08389	35,000 ft 10,668 m	50	-
DIGAL FIX	UZ218 AWY-HI	39.74083 -7.98972	35,000 ft 10,668 m	88	-
MAGUM FIX	UZ218 AWY-HI	39.16750 -8.39250	35,000 ft 10,668 m	39	-
ATECA FIX	UZ218 AWY-HI	38.65833 -8.62250	35,000 ft 10,668 m	32	-
BAROK FIX	UZ218 AWY-HI	35.96667 -10.02333	35,000 ft 10,668 m	174	-
BENTU FIX	UA873 AWY-HI	34.62833 -11.24361	35,000 ft 10,668 m	100	-
NEVEL FIX	UA873 AWY-HI	32.99750 -12.67167	35,000 ft 10,668 m	121	-
MITLA FIX	UA873 AWY-HI	31.30833 -14.08222	35,000 ft 10,668 m	124	-
SAMAR FIX	UA873 AWY-HI	30.89972 -14.41556	35,000 ft 10,668 m	29	-
GDV VOR	A873 AWY-LO	28.07708 -15.42899	1,900 ft 579 m	177	GRAN CANARIA VOR-DME
GCLP APT	-	27.93154 -15.38559	0 ft 0 m	9	Gran Canaria

EGKK

Region: UNITED KINGDOM
Timezone: EUROPE/LONDON
Runways: 2

Elevation: 187 ft / 57 m
Location: 51.148800 -0.191923
Magnetic Var: 0.500 E

METAR

EGKK 230620Z 23007KT 200V260 9999 SCT012 13/11 Q1013

TAF

TAF EGKK 230453Z 2306/2412 25008KT 9999 FEW030

Frequencies

REC - 136.52 MHz - GATWICK INFORMATION	GND - 121.80 MHz - GATWICK GROUND
TWR - 124.22 MHz - GATWICK TOWER	TWR - 134.22 MHz - GATWICK TOWER
CLD - 121.95 MHz - GATWICK DELIVERY	APP - 118.95 MHz - GATWICK DIRECTOR
APP - 126.82 MHz - GATWICK DIRECTOR	APP - 129.02 MHz - GATWICK DIRECTOR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08R	148 ft	10,851 ft	77.60	ASPHALT	1,289 ft	0 ft
	45 m	3,308 m	77.10		393 m	0 m
26L	148 ft	10,851 ft	257.63	ASPHALT	1,388 ft	102 ft
	45 m	3,308 m	257.13		423 m	31 m
08L	148 ft	8,382 ft	77.59	ASPHALT	1,047 ft	0 ft
	45 m	2,555 m	77.09		319 m	0 m
26R	148 ft	8,382 ft	257.61	ASPHALT	1,358 ft	0 ft
	45 m	2,555 m	257.11		414 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08R	DME	IGG	110.90 MHz	18 nm	-	-	274 ft
				33 km	-		274 m
26L	DME	IWW	110.90 MHz	18 nm	-	-	274 ft
				33 km	-		274 m
08R	LOC-ILS	IGG	110.90 MHz	18 nm	77.62	-	187 ft
				33 km	77.12		187 m
26L	LOC-ILS	IWW	110.90 MHz	18 nm	257.62	-	187 ft
				33 km	257.12		187 m
08R	GS	IGG	110.90 MHz	10 nm	77.62	3.00	187 ft
				19 km	77.12		187 m
26L	GS	IWW	110.90 MHz	10 nm	257.62	3.00	187 ft
				19 km	257.12		187 m

GCLP

Region: CANARY ISLANDS
Timezone: ATLANTIC/CANARY
Runways: 2

Elevation: 78 ft / 24 m
Location: 27.931600 -15.385600
Magnetic Var: 3.946 W

METAR

GCLP 230600Z 36011KT 9999 FEW025 SCT035 19/13 Q1018 NOSIG

TAF

TAF GCLP 230200Z 2303/2403 36015KT 9999 SCT030 TX25/2314Z TN19/2306Z= TAF KFAF 230200Z 2302/2408 VRB06KT 9999 FEW

Frequencies

REC - 118.60 MHz - ATIS	GND - 121.70 MHz - GRAN CANARIA GROUND
TWR - 118.30 MHz - GRAN CANARIA TOWER	APP - 121.30 MHz - GRAN CANARIA APPROACH
APP - 124.30 MHz - GRAN CANARIA APPROACH	APP - 124.70 MHz - GRAN CANARIA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03R	148 ft	10,180 ft	21.32	ASPHALT	0 ft	656 ft
	45 m	3,103 m	25.27		0 m	200 m
21L	148 ft	10,180 ft	201.33	ASPHALT	0 ft	666 ft
	45 m	3,103 m	205.27		0 m	203 m
03L	148 ft	10,201 ft	21.35	ASPHALT	0 ft	656 ft
	45 m	3,109 m	25.30		0 m	200 m
21R	148 ft	10,201 ft	201.35	ASPHALT	0 ft	738 ft
	45 m	3,109 m	205.30		0 m	225 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03L	DME	ILP	109.90 MHz	18 nm	-	-	102 ft
				33 km	-		102 m
21R	DME	RLP	110.70 MHz	18 nm	-	-	57 ft
				33 km	-		57 m
03L	LOC-ILS	ILP	109.90 MHz	18 nm	21.33	-	77 ft
				33 km	25.28		77 m
21R	LOC-ILS	RLP	110.70 MHz	18 nm	201.32	-	77 ft
				33 km	205.27		77 m
03L	GS	ILP	109.90 MHz	10 nm	21.66	3.00	102 ft
				19 km	25.61		102 m
21R	GS	RLP	110.70 MHz	10 nm	201.66	3.00	77 ft
				19 km	205.61		77 m