


RJFF
FUKUOKA

RJ00
OSAKA INTL

2024/05/23 0352Z

RJFF IWC **V19** TAKMA RJ00

258.62 nm / 478.97 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: no
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
RJFF	-	33.58594	0 ft	-	FUKUOKA
APT	-	130.45069	0 m		
IWC	-	34.07946	32,000 ft	89	KUGA VORTAC
VOR	-	132.14727	9,754 m		
KRETA	V19	34.14411	31,100 ft	23	-
FIX	AWY-HI	132.61831	9,479 m		
KINOE	V19	34.17383	28,700 ft	11	-
FIX	AWY-HI	132.83745	8,748 m		
TAKMA	V19	34.25272	22,500 ft	29	-
FIX	AWY-HI	133.41628	6,858 m		
RJ00	-	34.78560	0 ft	105	OSAKA INTL
APT	-	135.43802	0 m		

RJFF

Region: JAPAN
Timezone: ASIA/TOKYO
Runways: 1

Elevation: 30 ft / 9 m
Location: 33.585900 130.451000
Magnetic Var: 7.934 W

METAR

RJFF 230330Z 32005KT 260V360 9999 FEW040 SCT170 BKN/// 26/16 Q1010 NOSIG

TAF

TAF RJFF 222305Z 2300/2406 05004KT 9999 FEW030 BECMG 2302/2304 31010KT BECMG 2310/2312 14004KT BECMG 2400/2403 31

Frequencies

REC - 127.20 MHz - FUKUOKA ATIS	CLD - 121.92 MHz - FUKUOKA DELIVERY
GND - 121.70 MHz - FUKUOKA GROUND	TWR - 118.40 MHz - FUKUOKA TOWER
TWR - 126.20 MHz - FUKUOKA TOWER	DEP - 119.70 MHz - FUKUOKA DEPARTURE
APP - 119.65 MHz - FUKUOKA APPROACH	APP - 121.12 MHz - FUKUOKA APPROACH
APP - 127.90 MHz - FUKUOKA APPROACH	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16	197 ft	9,213 ft	150.35	ASPHALT	0 ft	197 ft
	60 m	2,808 m	158.28		0 m	60 m
34	197 ft	9,213 ft	330.35	ASPHALT	0 ft	200 ft
	60 m	2,808 m	338.29		0 m	61 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
34	DME	IFF	108.90 MHz	18 nm	-	-	46 ft
				33 km	-		46 m
16	LOC-ILS	IFO	111.70 MHz	18 nm	150.35	-	30 ft
				33 km	158.28		30 m
34	LOC-ILS	IFF	108.90 MHz	18 nm	330.35	-	30 ft
				33 km	338.28		30 m
16	GS	IFO	111.70 MHz	10 nm	150.35	3.00	30 ft
				19 km	158.28		30 m
34	GS	IFF	108.90 MHz	10 nm	330.35	3.00	30 ft
				19 km	338.28		30 m

RJ00

Region: JAPAN
Timezone: ASIA/TOKYO
Runways: 2

Elevation: 39 ft / 12 m
Location: 34.785600 135.438000
Magnetic Var: 8.113 W

METAR

RJ00 230300Z VRB03KT 9999 FEW030 BKN/// 25/15 Q1012 RMK 1CU030 A2990

TAF

TAF RJ00 222306Z 2300/2406 21004KT 9999 FEW025 BECMG 2312/2315 32005KT BECMG 2400/2403 21006KT

Frequencies

CLD - 118.80 MHz - OSAKA DELIVERY	GND - 121.70 MHz - OSAKA GROUND
TWR - 118.10 MHz - OSAKA TOWER	DEP - 119.50 MHz - KANSAI DEPARTURE
APP - 120.45 MHz - KANSAI APPROACH	REC - 128.60 MHz - OSAKA ATIS

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
14R	200 ft	9,846 ft	135.14	ASPHALT	128 ft	213 ft
	61 m	3,001 m	143.25		39 m	65 m
32L	200 ft	9,846 ft	315.15	ASPHALT	125 ft	249 ft
	61 m	3,001 m	323.27		38 m	76 m
14L	143 ft	5,995 ft	135.18	ASPHALT	128 ft	679 ft
	44 m	1,827 m	143.29		39 m	207 m
32R	143 ft	5,995 ft	315.18	ASPHALT	118 ft	571 ft
	44 m	1,827 m	323.30		36 m	174 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
32L	LOC-ILS	ISK	110.10 MHz	18 nm	315.13	-	50 ft
				33 km	323.25		50 m
32L	GS	ISK	110.10 MHz	10 nm	315.28	3.00	54 ft
				19 km	323.39		54 m