


2024/05/15 2247Z

VRMG TORID T456 DAKMA VRMM

294.50 nm / 545.40 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
VRMG APT	-	-0.69268 73.15190	0 ft 0 m	-	Gan International Airport
TORID FIX	-	0.61889 73.22940	28,100 ft 8,565 m	78	-
TESIL FIX	T456 AWY-HI	1.18194 73.26110	35,000 ft 10,668 m	33	-
DODRU FIX	T456 AWY-HI	2.05944 73.31060	27,600 ft 8,412 m	52	-
DAKMA FIX	T456 AWY-HI	3.36694 73.38440	10,700 ft 3,261 m	78	-
VRMM APT	-	4.19167 73.52920	0 ft 0 m	50	Velana International

VRMM

Region: MALDIVES
Timezone: INDIAN/MALDIVES
Runways: 1

Elevation: 5 ft / 2 m
Location: 4.191670 73.529200
Magnetic Var: 2.349 W

METAR

VRMM 152100Z 25010KT 9999 TS SCT017 FEW018CB BKN120 29/27 Q1008 RETS CB NW TEMPO 3000 TSRA

TAF

TAF VRMM 151700Z 1518/1624 29017KT 9999 SCT017TCU TEMPO 1519/1524 5000 TSRA SCT016CB

Frequencies

APP - 119.70 MHz - MALÉ APPROACH
GND - 121.60 MHz - MALÉ GROUND

TWR - 118.10 MHz - MALÉ TOWER
REC - 125.50 MHz - MALÉ INFORMATION

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
18	148 ft	10,558 ft	179.06	ASPHALT	331 ft	0 ft
	45 m	3,218 m	181.41		101 m	0 m
36	148 ft	10,558 ft	359.06	ASPHALT	951 ft	59 ft
	45 m	3,218 m	1.41		290 m	18 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
36	DME	IML	108.70 MHz	18 nm	-	-	22 ft
				33 km	-		22 m
36	LOC-ILS	IML	108.70 MHz	18 nm	359.09	-	3 ft
				33 km	1.44		3 m
36	GS	IML	108.70 MHz	10 nm	359.09	3.00	3 ft
				19 km	1.44		3 m