


2024/06/03 0924Z

ELLX MIRGU UN852 MOROK UZ24 AKITO FLORY W102 SPR G5 PETAL BIVLO KINNI UZ139 VANAS KINES LFMD

377.13 nm / 698.44 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
ELLX	-	49.62650	0 ft	-	Luxembourg
APT	-	6.21159	0 m	-	
MIRGU	-	48.01920	35,000 ft	98	-
FIX	-	6.67883	10,668 m	-	-
TIRSO	UN852	47.80610	35,000 ft	12	-
FIX	AWY-HI	6.67083	10,668 m	-	-
ARPUS	UN852	47.67260	35,000 ft	8	-
FIX	AWY-HI	6.66578	10,668 m	-	-
TORPA	UN852	47.47940	35,000 ft	11	-
FIX	AWY-HI	6.65861	10,668 m	-	-
MOROK	UN852	47.39670	35,000 ft	4	-
FIX	AWY-HI	6.65556	10,668 m	-	-
AKITO	UZ24	47.21330	35,000 ft	11	-
FIX	AWY-HI	6.64875	10,668 m	-	-
FLORY	-	46.90870	35,000 ft	18	-
FIX	-	6.58503	10,668 m	-	-
LORBU	W102	46.72940	35,000 ft	11	-
FIX	AWY-LO	6.52889	10,668 m	-	-
SPR	W102	46.46870	35,000 ft	16	ST PREX
VOR	AWY-LO	6.44806	10,668 m	-	
PETAL	G5	46.36810	35,000 ft	8	-
FIX	AWY-LO	6.30028	10,668 m	-	-
BIVLO	-	46.19720	35,000 ft	10	-
FIX	-	6.25389	10,668 m	-	-
KINNI	-	46.08890	34,100 ft	6	-
FIX	-	6.21169	10,394 m	-	-
VANAS	UZ139	45.45720	24,600 ft	44	-
FIX	AWY-HI	6.74686	7,498 m	-	-
KINES	-	45.33140	23,000 ft	7	-
FIX	-	6.75528	7,010 m	-	-
LFMD	-	43.54670	0 ft	107	Cannes Mandelieu
APT	-	6.95325	0 m	-	

## ELLX

Region: LUXEMBOURG

Timezone: EUROPE/LUXEMBOURG

Runways: 1

Elevation: 1,234 ft / 376 m

Location: 49.626500 6.211590

Magnetic Var: 2.536 E

## METAR

ELLX 030850Z 35005KT 280V060 9999 BKN020 13/07 Q1020 NOSIG

## TAF

TAF ELLX 030500Z 0306/0412 33006KT 9999 FEW025 TEMPO 0306/0308 BKN005 TEMPO 0402/0407 3000 BR

## Frequencies

REC - 134.75 MHz - LUXEMBOURG ATIS

TWR - 118.10 MHz - LUXEMBOURG TOWER

APP - 118.90 MHz - LUXEMBOURG APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	197 ft	13,140 ft	60.19	ASPHALT	0 ft	0 ft
	60 m	4,005 m	57.65		0 m	0 m
24	197 ft	13,140 ft	240.22	ASPHALT	0 ft	171 ft
	60 m	4,005 m	237.69		0 m	52 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	ILE	109.90 MHz	18 nm	-	-	1,158 ft
				33 km	-		1,158 m
24	DME	ILW	110.70 MHz	18 nm	-	-	1,158 ft
				33 km	-		1,158 m
06	LOC-ILS	ILE	109.90 MHz	18 nm	60.17	-	1,233 ft
				33 km	57.63		1,233 m
24	LOC-ILS	ILW	110.70 MHz	18 nm	240.17	-	1,233 ft
				33 km	237.63		1,233 m
06	GS	ILE	109.90 MHz	10 nm	60.17	3.00	1,233 ft
				19 km	57.63		1,233 m
24	GS	ILW	110.70 MHz	10 nm	240.17	3.00	1,233 ft
				19 km	237.63		1,233 m

## LFMD

Region: FRANCE  
Timezone: EUROPE/PARIS  
Runways: 3

Elevation: 14 ft / 4 m  
Location: 43.546700 6.953250  
Magnetic Var: 2.684 E

## METAR

LFMD 030900Z AUTO 15005KT 100V190 CAVOK 21/14 Q1014 NOSIG

## TAF

TAF LFMD 030800Z 0309/0409 16008KT CAVOK BECMG 0317/0319 VRB02KT PROB40 0402/0407 BKN012 BECMG 0406/0408 08012KT

## Frequencies

REC - 130.47 MHz - ATIS  
TWR - 118.62 MHz - CANNES TOWER

GND - 121.80 MHz - CANNES GROUND  
TWR - 120.77 MHz - CANNES TOWER

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17R	148 ft	5,290 ft	172.67	ASPHALT	397 ft	0 ft
	45 m	1,612 m	169.99		121 m	0 m
35L	148 ft	5,290 ft	352.68	ASPHALT	1,155 ft	0 ft
	45 m	1,612 m	349.99		352 m	0 m
04	59 ft	2,394 ft	45.11	ASPHALT	262 ft	0 ft
	18 m	730 m	42.43		80 m	0 m
22	59 ft	2,394 ft	225.12	ASPHALT	0 ft	0 ft
	18 m	730 m	222.43		0 m	0 m
17L	164 ft	1,812 ft	172.67	GRASS	0 ft	0 ft
	50 m	552 m	169.99		0 m	0 m
35R	164 ft	1,812 ft	352.67	GRASS	0 ft	0 ft
	50 m	552 m	349.99		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
35L	LOC-LOC	CMD	110.35 MHz	18 nm	352.67	-	14 ft
				33 km	349.99		14 m