


2024/05/20 1114Z

EFVA RERBU **Y370** RUBSI EFRO

237.21 nm / 439.32 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EFVA	-	63.05130	0 ft	-	Vaasa Airport
APT	-	21.76160	0 m	-	
RERBU	-	63.23220	6,100 ft	17	-
FIX	-	22.25360	1,859 m	-	-
GODOB	Y370	64.70360	26,800 ft	94	-
FIX	AWY-HI	23.55940	8,169 m	-	-
RUBSI	Y370	65.69750	12,700 ft	65	-
FIX	AWY-HI	24.64720	3,871 m	-	-
EFRO	-	66.56480	0 ft	59	Rovaniemi Airport
APT	-	25.83040	0 m	-	

## EFVA

Region: FINLAND  
Timezone: EUROPE/HELSINKI  
Runways: 1

Elevation: 20 ft / 6 m  
Location: 63.051300 21.761600  
Magnetic Var: 9.570 E

## METAR

EFVA 201050Z AUTO 35008KT 330V030 CAVOK 11/M02 Q1021

## TAF

TAF EFVA 200823Z 2009/2109 34008KT CAVOK

## Frequencies

REC - 136.45 MHz - ATIS  
TWR - 120.95 MHz - VAASA TOWER

APP - 125.85 MHz - VAASA RADAR  
TWR - 119.70 MHz - VAASA TOWER

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16	157 ft	8,210 ft	163.15	ASPHALT	0 ft	0 ft
	48 m	2,502 m	153.58		0 m	0 m
34	157 ft	8,210 ft	343.17	ASPHALT	0 ft	774 ft
	48 m	2,502 m	333.60		0 m	236 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16	DME	VA	108.50 MHz	18 nm	-	-	78 ft
				33 km	-		78 m
16	LOC-ILS	VA	108.50 MHz	18 nm	163.16	-	20 ft
				33 km	153.59		20 m
16	GS	VA	108.50 MHz	10 nm	163.16	3.00	20 ft
				19 km	153.59		20 m

## EFRO

Region: FINLAND  
Timezone: EUROPE/HELSINKI  
Runways: 1

Elevation: 643 ft / 196 m  
Location: 66.564800 25.830400  
Magnetic Var: 12.738 E

## METAR

EFRO 201050Z 30011KT 260V330 CAVOK 07/M09 Q1016

## TAF

TAF AMD EFRO 200850Z 2009/2109 32012KT CAVOK TEMPO 2009/2013 30015G25KT

## Frequencies

REC - 133.70 MHz - ATIS	TWR - 119.70 MHz - ROVANIEMI TOWER
TWR - 118.70 MHz - ROVANIEMI TOWER	GND - 118.52 MHz - ROVANIEMI GROUND
APP - 129.90 MHz - ROVANIEMI RADAR	APP - 119.70 MHz - ROVANIEMI RADAR
APP - 118.60 MHz - ROVANIEMI ARRIVAL	APP - 119.70 MHz - ROVANIEMI ARRIVAL

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03	197 ft	9,857 ft	37.15	ASPHALT	0 ft	0 ft
	60 m	3,005 m	24.41		0 m	0 m
21	197 ft	9,857 ft	217.19	ASPHALT	0 ft	0 ft
	60 m	3,005 m	204.45		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
21	DME	RO	111.70 MHz	18 nm	-	-	673 ft
				33 km	-		673 m
21	LOC-ILS	RO	111.70 MHz	18 nm	217.18	-	643 ft
				33 km	204.44		643 m
21	GS	RO	111.70 MHz	10 nm	217.18	3.00	643 ft
				19 km	204.44		643 m