

SUMU

Carrasco/Cesareo L. Berisso Intl


SAEZ

Ministro Pistarini Intl

2024/05/13 1445Z

SUMU TOKAM SAEZ

123.67 nm / 229.03 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident		Via	Lat	Alt	Dist	Name
Type			Lon		(nm)	
SUMU	-	-34.83360	0 ft	-	Carrasco/Cesareo L.	Berisso Intl
APT	-	-56.02840	0 m			
TOKAM	-	-34.78140	12,100 ft	34	-	
FIX	-	-56.71560	3,688 m			
SAEZ	-	-34.82200	0 ft	89	Ministro Pistarini Intl	
APT	-	-58.53260	0 m			

SUMU

Region: URUGUAY
Timezone: AMERICA/MONTEVIDEO
Runways: 2

Elevation: 104 ft / 32 m
Location: -34.833600 -56.028400
Magnetic Var: 11.873 W

METAR

SUMU 131400Z 18013KT 9999 SCT036 14/06 Q1022 NOSIG

TAF

TAF SUMU 131130Z 1312/1412 19013KT 9999 BKN026 TX13/1318Z TN06/1410Z PROB30 TEMPO 1313/1324 19015G25KT RA BKN020

Frequencies

TWR - 118.10 MHz - CARRASCO TOWER
APP - 119.20 MHz - CARRASCO APPROACH
COM - 122.80 MHz - UNICOM

TWR - 121.80 MHz - CARRASCO TOWER
APP - 120.20 MHz - CARRASCO APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	10,493 ft	53.43	ASPHALT	1,148 ft	194 ft
	45 m	3,198 m	65.31		350 m	59 m
24	148 ft	10,493 ft	233.42	ASPHALT	489 ft	194 ft
	45 m	3,198 m	245.29		149 m	59 m
01	148 ft	7,397 ft	359.40	ASPHALT	0 ft	194 ft
	45 m	2,255 m	11.27		0 m	59 m
19	148 ft	7,397 ft	179.40	ASPHALT	0 ft	197 ft
	45 m	2,255 m	191.27		0 m	60 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
19	DME	IMVD	111.10 MHz	18 nm	-	-	66 ft
				33 km	-		66 m
19	LOC-ILS	IMVD	111.10 MHz	18 nm	179.40	-	104 ft
				33 km	191.27		104 m
24	LOC-ILS	ICAR	109.90 MHz	18 nm	233.42	-	104 ft
				33 km	245.29		104 m
19	GS	IMVD	111.10 MHz	10 nm	179.40	3.00	104 ft
				19 km	191.27		104 m
24	GS	ICAR	109.90 MHz	10 nm	233.42	3.00	104 ft
				19 km	245.29		104 m

SAEZ

Region: ARGENTINA
Timezone: AMERICA/ARGENTINA/BUENOS_AIRES
Runways: 2

Elevation: 66 ft / 20 m
Location: -34.822000 -58.532600
Magnetic Var: 9.812 W

METAR

SAEZ 131400Z 19007KT CAVOK 11/06 Q1025 NOSIG

TAF

TAF SAEZ 131100Z 1312/1412 20005KT CAVOK TX13/1318Z TN01/1410Z BECMG 1314/1316 20010KT 9999 SCT030 BECMG 1321/1323 20010KT

Frequencies

REC - 127.80 MHz - ATIS
GND - 121.75 MHz - EZEIZA GROUND
APP - 119.90 MHz - EZEIZA APPROACH
CLD - 127.10 MHz - EZEIZA CLEARANCE
TWR - 118.60 MHz - EZEIZA TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
11	197 ft	10,801 ft	102.32	ASPHALT	0 ft	85 ft
	60 m	3,292 m	112.13		0 m	26 m
29	197 ft	10,801 ft	282.30	ASPHALT	0 ft	102 ft
	60 m	3,292 m	292.11		0 m	31 m
17	148 ft	10,226 ft	164.07	ASPHALT	0 ft	105 ft
	45 m	3,117 m	173.88		0 m	32 m
35	148 ft	10,226 ft	344.07	ASPHALT	991 ft	92 ft
	45 m	3,117 m	353.88		302 m	28 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
11	DME	PC	110.10 MHz	18 nm	-	-	66 ft
				33 km	-		66 m
35	DME	EZ	108.70 MHz	18 nm	-	-	66 ft
				33 km	-		66 m
11	LOC-ILS	PC	110.10 MHz	18 nm	102.31	-	66 ft
				33 km	112.12		66 m
35	LOC-ILS	EZ	108.70 MHz	18 nm	344.07	-	66 ft
				33 km	353.88		66 m
11	GS	PC	110.10 MHz	10 nm	102.31	3.00	66 ft
				19 km	112.12		66 m
35	GS	EZ	108.70 MHz	10 nm	344.07	3.00	66 ft
				19 km	353.88		66 m