


2024/06/03 0750Z

KSDL TAGGS J65 TCS J108 INK J15 JCT J86 LEV Q100 SRQ J616 MMDUQ KPBI

1713.33 nm / 3173.08 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KSDL APT	-	33.62290 -111.91100	0 ft 0 m	-	SCOTTSDALE
TAGGS FIX	-	33.42000 -111.17400	13,800 ft 4,206 m	38	-
TMACK FIX	J65 AWY-HI	33.31910 -108.04600	35,000 ft 10,668 m	157	-
TCS VOR	J65 AWY-HI	33.28250 -107.28100	35,000 ft 10,668 m	38	TRUTH OR CONSEQUENCES
GINGR FIX	J108 AWY-HI	32.86150 -105.58800	35,000 ft 10,668 m	88	-
INK VOR	J108 AWY-HI	31.87480 -103.24400	35,000 ft 10,668 m	132	WINK
LOWGO FIX	J15 AWY-HI	31.43400 -102.02200	35,000 ft 10,668 m	67	-
FUSCO FIX	J15 AWY-HI	31.17690 -101.32900	35,000 ft 10,668 m	38	-
JCT VOR	J15 AWY-HI	30.59800 -99.81750	35,000 ft 10,668 m	85	JUNCTION
SPURS FIX	J86 AWY-HI	30.40530 -98.34960	35,000 ft 10,668 m	76	-
PUFER FIX	J86 AWY-HI	30.22400 -97.07560	35,000 ft 10,668 m	66	-
CUZZZ FIX	J86 AWY-HI	30.07060 -96.06340	35,000 ft 10,668 m	53	-
IAH VOR	J86 AWY-HI	29.95690 -95.34570	35,000 ft 10,668 m	37	HUMBLE (HOUSTON)
KAPAA FIX	J86 AWY-HI	29.84130 -94.46810	35,000 ft 10,668 m	46	-
PEKON FIX	J86 AWY-HI	29.62300 -92.92400	35,000 ft 10,668 m	81	-
LEV VOR	J86 AWY-HI	29.17520 -90.10400	35,000 ft 10,668 m	149	LEEVILLE (GRAND ISLE)
REDFN FIX	Q100 AWY-HI	28.88300 -88.70180	35,000 ft 10,668 m	75	-
NAITE FIX	Q100 AWY-HI	28.71070 -88.08330	35,000 ft 10,668 m	34	-
ROZZI FIX	Q100 AWY-HI	28.31450 -86.70520	35,000 ft 10,668 m	76	-
REMIS FIX	Q100 AWY-HI	27.88410 -85.25790	35,000 ft 10,668 m	80	-
SRQ VOR	Q100 AWY-HI	27.40700 -82.56370	29,700 ft 9,053 m	146	SARASOTA
MMDUQ FIX	J616 AWY-HI	27.26280 -81.90710	22,000 ft 6,706 m	36	-
KPBI APT	-	26.68290 -80.09700	0 ft 0 m	102	Palm Beach Intl

KPBI

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 3

Elevation: 19 ft / 6 m
Location: 26.682900 -80.097000
Magnetic Var: 7.503 W

METAR

KPBI 030653Z 10009KT 10SM FEW029 SCT046 27/21 A2997 RMK A02 SLP147 T02720211

TAF

TAF KPBI 030520Z 0306/0406 11012KT P6SM VCSH SCT030 SCT050 FM031500 10009KT P6SM VCTS SCT025CB BKN050 FM032100 10009KT P6SM VCSH SCT030 SCT050

Frequencies

REC - 123.75 MHz - PALM BEACH ATIS	CLD - 121.60 MHz - PALM BEACH CLEARANCE
GND - 121.90 MHz - PALM BEACH GROUND	TWR - 119.10 MHz - PALM BEACH TOWER
DEP - 128.30 MHz - PALM BEACH DEPARTURE	DEP - 127.35 MHz - PALM BEACH DEPARTURE
DEP - 125.20 MHz - PALM BEACH DEPARTURE	APP - 124.60 MHz - PALM BEACH APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10L	150 ft	9,988 ft	92.80	ASPHALT	1,201 ft	203 ft
	46 m	3,044 m	100.30		366 m	62 m
28R	150 ft	9,988 ft	272.81	ASPHALT	810 ft	200 ft
	46 m	3,044 m	280.31		247 m	61 m
14	150 ft	6,941 ft	135.32	ASPHALT	0 ft	197 ft
	46 m	2,116 m	142.82		0 m	60 m
32	150 ft	6,941 ft	315.33	ASPHALT	427 ft	272 ft
	46 m	2,116 m	322.83		130 m	83 m
10R	75 ft	3,209 ft	92.80	ASPHALT	0 ft	197 ft
	23 m	978 m	100.30		0 m	60 m
28L	75 ft	3,209 ft	272.81	ASPHALT	0 ft	187 ft
	23 m	978 m	280.31		0 m	57 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10L	LOC-ILS	IPBI	111.90 MHz	18 nm	92.80	-	19 ft
				33 km	100.30		19 m
28R	LOC-ILS	IPWB	111.90 MHz	18 nm	272.80	-	19 ft
				33 km	280.30		19 m
10L	GS	IPBI	111.90 MHz	10 nm	93.59	3.00	17 ft
				19 km	101.10		17 m
28R	GS	IPWB	111.90 MHz	10 nm	273.59	3.00	19 ft
				19 km	281.10		19 m