

LFPG

Paris Charles De Gaulle


GOOY

Dakar - Leopold Sedar Senghor Intl

2024/05/01 0145Z

LFPG DEPOM **G54** CTX **G28** LMG **UN10** SAU **UN857** PPN **UN10** VASUM **UN857** BAN **UN10** CJN **UL27** BLN **UN869** MGA
UM985 PIMOS **UN869** SLK **UB11** MABAP **UN869** ADM **UR975** DIDAN **R975** ECHED **UR975** BIMOG **R975** ZRT **UR975** SLO
GOOY

2321.80 nm / 4299.97 km



Notes

Basic altitude profile:

- Ascent Rate: 2200ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 34000ft
- Cruise Speed: 320kts
- Descent Rate: 1800ft/min
- Descent Speed: 230kts

Options:

- Use NATs: yes
- Use PACOTS: yes

- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFPG	-	49.00970	0 ft	-	Paris Charles De Gaulle
APT	-	2.56257	0 m		
DEPOM	-	47.31780	34,000 ft	102	-
FIX	-	2.17917	10,363 m		
CTX	G54	46.93660	34,000 ft	27	CHATEAUROUX DEOLS
NDB	AWY-LO	1.80114	10,363 m		
GUSON	G28	46.47420	34,000 ft	30	-
FIX	AWY-LO	1.47778	10,363 m		
LMG	G28	45.81590	34,000 ft	43	LIMOGES
VOR	AWY-LO	1.02558	10,363 m		
VELIN	UN10	44.98000	34,000 ft	62	-
FIX	AWY-HI	0.15556	10,363 m		
SAU	UN10	44.67680	34,000 ft	22	SAUVETERRE DE GUYENNE
VOR	AWY-HI	-0.15292	10,363 m		
BEGUY	UN857	43.05830	34,000 ft	112	-
FIX	AWY-HI	-1.45083	10,363 m		
PPN	UN857	42.73370	34,000 ft	22	PAMPLONA
VOR	AWY-HI	-1.70200	10,363 m		
VASUM	UN10	42.27190	34,000 ft	30	-
FIX	AWY-HI	-2.01100	10,363 m		
BAN	UN857	41.32360	34,000 ft	63	BARAHONA
VOR	AWY-HI	-2.62978	10,363 m		
PINAR	UN10	40.98030	34,000 ft	20	-
FIX	AWY-HI	-2.59917	10,363 m		
CJN	UN10	40.37200	34,000 ft	36	CASTEJON
VOR	AWY-HI	-2.54461	10,363 m		
NASOS	UL27	39.39910	34,000 ft	62	-
FIX	AWY-HI	-3.02778	10,363 m		
ANZAN	UL27	39.00000	34,000 ft	25	-
FIX	AWY-HI	-3.22144	10,363 m		
BLN	UL27	38.15250	34,000 ft	54	BAILLEN
VOR	AWY-HI	-3.62500	10,363 m		
MGA	UN869	36.81430	34,000 ft	87	MALAGA
VOR	AWY-HI	-4.36958	10,363 m		
PIMOS	UM985	36.15040	34,000 ft	47	-
FIX	AWY-HI	-4.89347	10,363 m		
GALTO	UN869	35.83330	34,000 ft	22	-
FIX	AWY-HI	-5.14361	10,363 m		
RBT	UN869	34.04990	34,000 ft	133	RABAT
VOR	AWY-HI	-6.74639	10,363 m		
SLK	UN869	33.11570	34,000 ft	67	SIDI KHEDIM (CASABLANCA)
VOR	AWY-HI	-7.50610	10,363 m		
PELAX	UB11	32.85360	34,000 ft	18	-
FIX	AWY-HI	-7.69050	10,363 m		
MABAP	UB11	32.12430	34,000 ft	50	-
FIX	AWY-HI	-8.19712	10,363 m		
ADM	UN869	30.32190	34,000 ft	124	AL-MASSIRA (AGADIR)
VOR	AWY-HI	-9.38347	10,363 m		
ARSOL	UR975	29.93080	34,000 ft	25	-
FIX	AWY-HI	-9.55333	10,363 m		
DIDAN	UR975	29.61940	34,000 ft	19	-
FIX	AWY-HI	-9.68889	10,363 m		
ECHED	R975	27.66670	34,000 ft	125	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-LO	-10.51670	10,363 m		
BIMOG	UR975	25.21670	34,000 ft	157	-
FIX	AWY-HI	-11.55000	10,363 m		
ZRT	R975	22.75850	34,000 ft	155	ZOUERATE
VOR	AWY-LO	-12.46160	10,363 m		
ARDAR	UR975	20.50000	34,000 ft	139	-
FIX	AWY-HI	-13.06670	10,363 m		
SEPEL	UR975	17.83390	34,000 ft	198	-
FIX	AWY-HI	-15.12170	10,363 m		
IDINI	UR975	17.64310	34,000 ft	14	-
FIX	AWY-HI	-15.26580	10,363 m		
ULNOT	UR975	17.10720	34,000 ft	39	-
FIX	AWY-HI	-15.66920	10,363 m		
NEVDI	UR975	16.51720	34,000 ft	43	-
FIX	AWY-HI	-16.11000	10,363 m		
SLO	UR975	16.04910	33,300 ft	34	ST LOUIS
NDB	AWY-HI	-16.45710	10,150 m		
GOOY	-	14.74010	0 ft	98	Dakar - Leopold Sedar Senghor Intl
APT	-	-17.49040	0 m		

LFPG

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 4

Elevation: 392 ft / 119 m
Location: 49.009700 2.562570
Magnetic Var: 1.492 E

METAR

LFPG 010130Z 12008KT CAVOK 14/12 Q1009 NOSIG

TAF

TAF LFPG 302300Z 0100/0206 14005KT CAVOK TX20/0115Z TN13/0105Z PROB30 TEMPO 0104/0107 3500 BR BKN006 PROB30 TEMPO

Frequencies

REC - 128.32 MHz - ATIS	REC - 127.12 MHz - ATIS
TWR - 120.90 MHz - DE GAULLE TOWER	TWR - 125.32 MHz - DE GAULLE TOWER
TWR - 119.62 MHz - DE GAULLE TOWER	TWR - 119.25 MHz - DE GAULLE TOWER
TWR - 118.65 MHz - DE GAULLE TOWER	TWR - 123.60 MHz - DE GAULLE TOWER
TWR - 120.65 MHz - DE GAULLE TOWER	GND - 121.90 MHz - DE GAULLE GROUND
GND - 125.30 MHz - DE GAULLE GROUND	GND - 121.70 MHz - DE GAULLE GROUND
CLD - 121.80 MHz - CLEARANCE DELIVERY	APP - 118.15 MHz - DE GAULLE APPROACH
APP - 119.85 MHz - DE GAULLE APPROACH	APP - 121.15 MHz - DE GAULLE APPROACH
APP - 125.82 MHz - DE GAULLE APPROACH	APP - 126.42 MHz - DE GAULLE APPROACH
DEP - 124.35 MHz - DE GAULLE DEPARTURE	DEP - 126.57 MHz - DE GAULLE DEPARTURE
DEP - 131.20 MHz - DE GAULLE DEPARTURE	DEP - 133.37 MHz - DE GAULLE DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08L	148 ft	13,713 ft	85.31	ASPHALT	0 ft	489 ft
	45 m	4,180 m	83.82		0 m	149 m
26R	148 ft	13,713 ft	265.35	ASPHALT	1,877 ft	279 ft
	45 m	4,180 m	263.86		572 m	85 m
09L	197 ft	8,866 ft	85.32	ASPHALT	0 ft	0 ft
	60 m	2,703 m	83.83		0 m	0 m
27R	197 ft	8,866 ft	265.35	ASPHALT	0 ft	0 ft
	60 m	2,703 m	263.85		0 m	0 m
08R	197 ft	8,833 ft	85.33	ASPHALT	0 ft	489 ft
	60 m	2,692 m	83.83		0 m	149 m
26L	197 ft	8,833 ft	265.35	ASPHALT	0 ft	486 ft
	60 m	2,692 m	263.86		0 m	148 m
09R	148 ft	13,746 ft	85.30	ASPHALT	0 ft	0 ft
	45 m	4,190 m	83.81		0 m	0 m
27L	148 ft	13,746 ft	265.34	ASPHALT	1,959 ft	0 ft
	45 m	4,190 m	263.85		597 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08R	DME	DSE	108.55 MHz	18 nm	-	-	358 ft
				33 km	-		358 m
09L	DME	PNE	109.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
09R	DME	CGE	110.10 MHz	18 nm	-	-	392 ft
				33 km	-		392 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
26L	DME	DSU	108.35 MHz	18 nm	-	-	338 ft
				33 km	-		338 m
27L	DME	CGW	110.70 MHz	18 nm	-	-	407 ft
				33 km	-		407 m
27R	DME	PNW	110.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
08L	LOC-ILS	GLE	108.70 MHz	18 nm	85.33	-	392 ft
				33 km	83.84		392 m
08R	LOC-ILS	DSE	108.55 MHz	18 nm	85.34	-	392 ft
				33 km	83.85		392 m
09L	LOC-ILS	PNE	109.35 MHz	18 nm	85.33	-	392 ft
				33 km	83.84		392 m
09R	LOC-ILS	CGE	110.10 MHz	18 nm	85.32	-	392 ft
				33 km	83.83		392 m
26L	LOC-ILS	DSU	108.35 MHz	18 nm	265.34	-	392 ft
				33 km	263.85		392 m
26R	LOC-ILS	GAU	111.95 MHz	18 nm	265.33	-	392 ft
				33 km	263.84		392 m
27L	LOC-ILS	CGW	110.70 MHz	18 nm	265.32	-	392 ft
				33 km	263.83		392 m
27R	LOC-ILS	PNW	110.35 MHz	18 nm	265.33	-	392 ft
				33 km	263.84		392 m
08L	GS	GLE	108.70 MHz	10 nm	85.33	3.00	392 ft
				19 km	83.84		392 m
08R	GS	DSE	108.55 MHz	10 nm	85.34	3.00	392 ft
				19 km	83.85		392 m
09L	GS	PNE	109.35 MHz	10 nm	85.33	3.00	392 ft
				19 km	83.84		392 m
09R	GS	CGE	110.10 MHz	10 nm	85.32	3.00	392 ft
				19 km	83.83		392 m
26L	GS	DSU	108.35 MHz	10 nm	265.34	3.00	392 ft
				19 km	263.85		392 m
26R	GS	GAU	111.95 MHz	10 nm	265.33	3.00	392 ft
				19 km	263.84		392 m
27L	GS	CGW	110.70 MHz	10 nm	265.32	3.00	392 ft
				19 km	263.83		392 m
27R	GS	PNW	110.35 MHz	10 nm	265.33	3.00	392 ft
				19 km	263.84		392 m

GOOY

Region: SENEGAL
Timezone: AFRICA/DAKAR
Runways: 2

Elevation: 84 ft / 26 m
Location: 14.740100 -17.490400
Magnetic Var: 6.628 W

METAR

GOOY 010100Z 36010KT 8000 NSC 23/18 Q1010

TAF

TAF GOOY 302300Z 0100/0206 01012KT 6000 NSC BECMG 0110/0112 4000 DU

Frequencies

TWR - 118.10 MHz - DAKAR TWR
APP - 120.50 MHz - DAKAR CON

REC - 121.30 MHz - DAKAR ATIS

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
18	148 ft	11,483 ft	172.61	ASPHALT	525 ft	220 ft
	45 m	3,500 m	179.24		160 m	67 m
36	148 ft	11,483 ft	352.61	ASPHALT	0 ft	213 ft
	45 m	3,500 m	359.24		0 m	65 m
03	98 ft	4,916 ft	22.33	ASPHALT	0 ft	98 ft
	30 m	1,498 m	28.96		0 m	30 m
21	98 ft	4,916 ft	202.33	ASPHALT	0 ft	1,591 ft
	30 m	1,498 m	208.96		0 m	485 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
36	DME	YF	110.30 MHz	18 nm	-	-	73 ft
				33 km	-		73 m
36	LOC-ILS	YF	110.30 MHz	18 nm	352.33	-	65 ft
				33 km	358.95		65 m
36	GS	YF	110.30 MHz	10 nm	353.14	3.01	73 ft
				19 km	359.77		73 m