


2024/05/24 0723Z

KSDL PXR KPHX

13.89 nm / 25.72 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KSDL	-	33.62290	0 ft	-	SCOTTSDALE
APT	-	-111.91100	0 m		
PXR	-	33.43300	400 ft	11	PHOENIX
VOR	-	-111.97000	122 m		
KPHX	-	33.43360	0 ft	2	Phoenix Sky Harbor Intl
APT	-	-112.01200	0 m		

KPHX

Region: UNITED STATES
Timezone: AMERICA/PHOENIX
Runways: 3

Elevation: 1,135 ft / 346 m
Location: 33.433600 -112.012000
Magnetic Var: 9.717 E

METAR

KPHX 240651Z 24004KT 10SM CLR 28/M02 A2976 RMK A02 SLP057 T02781022 403670211

TAF

KPHX 240521Z 2406/2512 26008KT P6SM FEW250 FM240900 11006KT P6SM SCT250 FM241700 18005KT P6SM SCT250 FM242100 260

Frequencies

REC - 127.57 MHz - ATIS	CLD - 118.10 MHz - CLEARANCE DELIVERY
GND - 119.75 MHz - GROUND NORTH	GND - 132.55 MHz - GROUND SOUTH
TWR - 118.70 MHz - TOWER NORTH	TWR - 120.90 MHz - TOWER SOUTH
APP - 128.65 MHz - PHOENIX APPROACH	APP - 120.70 MHz - PHOENIX APPROACH
DEP - 124.10 MHz - PHOENIX APPROACH	DEP - 126.80 MHz - PHOENIX DEPARTURE
DEP - 124.90 MHz - PHOENIX DEPARTURE	DEP - 123.70 MHz - PHOENIX DEPARTURE
DEP - 119.20 MHz - PHOENIX DEPARTURE	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08	151 ft	11,500 ft	90.06	CONCRETE	912 ft	0 ft
	46 m	3,505 m	80.34		278 m	0 m
26	151 ft	11,500 ft	270.08	CONCRETE	0 ft	0 ft
	46 m	3,505 m	260.36		0 m	0 m
07L	151 ft	10,308 ft	90.04	CONCRETE	0 ft	0 ft
	46 m	3,142 m	80.32		0 m	0 m
25R	151 ft	10,308 ft	270.06	CONCRETE	0 ft	0 ft
	46 m	3,142 m	260.34		0 m	0 m
07R	151 ft	7,806 ft	90.04	CONCRETE	0 ft	0 ft
	46 m	2,379 m	80.32		0 m	0 m
25L	151 ft	7,806 ft	270.05	CONCRETE	0 ft	0 ft
	46 m	2,379 m	260.33		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07L	DME	IPHX	111.50 MHz	18 nm	-	-	1,142 ft
				33 km	-		1,142 m
07R	DME	IAHA	110.75 MHz	18 nm	-	-	1,135 ft
				33 km	-		1,135 m
08	DME	ISYQ	111.75 MHz	18 nm	-	-	1,149 ft
				33 km	-		1,149 m
25L	DME	IRJG	110.75 MHz	18 nm	-	-	1,135 ft
				33 km	-		1,135 m
26	DME	CWJ	111.75 MHz	18 nm	-	-	1,119 ft
				33 km	-		1,119 m
07L	LOC-ILS	IPHX	111.50 MHz	18 nm	90.05	-	1,135 ft
				33 km	80.33		1,135 m
07R	LOC-ILS	IAHA	110.75 MHz	18 nm	90.04	-	1,135 ft
				33 km	80.32		1,135 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08	LOC-ILS	ISYQ	111.75 MHz	18 nm 33 km	90.07 80.35	-	1,135 ft 1,135 m
25L	LOC-ILS	IRJG	110.75 MHz	18 nm 33 km	270.04 260.32	-	1,135 ft 1,135 m
26	LOC-ILS	ICWJ	111.75 MHz	18 nm 33 km	270.07 260.35	-	1,135 ft 1,135 m
07L	GS	IPHX	111.50 MHz	10 nm 19 km	90.05 80.33	3.01	1,135 ft 1,135 m
07R	GS	IAHA	110.75 MHz	10 nm 19 km	90.04 80.32	3.01	1,135 ft 1,135 m
08	GS	ISYQ	111.75 MHz	10 nm 19 km	90.70 80.98	3.01	1,135 ft 1,135 m
25L	GS	IRJG	110.75 MHz	10 nm 19 km	270.04 260.32	3.00	1,135 ft 1,135 m
26	GS	ICWJ	111.75 MHz	10 nm 19 km	270.70 260.98	3.00	1,135 ft 1,135 m