

EIDW

Dublin


FNPA

PORTO AMBOIM

2024/05/07 0539Z

EIDW STU **UN26** UVUDO **UN862** MLA **UN860** VLC **UP34** HAMRA **A34** MOS **A604** TMS TMS **UA604** EREBO **A604** GANLA
UA604 JOS JOS **UA604** DLA **UG861** IT **UW118** LIKAD **UR526** VNA **R987** ARGOL FNPA

4045.98 nm / 7493.15 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EIDW	-	53.42490	0 ft	-	Dublin
APT	-	-6.26308	0 m		
STU	-	51.99470	34,500 ft	96	STRUMBLE
VOR	-	-5.04019	10,516 m		
DEVOM	UN26	50.72170	35,000 ft	90	-
FIX	AWY-HI	-3.75528	10,668 m		
BHD	UN26	50.39860	35,000 ft	21	BERRY HEAD
VOR	AWY-HI	-3.49374	10,668 m		
MANIG	UN26	49.78530	35,000 ft	37	-
FIX	AWY-HI	-3.25944	10,668 m		
GOBUR	UN26	49.29170	35,000 ft	30	-
FIX	AWY-HI	-3.07528	10,668 m		
BASIK	UN26	48.95360	35,000 ft	20	-
FIX	AWY-HI	-2.95111	10,668 m		
KORER	UN26	47.68500	35,000 ft	78	-
FIX	AWY-HI	-2.50083	10,668 m		
NORMI	UN26	46.89610	35,000 ft	50	-
FIX	AWY-HI	-2.09194	10,668 m		
UVUDO	UN26	46.50000	35,000 ft	25	-
FIX	AWY-HI	-1.84417	10,668 m		
SAU	UN862	44.67680	35,000 ft	130	SAUVETERRE DE GUYENNE
VOR	AWY-HI	-0.15292	10,668 m		
TBO	UN862	43.33220	35,000 ft	81	TARBES
VOR	AWY-HI	0.14575	10,668 m		
PERDU	UN862	42.73210	35,000 ft	36	-
FIX	AWY-HI	0.15119	10,668 m		
BROTO	UN862	42.42440	35,000 ft	18	-
FIX	AWY-HI	0.15394	10,668 m		
POSSY	UN862	42.06130	35,000 ft	21	-
FIX	AWY-HI	0.15717	10,668 m		
DIRMU	UN862	41.78550	35,000 ft	16	-
FIX	AWY-HI	0.15958	10,668 m		
MLA	UN862	41.12960	35,000 ft	39	MAELLA
VOR	AWY-HI	0.16525	10,668 m		
CRETA	UN860	40.87230	35,000 ft	16	-
FIX	AWY-HI	0.06156	10,668 m		
RIMES	UN860	40.55790	35,000 ft	19	-
FIX	AWY-HI	-0.06394	10,668 m		
SAURA	UN860	40.25600	35,000 ft	18	-
FIX	AWY-HI	-0.18336	10,668 m		
TATOS	UN860	40.00000	35,000 ft	16	-
FIX	AWY-HI	-0.28375	10,668 m		
PLANA	UN860	39.89040	35,000 ft	6	-
FIX	AWY-HI	-0.32644	10,668 m		
VLC	UN860	39.48560	35,000 ft	25	VALENCIA
VOR	AWY-HI	-0.48306	10,668 m		
RIPUX	UP34	39.24660	35,000 ft	14	-
FIX	AWY-HI	-0.43978	10,668 m		
SUMMO	UP34	38.36030	35,000 ft	53	-
FIX	AWY-HI	-0.28175	10,668 m		
MAGAL	UP34	38.07330	35,000 ft	17	-
FIX	AWY-HI	-0.23072	10,668 m		
RINDI	UP34	37.10570	35,000 ft	58	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	-0.06350	10,668 m		
HAMRA	UP34	36.87110	35,000 ft	14	-
FIX	AWY-HI	-0.02361	10,668 m		
BAHRI	A34	36.29530	35,000 ft	34	-
FIX	AWY-HI	0.06917	10,668 m		
MOS	A34	35.89860	35,000 ft	24	MOSTAGANEM
VOR	AWY-HI	0.13630	10,668 m		
FAROS	A604	35.50560	35,000 ft	25	-
FIX	AWY-HI	0.30722	10,668 m		
BAY	A604	33.70980	35,000 ft	114	EL BAYADH
VOR	AWY-HI	1.07919	10,668 m		
ANIEB	A604	32.97580	35,000 ft	48	-
FIX	AWY-HI	1.50000	10,668 m		
ABLOD	A604	31.23940	35,000 ft	115	-
FIX	AWY-HI	2.48167	10,668 m		
MNA	A604	30.55850	35,000 ft	45	EL GOLEA
VOR	AWY-HI	2.86166	10,668 m		
SIHAR	A604	28.50000	35,000 ft	128	-
FIX	AWY-HI	3.51222	10,668 m		
TMS	A604	22.84280	35,000 ft	355	TAMANRASSET VOR-DME
DME	AWY-HI	5.46472	10,668 m		
TMS	-	22.80760	35,000 ft	2	TAMENGHASSET
VOR	-	5.44653	10,668 m		
EREBO	UA604	20.11670	35,000 ft	173	-
FIX	AWY-HI	6.60000	10,668 m		
AS	A604	16.97500	35,000 ft	205	AGADEZ
VOR	AWY-LO	8.02323	10,668 m		
GANLA	A604	13.75140	35,000 ft	194	-
FIX	AWY-LO	8.32944	10,668 m		
MIMBA	UA604	13.08320	35,000 ft	40	-
FIX	AWY-HI	8.39261	10,668 m		
KAN	UA604	12.03590	35,000 ft	63	KANO
VOR	AWY-HI	8.49606	10,668 m		
GUSOL	UA604	10.88840	35,000 ft	69	-
FIX	AWY-HI	8.70094	10,668 m		
JOS	UA604	9.64219	35,000 ft	75	JOS VOR-DME
DME	AWY-HI	8.84300	10,668 m		
JOS	-	9.64197	35,000 ft	1	JOS
VOR	-	8.86400	10,668 m		
VOSBO	UA604	8.42000	35,000 ft	73	-
FIX	AWY-HI	9.01333	10,668 m		
KEVTA	UA604	8.28333	35,000 ft	8	-
FIX	AWY-HI	9.03000	10,668 m		
EDENI	UA604	8.09618	35,000 ft	11	-
FIX	AWY-HI	9.05244	10,668 m		
AKLIS	UA604	7.08850	35,000 ft	61	-
FIX	AWY-HI	9.18931	10,668 m		
OBUDU	UA604	6.16719	35,000 ft	55	-
FIX	AWY-HI	9.25764	10,668 m		
MF	UA604	5.70569	35,000 ft	27	MAMFE
VOR	AWY-HI	9.30394	10,668 m		
KOKAM	UA604	4.49072	35,000 ft	74	-
FIX	AWY-HI	9.56772	10,668 m		
DLA	UA604	3.99392	35,000 ft	31	DOUALA
VOR	AWY-HI	9.74347	10,668 m		
ARASI	UG861	1.80056	35,000 ft	135	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	10.27750	10,668 m		
LUDNA	UG861	0.88583	35,000 ft	56	-
FIX	AWY-HI	10.49940	10,668 m		
ODOVA	UG861	0.49616	35,000 ft	24	-
FIX	AWY-HI	10.59410	10,668 m		
AYELA	UG861	-0.04242	35,000 ft	33	-
FIX	AWY-HI	10.72500	10,668 m		
KOPOV	UG861	-0.72333	35,000 ft	42	-
FIX	AWY-HI	10.89030	10,668 m		
EPASA	UG861	-1.70957	35,000 ft	60	-
FIX	AWY-HI	11.12960	10,668 m		
RASOP	UG861	-2.56747	35,000 ft	53	-
FIX	AWY-HI	11.33800	10,668 m		
KEKIR	UG861	-3.65242	35,000 ft	67	-
FIX	AWY-HI	11.60190	10,668 m		
IT	UG861	-4.82308	35,000 ft	72	POINTE NOIRE
VOR	AWY-HI	11.88740	10,668 m		
LIKAD	UW118	-5.12333	35,000 ft	21	-
FIX	AWY-HI	11.70280	10,668 m		
EXITO	UR526	-6.98944	35,000 ft	121	-
FIX	AWY-HI	12.47420	10,668 m		
EPLAT	UR526	-7.60833	35,000 ft	40	-
FIX	AWY-HI	12.73140	10,668 m		
VNA	UR526	-8.84527	25,000 ft	80	LUANDA
VOR	AWY-HI	13.24760	7,620 m		
ARGOL	R987	-10.13170	7,800 ft	80	-
FIX	AWY-HI	13.62330	2,377 m		
FNPA	-	-10.72200	0 ft	36	PORTO AMBOIM
APT	-	13.76550	0 m		

EIDW

Region: IRELAND
Timezone: EUROPE/DUBLIN
Runways: 2

Elevation: 240 ft / 73 m
Location: 53.424900 -6.263080
Magnetic Var: 1.977 W

METAR

EIDW 070500Z 28009KT 9999 FEW014 BKN025 09/06 Q1021 NOSIG

TAF

TAF EIDW 062300Z 0700/0724 32010KT 9999 FEW016 BKN020 TEMPO 0700/0708 BKN014 BECMG 0709/0711 VRB03KT BECMG 0715/0

Frequencies

REC - 124.52 MHz - ATIS	TWR - 118.60 MHz - DUBLIN TOWER
GND - 118.75 MHz - DUBLIN GROUND	GND - 121.80 MHz - DUBLIN GROUND
CLD - 121.87 MHz - CLEARANCE DELIVERY	APP - 133.27 MHz - DUBLIN APPROACH
APP - 121.10 MHz - DUBLIN APPROACH	APP - 119.92 MHz - DUBLIN APPROACH
APP - 119.55 MHz - DUBLIN APPROACH	REC - 118.50 MHz - DUBLIN INFORMATION

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10R	148 ft	8,660 ft	95.26	ASPHALT	0 ft	0 ft
	45 m	2,640 m	97.23		0 m	0 m
28L	148 ft	8,660 ft	275.29	ASPHALT	0 ft	0 ft
	45 m	2,640 m	277.27		0 m	0 m
16	190 ft	6,805 ft	156.64	ASPHALT	0 ft	0 ft
	58 m	2,074 m	158.61		0 m	0 m
34	190 ft	6,805 ft	336.65	ASPHALT	0 ft	0 ft
	58 m	2,074 m	338.62		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16	DME	IAC	111.50 MHz	18 nm	-	-	200 ft
				33 km	-		200 m
10R	LOC-ILS	IDE	108.90 MHz	18 nm	95.26	-	242 ft
				33 km	97.24		242 m
16	LOC-ILS	IAC	111.50 MHz	18 nm	156.64	-	242 ft
				33 km	158.62		242 m
28L	LOC-ILS	IDW	111.35 MHz	18 nm	275.26	-	242 ft
				33 km	277.24		242 m
10R	GS	IDE	108.90 MHz	10 nm	95.26	3.00	242 ft
				19 km	97.24		242 m
16	GS	IAC	111.50 MHz	10 nm	156.64	3.00	242 ft
				19 km	158.62		242 m
28L	GS	IDW	111.35 MHz	10 nm	275.26	3.00	242 ft
				19 km	277.24		242 m