


2024/05/14 2048Z

LFML SALIN LFMP

110.93 nm / 205.44 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFML	-	43.43580	0 ft	-	Marseille Provence
APT	-	5.21343	0 m		
SALIN	-	43.28280	8,200 ft	23	-
FIX	-	4.73014	2,499 m		
LFMP	-	42.74020	0 ft	87	Rivesaltes
APT	-	2.87079	0 m		

LFML

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 2

Elevation: 69 ft / 21 m
Location: 43.435800 5.213430
Magnetic Var: 2.284 E

METAR

LFML 142030Z AUTO 35010KT 9000 -RA BKN037/// OVC043/// ///CB 15/13 Q1006 TEMPO VRB15G30KT 3000 TSRA

TAF

TAF TAF LFML 141400Z 1415/1521 13010KT 9999 FEW030 TX18/1513Z TN15/1521Z TEMPO 1415/1418 13015G25KT 4000 RA PROB4

Frequencies

TWR - 125.35 MHz - PROVENCE ATIS	GND - 121.72 MHz - PROVENCE PREFLIGHT
GND - 121.90 MHz - PROVENCE GROUND	TWR - 133.10 MHz - PROVENCE TOWER
TWR - 123.72 MHz - PROVENCE TOWER	APP - 120.20 MHz - PROVENCE APPROACH
TWR - 120.87 MHz - PROVENCE APPROACH	APP - 121.42 MHz - PROVENCE APPROACH
APP - 124.35 MHz - PROVENCE APPROACH	APP - 127.72 MHz - PROVENCE APPROACH
TWR - 129.47 MHz - PROVENCE APPROACH	APP - 132.30 MHz - PROVENCE APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13L	148 ft	11,485 ft	134.05	ASPHALT	1,122 ft	295 ft
	45 m	3,501 m	131.76		342 m	90 m
31R	148 ft	11,485 ft	314.07	ASPHALT	2,165 ft	331 ft
	45 m	3,501 m	311.79		660 m	101 m
13R	148 ft	7,783 ft	134.89	ASPHALT	0 ft	197 ft
	45 m	2,372 m	132.61		0 m	60 m
31L	148 ft	7,783 ft	314.91	ASPHALT	348 ft	194 ft
	45 m	2,372 m	312.62		106 m	59 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
13L	DME	ML	110.30 MHz	27 nm	-	-	10 ft
				50 km	-		10 m
13R	DME	MCE	108.30 MHz	27 nm	-	-	10 ft
				50 km	-		10 m
31R	DME	MPV	111.15 MHz	27 nm	-	-	10 ft
				50 km	-		10 m
13L	LOC-ILS	ML	110.30 MHz	18 nm	134.05	-	74 ft
				33 km	131.77		74 m
13R	LOC-ILS	MCE	108.30 MHz	18 nm	134.90	-	74 ft
				33 km	132.62		74 m
31R	LOC-ILS	MPV	111.15 MHz	18 nm	314.05	-	74 ft
				33 km	311.77		74 m
13L	GS	ML	110.30 MHz	10 nm	134.05	3.00	10 ft
				19 km	131.77		10 m
13R	GS	MCE	108.30 MHz	10 nm	134.90	3.00	74 ft
				19 km	132.62		74 m
31R	GS	MPV	111.15 MHz	10 nm	314.05	4.00	10 ft
				19 km	311.77		10 m

LFMP

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 2

Elevation: 143 ft / 44 m
Location: 42.740200 2.870790
Magnetic Var: 1.729 E

METAR

LFMP 142030Z AUTO 30005KT 9999 BKN084 16/09 Q1007 NOSIG

TAF

TAF LFMP 141400Z 1415/1515 28008KT 9999 SCT035TCU OVC040 TEMPO 1415/1416 4500 RA SCT012 BKN030 FEW035CB PROB40 TEMS

Frequencies

REC - 127.87 MHz - LFMP ATIS
APP - 120.75 MHz - PERPIGNAN APP

TWR - 118.30 MHz - PERPIGNAN TWR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
15	148 ft	8,296 ft	148.79	ASPHALT	0 ft	230 ft
	45 m	2,529 m	147.06		0 m	70 m
33	148 ft	8,296 ft	328.80	ASPHALT	558 ft	230 ft
	45 m	2,529 m	327.07		170 m	70 m
13	66 ft	3,635 ft	129.20	ASPHALT	0 ft	528 ft
	20 m	1,108 m	127.47		0 m	161 m
31	66 ft	3,635 ft	309.21	ASPHALT	0 ft	0 ft
	20 m	1,108 m	307.48		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
33	DME	PL	111.75 MHz	18 nm	-	-	183 ft
				33 km	-		183 m
33	LOC-ILS	PL	111.75 MHz	18 nm	328.30	-	124 ft
				33 km	326.57		124 m
33	GS	PL	111.75 MHz	10 nm	328.77	3.00	124 ft
				19 km	327.04		124 m