

# LPPR

Porto Francisco Sa Carneiro


# EDDS

Stuttgart

2024/05/10 2012Z

LPPR CANAR **UL155** ZMR **UN976** DGO **UL176** SSN **UP181** ENSAC **UN10** LMG **G21** GUERE **UM129** KUKOR **G21** EPL **R11**  
POGOL EDDS

924.10 nm / 1711.44 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LPPR	-	41.24790	0 ft	-	Porto Francisco Sa Carneiro
APT	-	-8.68122	0 m		
CANAR	-	41.38580	19,700 ft	55	-
FIX	-	-7.46972	6,005 m		
ADORO	UL155	41.48300	35,000 ft	53	-
FIX	AWY-HI	-6.28000	10,668 m		
ZMR	UL155	41.53020	35,000 ft	28	ZAMORA
VOR	AWY-HI	-5.63969	10,668 m		
NEA	UN976	42.02760	35,000 ft	74	TABANERA
VOR	AWY-HI	-4.10914	10,668 m		
DGO	UN976	42.45330	35,000 ft	60	DOMINGO
VOR	AWY-HI	-2.88069	10,668 m		
CEGAM	UL176	42.98370	35,000 ft	42	-
FIX	AWY-HI	-2.23636	10,668 m		
SSN	UL176	43.31120	35,000 ft	26	SAN SEBASTIAN
VOR	AWY-HI	-1.83039	10,668 m		
URUNA	UP181	43.35500	35,000 ft	4	-
FIX	AWY-HI	-1.74028	10,668 m		
BTZ	UP181	43.46660	35,000 ft	12	BIARRITZ PAYS BASQUE
VOR	AWY-HI	-1.51028	10,668 m		
MAGEC	UP181	43.74830	35,000 ft	21	-
FIX	AWY-HI	-1.19583	10,668 m		
ENSAC	UP181	44.20000	35,000 ft	34	-
FIX	AWY-HI	-0.69028	10,668 m		
SAU	UN10	44.67680	35,000 ft	36	SAUVETERRE DE GUYENNE
VOR	AWY-HI	-0.15292	10,668 m		
VELIN	UN10	44.98000	35,000 ft	22	-
FIX	AWY-HI	0.15556	10,668 m		
LMG	UN10	45.81590	35,000 ft	62	LIMOGES
VOR	AWY-HI	1.02558	10,668 m		
GUERE	G21	46.19000	35,000 ft	49	-
FIX	AWY-LO	2.08944	10,668 m		
LARON	UM129	46.22750	35,000 ft	5	-
FIX	AWY-HI	2.19833	10,668 m		
KUKOR	UM129	46.54180	35,000 ft	42	-
FIX	AWY-HI	3.12917	10,668 m		
MENOX	G21	46.57190	35,000 ft	4	-
FIX	AWY-LO	3.22000	10,668 m		
MOU	G21	46.70680	35,000 ft	18	MOULINS
VOR	AWY-LO	3.63167	10,668 m		
CACHI	G21	47.06670	35,000 ft	29	-
FIX	AWY-LO	4.10667	10,668 m		
KASON	G21	47.55830	35,000 ft	40	-
FIX	AWY-LO	4.77000	10,668 m		
RLP	G21	47.90630	35,000 ft	28	ROLAMPONT
VOR	AWY-LO	5.24917	10,668 m		
EPL	G21	48.31780	27,300 ft	40	EPINAL MIRECOURT
VOR	AWY-LO	6.05942	8,321 m		
POGOL	R11	48.39900	21,800 ft	25	-
FIX	AWY-LO	6.69336	6,645 m		
EDDS	-	48.68980	0 ft	102	Stuttgart
APT	-	9.22197	0 m		

## LPPR

Region: PORTUGAL  
Timezone: EUROPE/LISBON  
Runways: 1

Elevation: 227 ft / 69 m  
Location: 41.247900 -8.681220  
Magnetic Var: 1.513 W

## METAR

LPPR 102000Z 23003KT 9999 FEW030 17/16 Q1014

## TAF

TAF LPPR 101700Z 1018/1118 26007KT 9999 FEW012 TEMPO 1018/1021 FEW030TCU BECMG 1019/1021 VRB02KT BECMG 1023/1101

## Frequencies

REC - 124.30 MHz - PORTO ATIS  
APP - 121.10 MHz - PORTO APPROACH

TWR - 118.00 MHz - PORTO TOWER

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17	148 ft	11,428 ft	168.84	ASPHALT	978 ft	0 ft
	45 m	3,483 m	170.36		298 m	0 m
35	148 ft	11,428 ft	348.85	ASPHALT	492 ft	0 ft
	45 m	3,483 m	350.36		150 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
17	DME	PR	109.90 MHz	18 nm	-	-	228 ft
				33 km	-		228 m
17	LOC-ILS	PR	109.90 MHz	18 nm	168.87	-	228 ft
				33 km	170.38		228 m
17	GS	PR	109.90 MHz	10 nm	169.77	2.72	228 ft
				19 km	171.28		228 m

## EDDS

Region: GERMANY - CIVIL  
Timezone: EUROPE/BERLIN  
Runways: 1

Elevation: 1,271 ft / 387 m  
Location: 48.689800 9.221970  
Magnetic Var: 3.323 E

## METAR

EDDS 101950Z AUTO 03003KT CAVOK 16/06 Q1021 NOSIG

## TAF

TAF EDDS 101700Z 1018/1118 05007KT CAVOK BECMG 1018/1020 VRB03KT BECMG 1107/1109 06006KT

## Frequencies

REC - 126.13 MHz - STUTTGART ATIS	COM - 122.80 MHz - STUTTGART UNICOM
CLD - 121.90 MHz - STUTTGART DELIVERY	GND - 118.60 MHz - STUTTGART GROUND
TWR - 118.80 MHz - STUTTGART TOWER	TWR - 119.05 MHz - STUTTGART TOWER
APP - 119.85 MHz - STUTTGART DIRECTOR	APP - 119.20 MHz - LANGEN RADAR

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07	148 ft	10,985 ft	74.04	CONCRETE	997 ft	138 ft
	45 m	3,348 m	70.71		304 m	42 m
25	148 ft	10,985 ft	254.07	CONCRETE	0 ft	144 ft
	45 m	3,348 m	250.75		0 m	44 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07	DME	ISTE	115.45 MHz	18 nm	-	-	1,332 ft
				33 km	-		1,332 m
25	DME	ISTW	115.45 MHz	18 nm	-	-	1,332 ft
				33 km	-		1,332 m
07	LOC-ILS	ISTE	109.50 MHz	18 nm	74.05	-	1,271 ft
				33 km	70.73		1,271 m
25	LOC-ILS	ISTW	109.90 MHz	18 nm	254.05	-	1,271 ft
				33 km	250.73		1,271 m
07	GS	ISTE	109.50 MHz	10 nm	74.05	3.00	1,271 ft
				19 km	70.73		1,271 m
25	GS	ISTW	109.90 MHz	10 nm	254.05	3.00	1,271 ft
				19 km	250.73		1,271 m