

# SBGR

Guarulhos-Andre Franco Montoro Intl


# SBCT

Afonso Pena Intl Curitiba

2024/06/07 0419Z

SBGR SIPID SBCT

194.13 nm / 359.54 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 32000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

## Route

Ident		Via	Lat	Alt	Dist	Name
Type			Lon		(nm)	
SBGR	-	-23.43230	0 ft	-	Guarulhos-Andre Franco Montoro Intl	
APT	-	-46.46950	0 m			
SIPID	-	-24.44520	21,400 ft	94	-	
FIX	-	-47.77680	6,523 m			
SBCT	-	-25.52880	0 ft	100	Afonso Pena Intl Curitiba	
APT	-	-49.17310	0 m			

## SBGR

Region: BRAZIL  
Timezone: AMERICA/SAO\_PAULO  
Runways: 2

Elevation: 2,461 ft / 750 m  
Location: -23.432300 -46.469500  
Magnetic Var: 22.219 W

## METAR

SBGR 070400Z 09002KT 8000 NSC 13/13 Q1024

## TAF

TAF SBGR 062130Z 0700/0806 09005KT 8000 FEW016 TN14/0709Z TX25/0718Z BECMG 0706/0708 SCT002 BKN016 TEMPO 0708/0711

## Frequencies

REC - 127.75 MHz - GUARULHOS ATIS	CLD - 121.00 MHz - GUARULHOS CLEARANCE
GND - 121.70 MHz - GUARULHOS GROUND	GND - 126.90 MHz - GUARULHOS GROUND
TWR - 118.40 MHz - GUARULHOS TOWER	TWR - 132.75 MHz - GUARULHOS TOWER
TWR - 135.20 MHz - GUARULHOS TOWER	APP - 129.75 MHz - SAO PAULO APPROACH
APP - 119.15 MHz - SAO PAULO APPROACH	APP - 120.45 MHz - SAO PAULO APPROACH
APP - 120.85 MHz - SAO PAULO APPROACH	APP - 133.85 MHz - SAO PAULO APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09L	148 ft	12,131 ft	73.60	ASPHALT	295 ft	190 ft
	45 m	3,698 m	95.82		90 m	58 m
27R	148 ft	12,131 ft	253.59	ASPHALT	200 ft	194 ft
	45 m	3,698 m	275.81		61 m	59 m
09R	148 ft	9,832 ft	73.60	ASPHALT	0 ft	194 ft
	45 m	2,997 m	95.82		0 m	59 m
27L	148 ft	9,832 ft	253.59	ASPHALT	0 ft	194 ft
	45 m	2,997 m	275.81		0 m	59 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09L	LOC-ILS	IUC	110.70 MHz	18 nm	73.59	-	2,461 ft
				33 km	95.81		2,461 m
09R	LOC-ILS	IGR	111.50 MHz	18 nm	73.60	-	2,461 ft
				33 km	95.82		2,461 m
27L	LOC-ILS	IBC	111.10 MHz	18 nm	253.60	-	2,459 ft
				33 km	275.82		2,459 m
27R	LOC-ILS	IGS	111.90 MHz	18 nm	253.59	-	2,459 ft
				33 km	275.81		2,459 m
09L	GS	IUC	110.70 MHz	10 nm	73.59	3.00	2,461 ft
				19 km	95.81		2,461 m
09R	GS	IGR	111.50 MHz	10 nm	73.60	2.92	2,461 ft
				19 km	95.82		2,461 m
27L	GS	IBC	111.10 MHz	10 nm	253.60	3.00	2,459 ft
				19 km	275.82		2,459 m
27R	GS	IGS	111.90 MHz	10 nm	253.59	3.00	2,458 ft
				19 km	275.81		2,458 m

## SBCT

Region: BRAZIL  
Timezone: AMERICA/SAO\_PAULO  
Runways: 2

Elevation: 2,989 ft / 911 m  
Location: -25.528800 -49.173100  
Magnetic Var: 20.555 W

## METAR

SBCT 070400Z 00000KT CAVOK 12/11 Q1025

## TAF

TAF SBCT 062100Z 0700/0724 27005KT CAVOK TN10/0708Z TX24/0717Z BECMG 0702/0704 04005KT 7000 NSC PROB40 0708/0711

## Frequencies

REC - 127.80 MHz - CURITIBA ATIS  
TWR - 118.15 MHz - CURITIBA TOWER  
APP - 120.65 MHz - CURITIBA APPROACH  
APP - 129.55 MHz - CURITIBA APPROACH  
GND - 121.90 MHz - CURITIBA GROUND  
APP - 119.95 MHz - CURITIBA APPROACH  
APP - 120.95 MHz - CURITIBA APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
15	148 ft	7,278 ft	134.69	ASPHALT	0 ft	230 ft
	45 m	2,218 m	155.25		0 m	70 m
33	148 ft	7,278 ft	314.69	ASPHALT	0 ft	213 ft
	45 m	2,218 m	335.24		0 m	65 m
11	148 ft	5,905 ft	91.73	ASPHALT	0 ft	0 ft
	45 m	1,800 m	112.29		0 m	0 m
29	148 ft	5,905 ft	271.73	ASPHALT	0 ft	89 ft
	45 m	1,800 m	292.28		0 m	27 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
15	LOC-ILS	ICT	109.30 MHz	18 nm	134.69	-	2,988 ft
				33 km	155.25		2,988 m
33	LOC-ILS	ITA	110.30 MHz	18 nm	314.69	-	2,988 ft
				33 km	335.25		2,988 m
15	GS	ICT	109.30 MHz	10 nm	134.69	3.00	2,988 ft
				19 km	155.25		2,988 m
33	GS	ITA	110.30 MHz	10 nm	314.69	3.00	2,988 ft
				19 km	335.25		2,988 m