

LSGG

Geneva


VTSP

Phuket Intl

2024/05/19 2153Z

LSGG INVOP L612 SRN Z982 TZO VAKON Q702 CHI L614 PUL P11 DER N131 SOMUN OSNIP N978 TOMET T802
BAPGU Y572 POGAV L140 KERTA ELBAM W617 OLGIN B494 MKL B491 BISNA M23 MARAL B450 BIBIM A909 LEMOD
N644 REGET J145 DI A466 JHANG M875 KAKID M770 OBMOG L515 MUDMA VTSP

5247.43 nm / 9718.24 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LSGG	-	46.23810	0 ft	-	Geneva
APT	-	6.10901	0 m		
INVOP	-	45.80280	31,800 ft	89	-
FIX	-	8.15639	9,693 m		
SRN	L612	45.64600	35,000 ft	37	SARONNO
VOR	AWY-HI	9.02158	10,668 m		
TZO	Z982	45.55920	35,000 ft	21	TREZZO
VOR	AWY-HI	9.50700	10,668 m		
VAKON	-	45.47810	35,000 ft	21	-
FIX	-	10.00000	10,668 m		
USOBU	Q702	45.36970	35,000 ft	27	-
FIX	AWY-HI	10.63610	10,668 m		
CHI	Q702	45.07110	35,000 ft	71	CHIOGGIA
VOR	AWY-HI	12.28140	10,668 m		
AGOMO	L614	45.01690	35,000 ft	22	-
FIX	AWY-HI	12.80190	10,668 m		
LABIN	L614	44.98580	35,000 ft	12	-
FIX	AWY-LO	13.09140	10,668 m		
PUL	L614	44.89240	35,000 ft	35	PULA
VOR	AWY-LO	13.91810	10,668 m		
CRE	P11	44.90290	35,000 ft	21	CRES
NDB	AWY-LO	14.41650	10,668 m		
OBALA	P11	44.92030	35,000 ft	23	-
FIX	AWY-LO	14.97250	10,668 m		
DABAR	P11	44.93220	35,000 ft	12	-
FIX	AWY-LO	15.27030	10,668 m		
RASTU	P11	44.94220	35,000 ft	20	-
FIX	AWY-LO	15.74330	10,668 m		
KOMAR	P11	44.95810	35,000 ft	45	-
FIX	AWY-LO	16.80420	10,668 m		
TIVNU	P11	44.96470	35,000 ft	10	-
FIX	AWY-LO	17.05940	10,668 m		
DER	P11	44.98410	35,000 ft	38	DERVENTA
VOR	AWY-LO	17.96950	10,668 m		
SOMUN	N131	44.59640	35,000 ft	53	-
FIX	AWY-LO	19.10500	10,668 m		
OSNIP	-	44.64310	35,000 ft	7	-
FIX	-	19.25810	10,668 m		
MAVIT	N978	45.24000	35,000 ft	94	-
FIX	AWY-LO	21.30830	10,668 m		
EKNAB	N978	45.72780	35,000 ft	58	-
FIX	AWY-HI	22.50080	10,668 m		
NEPOT	N978	45.96030	35,000 ft	28	-
FIX	AWY-HI	23.08810	10,668 m		
TOMET	N978	46.48670	35,000 ft	108	-
FIX	AWY-HI	25.59220	10,668 m		
BAPGU	T802	46.79080	35,000 ft	72	-
FIX	AWY-HI	27.29530	10,668 m		
POGAV	Y572	46.78170	35,000 ft	35	-
FIX	AWY-HI	28.16670	10,668 m		
SURAP	L140	46.54470	35,000 ft	72	-
FIX	AWY-HI	29.90000	10,668 m		
ODS	L140	46.43030	35,000 ft	32	ODESA

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
VOR	AWY-HI	30.67080	10,668 m		
BANID	L140	46.55530	35,000 ft	36	-
FIX	AWY-HI	31.54110	10,668 m		
RAPUL	L140	46.61110	35,000 ft	19	-
FIX	AWY-HI	32.00440	10,668 m		
GONUS	L140	46.67500	35,000 ft	21	-
FIX	AWY-HI	32.50830	10,668 m		
RITED	L140	46.73330	35,000 ft	15	-
FIX	AWY-HI	32.88470	10,668 m		
KH	L140	46.80750	35,000 ft	25	KAKHOVKA
NDB	AWY-HI	33.49580	10,668 m		
KERTA	L140	46.97000	35,000 ft	103	-
FIX	AWY-HI	36.00500	10,668 m		
ELBAM	-	46.91110	35,000 ft	34	-
FIX	-	36.84560	10,668 m		
OLGIN	W617	46.65830	35,000 ft	28	-
FIX	AWY-LO	37.42170	10,668 m		
INSERT	B494	46.18140	35,000 ft	69	-
FIX	AWY-HI	38.95830	10,668 m		
UH	B494	45.85190	35,000 ft	51	TIKHORETSK
NDB	AWY-HI	40.09000	10,668 m		
ROTIM	B494	45.61330	35,000 ft	30	-
FIX	AWY-HI	40.73670	10,668 m		
LEGNA	B494	45.32140	35,000 ft	36	-
FIX	AWY-HI	41.50500	10,668 m		
TESMI	B494	45.10920	35,000 ft	28	-
FIX	AWY-HI	42.11250	10,668 m		
GIRTI	B494	44.90530	35,000 ft	23	-
FIX	AWY-HI	42.58500	10,668 m		
ALEGI	B494	44.72470	35,000 ft	20	-
FIX	AWY-HI	42.99860	10,668 m		
BADKO	B494	44.51140	35,000 ft	25	-
FIX	AWY-HI	43.50690	10,668 m		
RISKA	B494	44.06640	35,000 ft	53	-
FIX	AWY-HI	44.58190	10,668 m		
NEGUB	B494	43.73640	35,000 ft	41	-
FIX	AWY-HI	45.42530	10,668 m		
GOTIK	B494	43.48970	35,000 ft	30	-
FIX	AWY-HI	46.04030	10,668 m		
UNEDI	B494	43.15140	35,000 ft	41	-
FIX	AWY-HI	46.86280	10,668 m		
MKL	B494	42.82120	35,000 ft	39	MAKHACHKALA
VOR	AWY-HI	47.64540	10,668 m		
BALIP	B491	42.49360	35,000 ft	45	-
FIX	AWY-HI	48.57000	10,668 m		
BISNA	B491	42.23330	35,000 ft	35	-
FIX	AWY-HI	49.28330	10,668 m		
MARAL	M23	41.36000	35,000 ft	112	-
FIX	AWY-HI	51.50000	10,668 m		
TABAB	B450	40.90330	35,000 ft	57	-
FIX	AWY-HI	52.60830	10,668 m		
MAHYM	B450	39.83170	35,000 ft	128	-
FIX	AWY-HI	55.04830	10,668 m		
BIBIM	B450	39.69500	35,000 ft	16	-
FIX	AWY-HI	55.35830	10,668 m		
ABEKO	A909	39.57500	35,000 ft	25	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	55.89830	10,668 m		
KEKAL	A909	39.36830	35,000 ft	43	-
FIX	AWY-HI	56.80830	10,668 m		
BODBA	A909	38.88670	35,000 ft	89	-
FIX	AWY-HI	58.62830	10,668 m		
ABDAN	A909	38.59500	35,000 ft	38	-
FIX	AWY-HI	59.36670	10,668 m		
UTAM	A909	37.62170	35,000 ft	133	-
FIX	AWY-HI	61.89670	10,668 m		
LEMOD	A909	36.16670	35,000 ft	144	-
FIX	AWY-HI	64.29170	10,668 m		
VUVEN	N644	34.54170	35,000 ft	161	-
FIX	AWY-HI	66.92500	10,668 m		
NEVIV	N644	33.98000	35,000 ft	54	-
FIX	AWY-HI	67.78330	10,668 m		
PATOX	N644	33.54830	35,000 ft	41	-
FIX	AWY-HI	68.42000	10,668 m		
MESRA	N644	33.27750	35,000 ft	25	-
FIX	AWY-HI	68.79890	10,668 m		
DOBAT	N644	32.86670	35,000 ft	40	-
FIX	AWY-HI	69.43330	10,668 m		
REGET	N644	32.37000	35,000 ft	48	-
FIX	AWY-HI	70.18310	10,668 m		
DI	J145	31.91260	35,000 ft	45	DERA ISMAIL KHAN
VOR	AWY-HI	70.88570	10,668 m		
JHANG	A466	31.26670	35,000 ft	82	-
FIX	AWY-HI	72.29940	10,668 m		
NIKET	M875	30.68190	35,000 ft	60	-
FIX	AWY-HI	73.25830	10,668 m		
GUGAL	M875	30.24170	35,000 ft	45	-
FIX	AWY-HI	73.96580	10,668 m		
BUTOP	M875	29.32920	35,000 ft	92	-
FIX	AWY-HI	75.39890	10,668 m		
IGONA	M875	25.96670	35,000 ft	327	-
FIX	AWY-HI	80.25830	10,668 m		
DOMET	M875	25.14170	35,000 ft	81	-
FIX	AWY-HI	81.44170	10,668 m		
LAPAN	M875	23.73190	35,000 ft	138	-
FIX	AWY-HI	83.43560	10,668 m		
DADSO	M875	22.75280	35,000 ft	86	-
FIX	AWY-HI	84.57640	10,668 m		
AGROM	M875	22.52920	35,000 ft	19	-
FIX	AWY-HI	84.83330	10,668 m		
MAVLA	M875	20.82080	35,000 ft	149	-
FIX	AWY-HI	86.79170	10,668 m		
KAKID	M875	20.64330	35,000 ft	15	-
FIX	AWY-HI	86.99500	10,668 m		
BUMRO	M770	20.47080	35,000 ft	15	-
FIX	AWY-HI	87.20000	10,668 m		
BUBKO	M770	19.18440	35,000 ft	113	-
FIX	AWY-HI	88.66420	10,668 m		
DABEN	M770	17.40690	35,000 ft	151	-
FIX	AWY-HI	90.54580	10,668 m		
MEPEL	M770	16.03330	35,000 ft	117	-
FIX	AWY-HI	92.00000	10,668 m		
SADUS	M770	15.42810	35,000 ft	51	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	92.63110	10,668 m		
LALAT	M770	12.84690	35,000 ft	224	-
FIX	AWY-HI	95.41890	10,668 m		
OBSOG	M770	11.90190	35,000 ft	80	-
FIX	AWY-HI	96.39190	10,668 m		
IKULA	L515	10.00190	27,200 ft	127	-
FIX	AWY-HI	97.35390	8,291 m		
MUDMA	L515	9.01386	13,000 ft	66	-
FIX	AWY-HI	97.85430	3,962 m		
VTSP	-	8.11320	0 ft	60	Phuket Intl
APT	-	98.31690	0 m		

LSGG

Region: SWITZERLAND
Timezone: EUROPE/ZURICH
Runways: 1

Elevation: 1,411 ft / 430 m
Location: 46.238100 6.109010
Magnetic Var: 2.514 E

METAR

LSGG 192120Z AUTO 18006KT 9999 VCSH SCT062 FEW///TCU 17/09 Q1012 TEMPO SHRA

TAF

TAF LSGG 192025Z 1921/2103 VRB02KT 9999 SCT060 TX22/2015Z TN09/2005Z PROB30 TEMPO 1923/2003 SHRA PROB30 TEMPO 201

Frequencies

REC - 124.75 MHz - ATIS	REC - 135.57 MHz - ATIS
GND - 121.75 MHz - GENEVA APRON	GND - 121.85 MHz - GENEVA APRON
GND - 121.67 MHz - GENEVA GROUND	GND - 119.70 MHz - GENEVA GROUND
TWR - 118.70 MHz - GENEVA TOWER	TWR - 119.90 MHz - GENEVA TOWER
DEP - 131.32 MHz - GENEVA DEPARTURE	DEP - 119.52 MHz - GENEVA DEPARTURE
APP - 136.45 MHz - GENEVA TRANSIT	APP - 136.25 MHz - GENEVA ARRIVAL
APP - 130.55 MHz - GENEVA APPROACH	APP - 120.30 MHz - GENEVA FINAL

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	164 ft	12,806 ft	45.42	CONCRETE	1,076 ft	0 ft
	50 m	3,903 m	42.91		328 m	0 m
22	164 ft	12,806 ft	225.45	CONCRETE	0 ft	0 ft
	50 m	3,903 m	222.93		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04	LOC-ILS	INE	110.90 MHz	18 nm	45.44	-	1,411 ft
				33 km	42.93		1,411 m
22	LOC-ILS	ISW	109.90 MHz	18 nm	225.44	-	1,411 ft
				33 km	222.93		1,411 m
04	GS	INE	110.90 MHz	10 nm	45.44	3.00	1,411 ft
				19 km	42.93		1,411 m
22	GS	ISW	109.90 MHz	10 nm	225.44	3.00	1,411 ft
				19 km	222.93		1,411 m

VTSP

Region: THAILAND
Timezone: ASIA/BANGKOK
Runways: 1

Elevation: 82 ft / 25 m
Location: 8.113200 98.316900
Magnetic Var: 0.288 W

METAR

VTSP 192130Z 28005KT 9999 -RA SCT020 26/25 Q1005 RETS NOSIG

TAF

TAF VTSP 191700Z 1918/2024 28006KT 9999 SCT020 TEMPO 2000/2008 3000 TSRA FEW018CB SCT020 BKN100

Frequencies

REC - 128.00 MHz - PHUKET ATIS	GND - 121.90 MHz - PHUKET GROUND
TWR - 118.10 MHz - PHUKET TOWER	CLD - 118.55 MHz - PHUKET DELIVERY
APP - 124.70 MHz - PHUKET APPROACH	APP - 120.70 MHz - PHUKET ARRIVAL

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	150 ft	9,851 ft	84.58	ASPHALT	0 ft	190 ft
	46 m	3,003 m	84.86		0 m	58 m
27	150 ft	9,851 ft	264.58	ASPHALT	0 ft	187 ft
	46 m	3,003 m	264.87		0 m	57 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
27	DME	IPKT	109.90 MHz	18 nm	-	-	82 ft
				33 km	-		82 m
27	LOC-ILS	IPKT	109.90 MHz	18 nm	264.58	-	82 ft
				33 km	264.87		82 m
27	GS	IPKT	109.90 MHz	10 nm	264.58	3.20	82 ft
				19 km	264.87		82 m