

LIPZ

Venezia-Tessera "Marco Polo"


LIBD

Bari-Palese "Karol Wojtyła"

2024/05/07 1346Z

LIPZ BUSER **L613** DIPEP **T415** VIE LIBD

326.23 nm / 604.17 km



Notes

Requested: LIPZ BUSER L613 DIPEP T415 VIE LIBD

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LIPZ	-	45.50480	0 ft	-	Venezia-Tessera "Marco Polo"
APT	-	12.34970	0 m		
BUSER	-	44.10670	0 ft	100	-
FIX	-	13.64890	0 m		
LISK0	L613	43.57140	0 ft	38	-
FIX	AWY-HI	14.13220	0 m		
DIPEP	L613	43.34170	0 ft	20	-
FIX	AWY-HI	14.49190	0 m		
VIE	T415	41.91280	0 ft	109	VIESTE
VOR	AWY-HI	16.04920	0 m		
LIBD	-	41.13790	0 ft	56	Bari-Palese "Karol Wojtyla"
APT	-	16.75830	0 m		

LIPZ

Region: ITALY
Timezone: EUROPE/ROME
Runways: 2

Elevation: 4 ft / 1 m
Location: 45.504800 12.349700
Magnetic Var: 3.904 E

METAR

LIPZ 071320Z 07004KT 050V110 9999 BKN050 16/12 Q1013 NOSIG

TAF

TAF LIPZ 071100Z 0712/0818 13010KT 9999 SCT030 TEMPO 0712/0720 RA BECMG 0716/0718 04006KT TEMPO 0800/0806 3000 BKN050

Frequencies

REC - 128.65 MHz - ATIS
TWR - 120.20 MHz - VENEZIA TOWER
APP - 118.25 MHz - VENEZIA APPROACH
GND - 121.70 MHz - VENEZIA GROUND
APP - 118.90 MHz - VENEZIA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04R	148 ft	10,836 ft	42.03	ASPHALT	0 ft	0 ft
	45 m	3,303 m	38.12		0 m	0 m
22L	148 ft	10,836 ft	222.05	ASPHALT	0 ft	0 ft
	45 m	3,303 m	218.14		0 m	0 m
04L	148 ft	9,129 ft	42.03	ASPHALT	318 ft	0 ft
	45 m	2,782 m	38.13		97 m	0 m
22R	148 ft	9,129 ft	222.05	ASPHALT	0 ft	0 ft
	45 m	2,782 m	218.14		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04R	DME	VTS	109.95 MHz	18 nm	-	-	26 ft
				33 km	-		26 m
04R	LOC-ILS	VTS	109.95 MHz	18 nm	42.04	-	4 ft
				33 km	38.14		4 m
04R	GS	VTS	109.95 MHz	10 nm	42.04	3.00	4 ft
				19 km	38.14		4 m

LIBD

Region: ITALY
Timezone: EUROPE/ROME
Runways: 1

Elevation: 173 ft / 53 m
Location: 41.137900 16.758300
Magnetic Var: 4.391 E

METAR

LIBD 071320Z 34007KT 300V010 CAVOK 25/14 Q1012

TAF

TAF LIBD 071100Z 0712/0812 08010KT CAVOK BECMG 0713/0715 19008KT BECMG 0808/0810 02010KT

Frequencies

REC - 124.05 MHz - ATIS
TWR - 122.10 MHz - BARI TOWER

TWR - 118.30 MHz - BARI TOWER
APP - 136.10 MHz - BARI APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07	148 ft	9,260 ft	69.40	ASPHALT	1,240 ft	0 ft
	45 m	2,823 m	65.00		378 m	0 m
25	148 ft	9,260 ft	249.42	ASPHALT	0 ft	0 ft
	45 m	2,823 m	245.03		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07	DME	BAP	111.35 MHz	18 nm	-	-	183 ft
				33 km	-		183 m
07	LOC-ILS	BAP	111.35 MHz	18 nm	69.39	-	175 ft
				33 km	65.00		175 m
07	GS	BAP	111.35 MHz	10 nm	69.39	3.32	175 ft
				19 km	65.00		175 m