

LIRP

Pisa-San Giusto "Galileo Galilei"


LMML

Malta Intl

2024/05/16 0032Z

LIRP ELB M616 MARON LMML

512.11 nm / 948.43 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: no
- Use PACOTS: no
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LIRP	-	43.68280	0 ft	-	Pisa-San Giusto "Galileo Galilei"
APT	-	10.39560	0 m		
ELB	-	42.73070	20,400 ft	57	ELBA
VOR	-	10.39570	6,218 m		
MARON	M616	37.12360	18,500 ft	368	-
FIX	AWY-HI	13.65310	5,639 m		
LMML	-	35.84940	0 ft	86	Malta Intl
APT	-	14.48180	0 m		

LIRP

Region: ITALY
Timezone: EUROPE/ROME
Runways: 2

Elevation: 4 ft / 1 m
Location: 43.682800 10.395600
Magnetic Var: 3.410 E

METAR

LIRP 152345Z VRB02KT CAVOK 15/15 Q1007 NOSIG

TAF

TAF LIRP 152300Z 1600/1624 VRB03KT 8000 FEW060 BECMG 1602/1604 4000 BR SCT015 SCT030 BECMG 1609/1611 5000 RA BR TE

Frequencies

GND - 121.60 MHz - PISA GROUND
TWR - 119.10 MHz - PISA TOWER
APP - 122.10 MHz - PISA APPROACH

TWR - 122.10 MHz - PISA TOWER
APP - 124.27 MHz - PISA APPROACH
APP - 126.07 MHz - PISA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04R	148 ft	9,825 ft	36.73	ASPHALT	463 ft	0 ft
	45 m	2,995 m	33.32		141 m	0 m
22L	148 ft	9,825 ft	216.74	ASPHALT	833 ft	190 ft
	45 m	2,995 m	213.33		254 m	58 m
04L	148 ft	8,984 ft	36.71	ASPHALT	791 ft	0 ft
	45 m	2,738 m	33.30		241 m	0 m
22R	148 ft	8,984 ft	216.73	ASPHALT	0 ft	190 ft
	45 m	2,738 m	213.32		0 m	58 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04R	LOC-ILS	IPI	109.70 MHz	18 nm	36.76	-	7 ft
				33 km	33.35		7 m
04R	GS	IPI	109.70 MHz	10 nm	37.45	3.00	3 ft
				19 km	34.04		3 m

LMML

Region: MALTA
Timezone: EUROPE/MALTA
Runways: 2

Elevation: 297 ft / 91 m
Location: 35.849400 14.481800
Magnetic Var: 3.623 E

METAR

LMML 160015Z 36013KT 340V100 CAVOK 23/15 Q1007 NOSIG

TAF

TAF LMML 152300Z 1600/1624 10016KT 9999 FEW012 BECMG 1609/1612 24010KT

Frequencies

REC - 127.40 MHz - LUQA ATIS
TWR - 135.10 MHz - LUQA TOWER

GND - 121.60 MHz - LUQA GROUND
APP - 128.15 MHz - LUQA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13	197 ft	11,618 ft	134.87	ASPHALT	0 ft	0 ft
	60 m	3,541 m	131.25		0 m	0 m
31	197 ft	11,618 ft	314.89	ASPHALT	614 ft	177 ft
	60 m	3,541 m	311.27		187 m	54 m
05	148 ft	7,794 ft	54.40	ASPHALT	0 ft	95 ft
	45 m	2,376 m	50.78		0 m	29 m
23	148 ft	7,794 ft	234.42	ASPHALT	0 ft	102 ft
	45 m	2,376 m	230.79		0 m	31 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
13	LOC-ILS	LQ	109.70 MHz	18 nm	134.86	-	299 ft
				33 km	131.24		299 m
31	LOC-ILS	LM	110.50 MHz	18 nm	314.86	-	299 ft
				33 km	311.24		299 m
13	GS	LQ	109.70 MHz	10 nm	134.86	2.85	299 ft
				19 km	131.24		299 m
31	GS	LM	110.50 MHz	10 nm	314.86	2.85	299 ft
				19 km	311.24		299 m