


2024/05/23 0322Z

PHDH LORET PHOG

107.04 nm / 198.24 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 15000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
PHDH	-	21.57950	0 ft	-	DILLINGHAM
APT	-	-158.19700	0 m		
LORET	-	20.99080	3,300 ft	91	-
FIX	-	-156.69100	1,006 m		
PHOG	-	20.89860	0 ft	15	Kahului
APT	-	-156.43000	0 m		

## PHOG

Region: USA (HAWAII)  
Timezone: PACIFIC/HONOLULU  
Runways: 2

Elevation: 53 ft / 16 m  
Location: 20.898600 -156.430000  
Magnetic Var: 9.306 E

## METAR

PHOG 230254Z 07015G28KT 10SM FEW030 SCT045 28/18 A2997

## TAF

PHOG 222335Z 2300/2324 05015G22KT P6SM FEW035 SCT050 FM230500 07011KT P6SM FEW035 SCT050 FM230700 VRB06KT P6SM SC

## Frequencies

REC - 128.60 MHz - ATIS	GND - 121.90 MHz - MAUI GROUND
TWR - 118.70 MHz - MAUI TOWER	CLD - 120.60 MHz - MAUI CLEARANCE
APP - 119.50 MHz - MAUI APPROACH	APP - 120.20 MHz - MAUI APPROACH
DEP - 119.50 MHz - MAUI DEPARTURE	DEP - 120.20 MHz - MAUI DEPARTURE
COM - 122.95 MHz - KAHULUI UNICOM	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
02	150 ft	7,017 ft	34.83	ASPHALT	0 ft	226 ft
	46 m	2,139 m	25.52		0 m	69 m
20	150 ft	7,017 ft	214.83	ASPHALT	0 ft	397 ft
	46 m	2,139 m	205.53		0 m	121 m
05	150 ft	4,983 ft	64.87	ASPHALT	0 ft	0 ft
	46 m	1,519 m	55.57		0 m	0 m
23	150 ft	4,983 ft	244.88	ASPHALT	0 ft	0 ft
	46 m	1,519 m	235.57		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
02	DME	IOGG	110.10 MHz	18 nm	-	-	46 ft
				33 km	-		46 m
02	LOC-ILS	IOGG	110.10 MHz	18 nm	34.83	-	53 ft
				33 km	25.52		53 m
02	GS	IOGG	110.10 MHz	10 nm	34.83	3.10	53 ft
				19 km	25.52		53 m